

IVINOSHLIWS, SAIAVABIT LIBRARIES SMITHSONIAN INSTITUTION NOITHILLSNI NVINOSHLIWS, SAIAVABIT ZIBRARIES SMITHSONIAN INSTITUTION OF THE STATE OF THE ST



MEMOIRS OF THE AMERICAN ENTOMOLOGICAL SOCIETY NUMBER 23

A LIST OF NEW NORTH AMERICAN SPIDERS 1940-1966

BY

BEATRICE R. VOGEL



PUBLISHED BY THE AMERICAN ENTOMOLOGICAL SOCIETY AT THE ACADEMY OF NATURAL SCIENCES PHILADELPHIA

1967

This publication is sent to establish date of issue.

Please the province of record and place in your Library.

NI 1 S NI S NI ES NI 1 ES. МІ E S


A51 no. 23 Insects

MEMOIRS OF THE AMERICAN ENTOMOLOGICAL SOCIETY NUMBER 23

A LIST OF NEW NORTH AMERICAN SPIDERS 1940-1966

BY

BEATRICE R. VOGEL



PUBLISHED BY THE AMERICAN ENTOMOLOGICAL SOCIETY
AT THE ACADEMY OF NATURAL SCIENCES
PHILADELPHIA

1967

SELWYN S. ROBACK
EDITOR

S

S


NI

(Issued December 20, 1967)

PRINTED IN THE UNITED STATES OF AMERICA

CONTENTS

Introduction	1
A list of new North American spiders	3
Bibliography	160
Index	168



Memoirs

OF THE

AMERICAN ENTOMOLOGICAL SOCIETY Number 23

A LIST OF NEW NORTH AMERICAN SPIDERS 1940-1966

BY

BEATRICE R. VOGEL

Carnegie Museum Pittsburgh, Pennsylvania

INTRODUCTION

The problem of identifying zoological specimens from a region is simplified by a knowledge of what species have been recorded from that region. Spider taxonomists the world over have found an invaluable tool in *Bibliographia Araneorum* (Pierre Bonnet, 1945-1961, Vols. 1-3, Toulouse). However, it has been 25 years since its compilation, and in these few decades, North American araneologists have been so active that they have added more than 1300 species to the North American fauna. Until a supplement to Bonnet is published, some other aid in identifying North American spiders is needed. This list has been prepared to fill this need.

This list contains the names of new genera and new species from 1940 to 1966 inclusive. It is not a complete check list of North American spiders, nor is it a complete bibliography of the names listed. Generally, only the original reference to the name is given, with two major exceptions. The family Dictynidae and the theridiid genus *Theridion* contain synonyms, since both groups are large and were revised recently. In all cases where synonyms are given, the synonyms were created by a reviser of that group and reference to the revision is included. The type and locality data, however, pertain to the new name, and not the senior synonym. New combinations are not included because they are numerous, and in the face of necessary revisionary work in most groups, names are not very stable. All of Mexico is included, since many spider species are

known to range from southern United States through Mexico into Central America, and it would be a far more difficult task to sort the wide ranging species from the geographically restricted ones than to include both groups of species. Arbitrarily, the Caribbean Islands are excluded, because species described from them as new seem to be endemic. Mygalomorphs are not included in this list for a bibliography of this suborder is published elsewhere. (Vogel, B. R., 1962, Ent. News 73 (9): 245-250.)

An alphabetical arrangement is followed throughout the list, by families, genera within families, and species within genera. The genera are placed in families in accordance with Bonnet, except where noted. The binomen of the species is given with its author and year, and is followed by a number in bold face type, and a page number. The bold face number refers to the bibliography at the end of this list, where complete citations are given, and the page number is in that reference where the new description begins. Below the names of the new species are listed depository of type, type locality and other occurrences.

TYPE. — Depositories of types are given as listed in the description of new species. Unfortunately, not all authors supply this information. In some cases the types may have been moved to some new repository, for example, the Cornell University Collection is now temporarily housed at the American Museum of Natural History.

TYPE LOCALITY. — State, county and exact locality are given when possible. In many cases, the county name has been added if there is no reasonable doubt about it. In some questionable instances county names are supplied in brackets [], and in others it has not been possible to place the locality in a county. Latitude and longitude are occasionally included where they were supplied in the description and give a more precise locality than a county name.

OCCURRENCE. — Listed under this heading are state names from which the species are reported in the original description. It is not meant to be a complete range of the species, since it includes information only from the first reference. If there is no such heading under a new species, then the species was known only from its type locality when it was described.

I wish to thank numerous friends and colleagues for their interest and encouragement in this compilation, in particular I express my sincere thanks to Dr. R. E. Crabill for his many helpful suggestions, to Dr. H. W. Levi for information about types, to Dr. R. M. Fox for assistance in publication, and to my husband, C. J. Durden, for help with proof reading and the index. I wish to acknowledge that Zoological Record was an important aid in making this list. The generous support of the Office of

Science Information Services made possible the publication of this paper through grant GN-627.

A LIST OF NEW NORTH AMERICAN SPIDERS

AGELENIDAE

Genera

Calilena Chamberlin & Ivie, 1941

35 p. 603

TYPE-SPECIES. — Calilena saylori Chamberlin & Ivie, 1941, by original designation.

Novalena Chamberlin & Ivie, 1942

37 p. 224

TYPE-SPECIES. — Agelena intermedia Chamberlin & Gertsch, 1930 [= Novalena intermedia (Chamberlin & Gertsch, 1930)], by original designation.

Ritalena Chamberlin & Ivie, 1941

35 p. 613

TYPE-SPECIES. — Ritalena rita Chamberlin & Ivie, 1941, by original designation and monotypy.

Rualena Chamberlin & Ivie, 1942

37 p. 232

TYPE-SPECIES. — Rualena surana Chamberlin & Ivie, 1942, by original designation.

Saltonia Chamberlin & Ivie, 1942

38 p. 23

TYPE-SPECIES. — Saltonia imperialis Chamberlin & Ivie, 1942, by original designation and monotypy.

Tortolena Chamberlin & Ivie, 1941

35 p. 614

TYPE-SPECIES. — Agelena confusa Gertsch & Ivie, 1936 [= Tortolena confusa (Gertsch & Ivie, 1936)], by original designation.

Yorima Chamberlin & Ivie, 1942

38 p. 19

TYPE-SPECIES. — Chorizomma sequoiae Chamberlin & Ivie, 1937 [= Yorima sequoiae (Chamberlin & Ivie, 1937)], by original designation.

Species

Agelena annamae Gertsch & Davis, 1940

73 p. 2

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Michoacan, Zitacuaro.

1

S

S

11

S

Agelena coahuilana Gertsch & Davis, 1940 TYPE. — Amer. Mus. Nat. Hist.	73	p. 2
TYPE LOCALITY. — Coahuila, Diamante Drive, 5 mi		Saltilla.
Agelena tolucana Gertsch & Davis, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Mexico, Mt. Toluca. OCCURRENCE. — Mexico.	73	. р. э
Agelenopsis aperta guttata Chamberlin & Ivie, 1941 TYPE. — University of Utah. TYPE LOCALITY. — Texas, Kerr Co., Raven Ranc Kerrville.		p. 595 outh of
Agelenopsis balboae Schenkel, 1950 TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. — California, San Diego Co., San boa Park.	130 Dieg	p. 82 go, B al-
Agelenopsis emertoni Chamberlin & Ivie, 1941 TYPE. — Univ. of Utah. TYPE LOCALITY. — Texas, Bell Co., Belton. OCCURRENCE. — Texas, Eastern U. S.	35	p. 593
Agelenopsis floridensis Roth, 1954 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Levy Co. OCCURRENCE. — Florida, Bahama Islands.	128	p. 3
Agelenopsis gertschi Schenkel, 1950 TYPE. — Naturhist. Mus., Basel.	130	p. 79
TYPE LOCALITY. — California, Alameda Co., Berke Peak.	eley,	Grizzly
Agelenopsis jeffersi Muma, 1945 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Maryland, Wicomico Co., Salsb. OCCURRENCE. — Maryland.	120 oury.	p. 94
Agelenopsis kastoni Chamberlin & Ivie, 1941 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Connecticut, Middlesex Co., Ha		p. 591 n.
Calilena adna Chamberlin & Ivie, 1941 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Fresno Co., Friant.	35	p. 604

Calilena angelena Chamberlin & Ivie, 1941

35 p. 607

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Los Angeles Co., Los Angeles. OCCURRENCE. — California, Arizona.

Calilena arizonica Chamberlin & Ivie, 1941

35 p. 612

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. - Arizona, Pima Co., Tucson.

Calilena gertschi Chamberlin & Ivie, 1941

35 p. 612

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, San Juan Co., Monticello.

Calilena gosoga Chamberlin & Ivie, 1941

35 p. 607

TYPE. - Univ. of Utah.

TYPE LOCALITY. — California, San Bernardino Co., 6 mi. W. Victorville.

Calilena magna Chamberlin & Ivie, 1941

35 p. 603

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, San Francisco Co., San Francisco.

Calilena multiformis dixiana Chamberlin & Ivie, 1941

35 p. 608

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Washington Co., St. George, W 113° 24', N 37° 6'.

OCCURRENCE. - Utah, Idaho.

Calilena nita Chamberlin & Ivie, 1941

35 p. 610

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Lake Co., Clear Lake, W 122° 40', N 38° 58'.

Calilena restricta Chamberlin & Ivie, 1941

35 p. 606

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Utah Co., West side of Utah Lake, W 111° 55′, N 40° 12′.

OCCURRENCE. — Utah, Arizona.

Calilena saylori Chamberlin & Ivie, 1941

35 p. 608

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Monterey Co., Pt. Sur, W 121° 54′, N 36° 19′.

OCCURRENCE. — California.

Calilena siva Chamberlin & Ivie, 1941 **35** p. 604 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, San Bernardino Co., Victorville. Calilena stylophora Chamberlin & Ivie, 1941 **35** p. 610 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Alameda Co., Berkeley. OCCURRENCE. — California. 35 p. 611 Calilena stylophora laguna Chamberlin & Ivie, 1941 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Orange Co., Laguna Beach. Calilena stylophora oregona Chamberlin & Ivie, 1941 **35** p. 611 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Oregon, Tillamook Co., W 123°, N 45°. Calilena stylophora pomona Chamberlin & Ivie, 1941 **35** p. 611 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Los Angeles Co., Claremont. Calilena umatila Chamberlin & Ivie, 1941 **35** p. 609 TYPE. — Univ. of Utah. TYPE LOCALITY. — Washington, Benton Co., Prosser. OCCURRENCE. — Washington. Calilena umatila schizostylus Chamberlin & Ivie, 1941 **35** p. 610 TYPE. — Univ. of Utah. TYPE LOCALITY. — Idaho, Adams Co., Lost Valley Reservoir. Calilena yosemita Chamberlin & Ivie, 1941 **35** p. 613 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Yosemite National Park, Aspen Valley. Calymmaria aspenola Chamberlin & Ivie, 1942 38 p. 23 TYPE. — Univ. of Utah. TYPE LOCALITY. - California, Yosemite National Park, Aspen Valley. Calymmaria lora Chamberlin & Ivie, 1942 38 p. 22 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Fresno Co., Friant. Cicurina alpicora Barrows, 1945 **15** p. 70 TYPE. — Ohio State Univ., Columbus, Ohio. TYPE LOCALITY. — Tennessee, Great Smoky Mountains National

Park, Spence Field.

Cicurina altana Chamberlin & Ivie, 1940

34 p. 49

TYPE. — probably Univ. of Utah.

TYPE LOCALITY. — Colorado, Clear Creek Co., Idaho Springs. OCCURRENCE. — Colorado.

Cicurina arcata Chamberlin & Ivie, 1940

34 p. 38

TYPE. — probably Univ. of Utah.

TYPE LOCALITY. — California, Humboldt Co., Arcata.

Cicurina arizona Chamberlin & Ivie, 1940

34 p. 72

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Arizona, Coconino Co., Flagstaff, San Francisco Mts., Aspen Spring.

OCCURRENCE. - New Mexico.

Cicurina buwata Chamberlin & Ivie, 1940

34 p. 74

TYPE. — Cornell Univ. Collection.

TYPE LOCALITY. — Texas, cave near Austin, probably about W 97° 58′, N 30° 21′.

Cicurina colorada Chamberlin & Ivie, 1940

34 p. 61

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. - Colorado, Prowers Co., Lamar.

Cicurina deserticola Chamberlin & Ivie, 1940

34 p. 65

TYPE. — probably Univ. of Utah.

TYPE LOCALITY. — Utah, Emery Co., Ferron.

OCCURRENCE. — Utah, Arizona.

Cicurina exlinae Chamberlin & Ivie, 1940

34 p. 27

TYPE. — probably Univ. of Utah.

TYPE LOCALITY. — North Carolina, Buncombe Co., Mt. Pisgah, Frying Pan Gap.

OCCURRENCE. — North Carolina, Tennessee.

Cicurina hexops Chamberlin & Ivie, 1940

34 p. 79

TYPE. — probably Univ. of Utah.

TYPE LOCALITY. — Texas, [Jim Wells Co.?], Walter Valley, W 98° 5′, N 27° 55′.

Cicurina itasca Chamberlin & Ivie, 1940

34 p. 62

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Minnesota, [Clearwater Co.?] Itasca State Park.

S

S

34 p. 39 Cicurina jonesi Chamberlin & Ivie, 1940 TYPE. — probably Univ. of Utah. TYPE LOCALITY. — Oregon, Lane Co., Eugene, Skinner's Bluff. OCCURRENCE. — Oregon. Cicurina lowriei Levi, 1951 91 p. 20 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Wisconsin, Dane Co., Madison, Hoyt Park. OCCURRENCE. — Wisconsin. Cicurina microps Chamberlin & Ivie, 1940 34 p. 77 TYPE. — probably Univ. of Utah. TYPE LOCALITY. — Texas, Kerr Co., Raven Ranch south of Kerrville. Cicurina minima Chamberlin & Ivie, 1940 34 p. 31 TYPE. — probably Univ. of Utah. TYPE LOCALITY. -- North Carolina, Buncombe Co., Mt. Pisgah. OCCURRENCE. — Tennessee, Alabama. Cicurina minnedoka Chamberlin & Ivie, 1940 34 p. 52 TYPE. — probably Univ. of Utah. TYPE LOCALITY. — Idaho, Twin Falls Co., Twin Falls. Cicurina minnesota Chamberlin & Ivie, 1940 p. 34 TYPE. — probably Univ. of Utah. TYPE LOCALITY. — Minnesota, [Clearwater Co.?] Itasca State Park. OCCURRENCE. - Minnesota. Cicurina nina Chamberlin & Ivie, 1940 34 p. 39 TYPE. — probably Univ. of Utah. TYPE LOCALITY. — California, Madera Co., North Fork. Cicurina pacifica Chamberlin & Ivie, 1940 34 p. 55 TYPE. — probably Univ. of Utah. TYPE LOCALITY. — California, Monterey Co., Monterey. Cicurina pagosa Chamberlin & Ivie, 1940 p. 43 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Colorado, Archuleta Co., Pagosa Springs. Cicurina pampa Chamberlin & Ivie, 1940 p. 79 TYPE. — probably Univ. of Utah. TYPE LOCALITY. — Texas, Kendall Co., W 98° 45′, N 29° 50′.

Cicurina parma Chamberlin & Ivie, 1940 34 p. 67 TYPE. — probably Univ. of Utah. TYPE LOCALITY. — Idaho, Canyon Co., 3 mi. east of Parma. OCCURRENCE. — Idaho, Utah. Cicurina riogrande Gertsch & Mulaik, 1940 in 34 p. 76 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Starr Co., Rio Grande City. Cicurina rubra Chamberlin & Ivie, 1940 p. 54 TYPE. — probably Univ. of Utah. TYPE LOCALITY. — Montana, Ravalli Co., Moose Lake. p. 76 Cicurina rudimentops Chamberlin & Ivie, 1940 34 TYPE. — probably Univ. of Utah. TYPE LOCALITY. — Texas, Jim Wells Co., 17 mi. north of Alice. Cicurina shasta Chamberlin & Ivie, 1940 34 p. 47 TYPE. -- probably Univ. of Utah. TYPE LOCALITY. — California, Siskiyou Co., Weed. Cicurina sierra Chamberlin & Ivie, 1940 34 p. 41 TYPE. — probably Univ. of Utah. TYPE LOCALITY. — California, Yosemite National Park, Aspen Valley. OCCURRENCE. — California. Cicurina tacoma Chamberlin & Ivie, 1940 34 p. 55 TYPE. — probably Univ. of Utah. TYPE LOCALITY. — Washington, Pierce Co., Tacoma. 34 Cicurina tortuba Chamberlin & Ivie, 1940 p. 70 TYPE. — probably Univ. of Utah. TYPE LOCALITY. — California, San Mateo Co., W 122° 25', N 37° 35′. in 34 Cicurina varians Gertsch & Mulaik, 1940 p. 57 TYPE. — probably Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Kerr Co., Raven Ranch, south of Kerrville, W 99° 7′, N 29° 55′. OCCURRENCE. — Texas, Colorado. 121 Coras aerialis Muma, 1946 p. 7 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Maryland, Garrett Co., Deep Creek Lake.

OCCURRENCE. - Maryland, Massachusetts, New Hampshire, New

York.

Coras alabama Muma, 1946 TYPE. — Amer. Mus. Nat. Hist.	121	p. 9
TYPE LOCALITY. — Alabama, Madison Co., Monte OCCURRENCE. — Alabama, Louisiana.	Sano	
Coras angularis Muma, 1944 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Maryland, Garrett Co., Swallo Park.	119 ow Fal	p. 3 ls State
Coras cavernorum Barrows, 1940 TYPE. — Ohio State Univ., Columbus, Ohio. TYPE LOCALITY. — North Carolina, Haywood Cowest of Waynesville.		p. 130 e 6 mi.
Coras crescentis Muma, 1944 = Coras angularis Muma, 1944 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Maryland, Allegany Co., Dar Vale Summit [by Frostburg].	119 121 as Roc	p. 4 p. 5 ck near
Coras furcatus Muma, 1946 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Escambia Co., Pensaco OCCURRENCE. — Florida.	121 ola.	p. 6
Coras kisatchie Muma, 1946 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Louisiana, Grant Parish, Kisat Forest.	121 tchie N	p. 10 Vational
Coras parallelis Muma, 1944 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Maryland, Somerset Co., Prince	119 cess A	p. 4
Coras perplexus Muma, 1946 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Mississippi, Forrest Co., Hattie OCCURRENCE. — Mississippi, Alabama.	121 esburg.	p. 8
Coras tennesseensis Muma, 1946 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Tennessee, Sevier Co., Gatlinbu OCCURRENCE. — Tennessee, North Carolina.		p. 12

38 Cybaeina confusa Chamberlin & Ivie, 1942 p. 19 TYPE. — Univ. of Utah. TYPE LOCALITY. — Oregon. Cybaeina sequoia Roth, 1952 **127** p. 197 TYPE. — Calif. Acad. Sci. TYPE LOCALITY. — California, Humboldt Co., near Pepperwood. Cybaeus adenoides Schenkel, 1950 130 p. 88 TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. — California, Alameda Co., Berkeley Hills. Cybaeus angelus Chamberlin & Ivie, 1942 38 p. 16 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Los Angeles Co., Los Angeles. Cybaeus cascadius Roth, 1952 **126** p. 212 TYPE. — Univ. of Utah. TYPE LOCALITY. — Oregon, Linn Co., 1 mi. west of Cascadia. Cybaeus constrictus Chamberlin & Ivie, 1942 p. 15 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Oregon, Tillamook Co., W 123°, N 45°. Cybaeus devius Chamberlin & Ivie, 1942 38 p. 18 TYPE. - Univ. of Utah. TYPE LOCALITY. — California, Madera Co., North Fork. Cybaeus grizzlyi Schenkel, 1950 130 p. 86 TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. — California, Alameda Co., Berkeley, Grizzly Peak. 38 Cybaeus hystrix Chamberlin & Ivie, 1942 p. 19 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - California, Redwood Highway, W 123°, N 38° [Marin Co.?]. Cybaeus janus Chamberlin & Ivie, 1942 38 p. 15 TYPE. — Univ. of Utah. TYPE LOCALITY. — Oregon, Comstock. 38 Cybaeus multnoma Chamberlin & Ivie, 1942 p. 14 TYPE. — Univ. of Utah.

TYPE LOCALITY. — Oregon, Douglas Co., near Roseburg.

Cybaeus scopulatus Chamberlin & Ivie, 1942 38 p. 13 TYPE. — Univ. of Utah. TYPE LOCALITY. — Oregon, Perham Creek, Columbia River Gorge. Cybaeus septatus Chamberlin & Ivie, 1942 38 p. 17 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Potter Creek Cave. OCCURRENCE. — California, Oregon. Cybaeus simplex Roth, 1952 **126** p. 216 TYPE. — Univ. of Utah. TYPE LOCALITY. — Oregon, Linn Co., 1 mi. west of Cascadia. OCCURRENCE. — Oregon. 38 Ethobuella anyphaenoides Chamberlin & Ivie, 1942 p. 25 TYPE. — Univ. of Utah. TYPE LOCALITY. — Oregon, Boyer. Hololena aduma Chamberlin & Ivie, 1942 **37** p. 216 TYPE. - Univ. of Utah. TYPE LOCALITY. — California, Monterey Co., Monterey. Hololena altura Chamberlin & Ivie, 1942 **37** p. 222 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Siskiyou Co., Weed. Hololena atypica Chamberlin & Ivie, 1942 **37** p. 206 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Colorado, Boulder Co., Boulder. Hololena barbarana Chamberlin & Ivie, 1942 **37** p. 213 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Santa Cruz Island. OCCURRENCE. — California. Hololena dana Chamberlin & Ivie, 1942 **37** p. 213 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Orange Co., Laguna Beach. OCCURRENCE. — California. Hololena frianta Chamberlin & Ivie, 1942 **37** p. 210 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Fresno Co., Friant. OCCURRENCE. — California.

Hololena hopi Chamberlin & Ivie, 1942

37 p. 208

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Arizona, Yavapai Co., about 15 mi. southwest of Prescott.

Hololena lassena Chamberlin & Ivie, 1942

37 p. 222

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Mt. Lassen National Park, W 121° 3′, N 40° 30′.

OCCURRENCE. — California.

Hololena madera Chamberlin & Ivie, 1942

37 p. 205

TYPE. — probably Univ. of Utah.

TYPE LOCALITY. — Arizona, Santa Cruz Co., Santa Rita Mts., Madera Canyon.

Hololena monterea Chamberlin & Ivie, 1942

37 p. 214

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Monterey Co., Pacific Grove.

Hololena nedra Chamberlin & Ivie, 1942

37 p. 221

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Oregon, Benton Co., Corvallis OCCURRENCE. — California, Oregon, Washington.

Hololena oola Chamberlin & Ivie. 1942

37 p. 218

TYPE. - Univ. of Utah.

TYPE LOCALITY. — California, Fresno Co., 4 mi. east of Fresno.

Hololena parana Chamberlin & Ivie, 1942

37 p. 222

TYPE. — Univ. of Utah.

TYPE LOCALITY. - Nevada, Storey Co., Reno.

Hololena pearcei Chamberlin & Ivie, 1942

37 p. 216

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Alameda Co., Castro Valley.

Hololena rabana Chamberlin & Ivie, 1942

37 p. 221

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Oregon, Klamath Co., Pinehurst.

Hololena santana Chamberlin & Ivie, 1942

37 p. 213

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Orange Co., Irvine.

OCCURRENCE. — California.

S

TYPE LOCALITY. — California, San Diego Co., east of Pine Val-

37 p. 214

Hololena septata Chamberlin & Ivie, 1942

TYPE. — Amer. Mus. Nat. Hist.

TYPE. — Univ. of Utah.

ley, W 116° 32′, N 32° 50′. Hololena sidella Chamberlin & Ivie, 1942 **37** p. 220 TYPE. — Univ. of Utah. TYPE LOCALITY. - California, Yosemite National Park, Aspen Valley. Hololena sula Chamberlin & Ivie, 1942 **37** p. 218 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - California, Sunol, W 121° 50', N 37° 30' [Alameda Co.?]. Hololena tulareana Chamberlin & Ivie, 1942 **37** p. 218 TYPE. - Univ. of Utah. TYPE LOCALITY. — California, Tulare Co. Hololena turba Chamberlin & Ivie, 1942 **37** p. 220 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Lake Co., Clear Lake. Novalena calavera Chamberlin & Ivie, 1942 **37** p. 230 TYPE. — Univ. of Utah. TYPE LOCALITY. - California, El Dorado Co., Riverton near Pacific. Novalena pina Chamberlin & Ivie, 1942 **37** p. 226 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Echo Lake, W 120° 52', N 38° 8'. Novalena wawona Chamberlin & Ivie, 1942 **37** p. 230 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Yosemite National Park, Wawona Camp, Mariposa Co. Ritalena rita Chamberlin & Ivie, 1941 **35** p. 613 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Santa Cruz Co., Santa Rita Mts., Madera Canyon, W 110° 55′, N 31° 47′. Rualena alleni Chamberlin & Ivie, 1942 **37** p. 236

TYPE LOCALITY. — California, San Nicholas Island, W 119° 30',

N 33° 15′.

Rualena avila Chamberlin & Ivie, 1942

37 p. 236

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, San Luis Obispo Co., San Luis Obispo.

Rualena cockerelli Chamberlin & Ivie, 1942

37 p. 233

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, San Miguel Island.

Rualena cruzana Chamberlin & Ivie, 1942

37 p. 233

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Santa Cruz Island.

Rualena goleta Chamberlin & Ivie, 1942

37 p. 234

TYPE. — Univ. of Utah.

TYPE LOCALITY. - California, Santa Barbara Co., Goleta.

Rualena magnacava Chamberlin & Ivie, 1942

37 p. 236

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, San Diego Co., Mountain Springs, W 116° 8′, N 32° 20′.

Rualena surana Chamberlin & Ivie, 1942

37 p. 234

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Monterey Co., Big Sur, W 121° 52', N 36° 16'.

Saltonia imperialis Chamberlin & Ivie, 1942

38 p. 24

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Imperial Co., Salton Sea, Fish Springs.

Tegenaria castro Chamberlin & Ivie, 1942

38 p. 21

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Alameda Co., Castro Valley. OCCURRENCE. — California, Oklahoma.

Tortolena dela Chamberlin & Ivie, 1941

35 p. 615

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Hidalgo Co., 7 mi. east of Edinburg.

Wadotes convolutus Muma, 1947

122 p. 8

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Alabama, Marshall Co., Bishop Mt.

OCCURRENCE. — Georgia.

Yorima albida Roth, 1956

129 p. 4

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Sonoma Co., 2 mi. west of Glen Ellen.

OCCURRENCE. — California.

Yorima angelica Roth, 1956

129 p. 4

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Los Angeles Co., 15 mi. west of Santa Monica.

OCCURRENCE. — California.

Yorima sexoculata Roth, 1956

129 p. 7

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Monterey Co., Hastings Natural History Reservation.

OCCURRENCE. — California.

Yorima subflava Chamberlin & Ivie, 1942

38 p. 20

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Monterey Co., Pacific Grove.

AMAUROBIIDAE

Genera

Callobius Chamberlin, 1947

29 p. 6

TYPE-SPECIES. — Ciniflo bennetti Blackwall, 1846 [= Callobius bennetti (Blackwall, 1846)], by original designation.

Pimus Chamberlin, 1947

29 p. 19

TYPE-SPECIES. — Pimus pitus Chamberlin, 1947, by original designation.

Walmus Chamberlin, 1947

29 p. 10

TYPE-SPECIES. — Walmus barbarus Chamberlin, 1947, by original designation.

Zanomys Chamberlin, 1948

30 p. 17

TYPE-SPECIES. — Zanomys kaiba Chamberlin, 1948, by original designation.

Species

Amaurobius alaskanus Chamberlin & Ivie, 1947 44 p. 33 TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Alaska.

Amaurobius angelus Chamberlin & Ivie, 1947 p. 33

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Los Angeles Co., Los Angeles.

Amaurobius arizonicus Chamberlin & Ivie, 1947 44 p. 34

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. - Arizona, Apache Co., White Mts., 17 mi. northeast of White River (Navajo Co.).

OCCURRENCE. — Arizona.

Amaurobius canada Chamberlin & Ivie, 1947

44 p. 36

p. 38

p. 40

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — British Columbia, Salmon Arm.

OCCURRENCE. — Oregon.

Amaurobius catalinus Chamberlin & Ivie, 1947 44

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Arizona, Santa Catalina Mts., Soldier's Camp, Bear Wallow Station [Pima Co.?].

Amaurobius deces Chamberlin & Ivie, 1947

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Oregon, Lane Co., Coburg Hills, 3 mi. northeast of Coburg.

OCCURRENCE. — Oregon.

Amaurobius enus Chamberlin & Ivie, 1947

p. 42

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Idaho, Valley Co., 3 mi. northeast of McCall. OCCURRENCE. — Idaho.

Amaurobius kamelus Chamberlin & Ivie, 1947 p. 44

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Oregon, Umatilla Co., Blue Mts., Meacham Lake.

Amaurobius melanus Chamberlin & Ivie, 1947 p. 46

TYPE. - Univ. of Utah.

TYPE LOCALITY. — California, Monterey Co., Pacific Grove.

Amaurobius olympus Chamberlin & Ivie, 1947 p. 49 TYPE. - Univ. of Utah. TYPE LOCALITY. — California, King Mt. near Palo Alto [San Mateo or Santa Clara Co.]. OCCURRENCE. — California, Washington, Oregon. Amaurobius severinus Chamberlin & Ivie, 1947 44 p. 51 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, San Luis Obispo Co., Cambria. 44 Amaurobius shasta Chamberlin & Ivie, 1947 p. 53 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Siskiyou Co., Weed. Amaurobius subnomeus Chamberlin & Ivie, 1947 44 p. 53 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Monterey Co., Pacific Grove. Amaurobius tacoma Chamberlin & Ivie, 1947 p. 54 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Washington, Mt. Rainier National Park, Paradise Valley. Amaurobius tamarus Chamberlin & Ivie, 1947 44 p. 54 TYPE. — Univ. of Utah. TYPE LOCALITY. — Idaho, Adams Co. Lost Valley Reservoir. OCCURRENCE. — Washington. Callioplus macarius Chamberlin, 1947 29 p. 17 TYPE. — Univ. of Utah. TYPE LOCALITY. — Washington, King Co., Snoqualmie Pass on Dansen Creek. Pimus hesperellus Chamberlin, 1947 29 p. 19 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Squaw Creek [Shasta Co. ?]. Pimus leucus Chamberlin, 1947 p. 20 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Siskiyou Co., Mt. Shasta. Pimus pitus Chamberlin, 1947 29 p. 20 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Yosemite National Park, Wawona Camp.

Titanoeca americana anopla Chamberlin, 1947 29 p. 21 TYPE. — Univ. of Utah. TYPE LOCALITY. — Texas, Jim Wells Co., 12 mi. north of Alice. Titanoeca silvicola Chamberlin & Ivie, 1947 TYPE. — Univ. of Utah. TYPE LOCALITY. - Utah, Salt Lake Co., City Creek Canyon, near Salt Lake City. OCCURRENCE. - Alaska, "various localities in the Rocky Mountains". Walmus agastus Chamberlin 1947 29 p. 11 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Orange Co., Laguna Beach. Walmus barbarus Chamberlin, 1947 29 p. 11 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Santa Barbara Co., Santa Barbara. Walmus dorotheae Chamberlin, 1947 29 p. 13 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Fresno Co., 2 mi. northeast of Hammond [on the AT&SF railroad]. 29 Walmus hagiellus Chamberlin, 1947 p. 13 TYPE. — Univ. of Utah. TYPE LOCALITY. — California. Walmus heathi Chamberlin, 1947 29 p. 13 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Monterey Co., Pacific Grove. Walmus hermosus Chamberlin, 1947 29 p.14 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Los Angeles Co., Hermosa Beach. 29 Walmus mathetes Chamberlin, 1947 p. 15 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Alameda Co., Berkeley. Walmus mephisto Chamberlin, 1947 p. 15 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Contra Costa Co., Mt. Diablo.

Walmus oblitus Chamberlin, 1947 TYPE. — Univ. of Utah.	29	p. 16		
TYPE LOCALITY. — California, Santa Cruz Co., Brookdale.				
Walmus varus Chamberlin, 1947 TYPE. — Univ. of Utah.	29	p. 16		
TYPE LOCALITY. — California, Fresno Co., 2 mi. northeast of Hammond [on the AT&SF railroad].				
Zanomys kaiba Chamberlin, 1948 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, Dry Canyon. OCCURRENCE. — Utah, Arizona, Idaho.	30	p. 18		
Zanomys moabana Chamberlin, 1948 = Lathys delicatula (Gertsch & Mulaik, 1936). TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, Grand Co., Moab.	30 33	p. 18 p. 31		
ANYPHAENIDAE				
Species				
Anyphaena barrowsi Chamberlin & Ivie, 1946 TYPE. — Univ. of Utah. TYPE LOCALITY. — Florida, Lee Co. Fort Myers.	43	p. 9		
Anyphaena pomona Chamberlin & Ivie, 1941 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Tehema Co., Mill C	36 Creek.	p. 23		
Anyphaenella pavida Bryant, 1948 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Guerrero, Acapulco.	26	p. 63		
ARANEIDAE				

ARANEINAE

Genera

Aculepeira Chamberlin & Ivie, 1942

TYPE-SPECIES. — Epeira aculeata Emerton, 1877 [= Aculepeira aculeata (Emerton, 1877)], by original designation.

Amarotypus Archer, 1951

6 p. 17

TYPE-SPECIES. — Amarotypus mammatus Archer, 1951, by original designation.

Araniella Chamberlin & Ivie, 1942

38 p. 76

TYPE-SPECIES. — Epeira displicata Hentz, 1847 [= Araniella displicata (Hentz, 1847)], by original designation.

Cambridgepeira Archer, 1951

7 p. 2

TYPE-SPECIES. — Epeira detrimentosa O. Pickard-Cambridge, 1889 [= Cambridgepeira detrimentosa (O. Pickard-Cambridge, 1889)], by original designation and monotypy.

Colphepeira Archer, 1940

2 p. 12

TYPE-SPECIES. — Epeira catawba Banks, 1911 [= Colphepeira catawba (Banks, 1911)], by original designation and monotypy.

Conaranea Archer, 1951

7 p. 5

TYPE-SPECIES. — Epeira excelsa Banks, 1896 [= Conaranea excelsa (Banks, 1896)], by original designation.

Conepeira Archer, 1951

7 p. 12

TYPE-SPECIES. — Epeira miniata Walckenaer, 1837 [= Conepeira miniata (Walckenaer, 1837)], by original designation.

Eriovixia Archer, 1951

6 p. 18

TYPE-SPECIES. — Araneus rhinurus Pocock, 1899 [= Eriovixia rhinurus (Pocock, 1899)], by original designation.

Gibbaranea Archer, 1951

7 p. 4

TYPE-SPECIES. — Epeira bituberculata Walckenaer, 1805 [= Gib-baranea bituberculata (Walckenaer, 1805)], by original designation and monotypy.

Lariniacantha Archer, 1951

6 p. 15

TYPE-SPECIES. — Epeira grayii Blackwall, 1863 [= Lariniacantha grayii (Blackwall, 1863)], by original designation.

Nicholasia Bryant & Archer, 1940

28 p. 60

TYPE-SPECIES. — Epeira pentagona Hentz, 1850 [= Nicholasia

pentagona (Hentz, 1850)], by original designation and monotypy.

Simonarachna Archer, 1951

p. 28

TYPE-SPECIES. — Epeira laglaizei Simon, 1877 [=Simonarachna laglaizei (Simon, 1877)], by original designation and monotypy.

Species

Aculepeira verae Chamberlin & Ivie, 1942

38 p. 75

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Idaho, Canyon Co., Notus.

OCCURRENCE. — Idaho.

Agastostichus leucabulba Gertsch, 1955

63 p. 250

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Cameron Co., Harlingen.

OCCURRENCE. — Tamaulipas.

Amarotypus mammatus Archer, 1951

6 p. 17

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Arizona, Santa Rita Mts., Whitehouse Canyon, [Santa Cruz or Pima Co.].

Amarotypus miniatus Archer, 1951

p. 18

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Arizona, Santa Rita Mts., Whitehouse Canyon, [Santa Cruz or Pima Co.].

Aranea andrewsi Archer, 1951

p. 31

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Los Angeles Co., Claremont.

OCCURRENCE. — California.

Aranea darlingtoni Archer, 1951

p. 25

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — West Virginia, Pocahontas Co., Cheat Range, Durbin.

OCCURRENCE. — West Virginia, North Carolina, Tennessee.

Aranea denningi Archer, 1951

p. 30

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. - Manitoba, The Pas.

Aranea iviei Archer, 1951 p. 33 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — New York, Essex Co., Keene Valley. OCCURRENCE. — New York, Ohio, New Jersey, Alberta. Aranea kisatchia Archer, 1951 p. 27 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Louisiana, Grant Parish. OCCURRENCE. — Louisiana, South Carolina, Florida, New York. Aranea manitobae Archer, 1951 p. 37 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Manitoba, The Pas. Aranea pseudomelaena Archer, 1951 p. 26 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Colorado, Larimer Co., Rocky Mountain National Park, east slope of Long's Peak. OCCURRENCE. — California, Arizona. Aranea sachimau Archer, 1951 p. 33 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Massachusetts, Plymouth Co., Norwell. Aranea santarita Archer, 1951 p. 24 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Arizona, Santa Cruz Co., Santa Rita Mts., Madera Canyon. Aranea vesta Bryant, 1948 26 p. 60 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Guerrero, Acapulco. 130 Araneus canmorus Schenkel, 1950 p. 65 TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. — Alberta, Banff National Park, Canmore. p. 67 130 Araneus diegenis Schenkel, 1950 TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. — California, San Diego Co., San Diego, Mission Beach.

Araniella desplicata octopunctata Chamberlin & Ivie, 1942 TYPE. — Univ. of Utah. TYPE LOCALITY. - Utah, Wasatch Co., Wasatch Mts., Emigration Canyon.

38

p. 76

OCCURRENCE. — Utah. 7 Conaranea gertschi Archer, 1951 p. 7 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Coconino Co. OCCURRENCE. — Arizona. 7 Conaranea monterevensis Archer, 1951 p. 8 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Monterey Co., Monterey. OCCURRENCE. — California. 7 Conepeira atlantis Archer, 1951 p. 13 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — New Jersey, Ocean Co., Lakehurst. OCCURRENCE. — Massachusetts, New York. 7 Conepeira dawsoni Archer, 1951 p. 16 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Mississippi, Wilkinson Co., Centreville. Conepeira glyphica Archer, 1951 p. 17 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — Wisconsin, Vernon Co., Wildcat Mt. Conepeira innominata Archer, 1951 p. 24 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Hillsboro Co., Tampa, MacDill Field. OCCURRENCE. — Florida. Conepeira llano Archer, 1951 p. 24 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Llano Co., Llano. OCCURRENCE. — Texas. Conepeira marilandica Archer, 1951 p. 21 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Maryland, Prince George's Co., Berwyn. OCCURRENCE. — Alabama, Laborador. Conepeira mumai Archer, 1951 7 p. 22

TYPE LOCALITY. — Maryland, Prince George's Co., Berwyn.

TYPE. — Amer. Mus. Nat. Hist.

OCCURRENCE. — New Hampshire, Maine.

Conepeira nivosa Archer, 1951 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Mississippi, Wilkinson Co., Centre OCCURRENCE. — Louisiana, Missouri.		p. 19
Conepeira ozarkensis Archer, 1951 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arkansas, Carroll Co., Berryville. OCCURRENCE. — Missouri, Mississippi.		p. 25
Conepeira sarasota Archer, 1951 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Sarasota Co., Sarasota.	7	p. 23
Conepeira texana Archer, 1951 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Limestone Co., Mexia. OCCURRENCE. — Arkansas.	7	p. 20
Conepeira unica Archer, 1951 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Mississippi, Wilkinson Co., Centre		p. 23
Epeira carolinalis Archer, 1951 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — North Carolina, Bladen Co., White		p. 40 ake.
Eustala abdita Chickering, 1955 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Oaxaca, Huajuapan. OCCURRENCE. — Oaxaca, Colima, Veracruz.	46	p. 410
Eustala arkansana Archer, 1951 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arkansas, Carroll Co., Berryville	6	p. 19
 Eustala banksi Chickering, 1955 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chiapas, Ocosingo. OCCURRENCE. — Costa Rica. 	46	p. 417
Eustala mexicana Chickering, 1955 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Guerrero, Lo Bajo. OCCURRENCE. — Mexico.	46	p. 465
MEM. AMER. ENT. SOC., 23		

Mangora floridana Archer, 1951 p. 14 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, De Soto Co., Peace River west of Arcadia. OCCURRENCE. --- Florida. Mastophora archeri Gertsch, 1955 **63** p. 239 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Lake Co., Fruitland Park. OCCURRENCE. — Alabama, Kansas, Missouri. Mastophora hutchensoni Gertsch, 1955 **63** p. 236 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. -- New York, Westchester Co., Somers. OCCURRENCE. — Eastern U.S., New Hampshire to Minnesota, Kansas to Georgia. Mastophora phrynosoma Gertsch, 1955 p. 245 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - North Carolina. OCCURRENCE. — Eastern U.S. Metepeira alpina Chamberlin & Ivie, 1942 38 p. 74 TYPE. — Univ. of Utah. TYPE LOCALITY. — Utah, Sevier Co., Fish Lake. Metepeira arizonica Chamberlin & Ivie, 1942 38 p. 69 TYPE. — Univ. of Utah. TYPE LOCALITY. — Arizona, Maricopa Co., Canyon Lake. OCCURRENCE. — Arizona. Metepeira crassipes Chamberlin & Ivie, 1942 38 p. 66 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Orange Co., Laguna Beach. Metepeira dakota Chamberlin & Ivie, 1942 38 p. 73 TYPE. — Univ. of Utah. TYPE LOCALITY. - North Dakota, Divide Co., Noonan. Metepeira datona Chamberlin & Ivie, 1942 38 p. 68 TYPE. — Univ. of Utah. TYPE LOCALITY. — Florida, Volusia Co., Daytona Beach. Metepeira douglasi Chamberlin & Ivie, 1941 p. 18 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Orange Co., Santa Ana.

Metepeira ensenada Chamberlin & Ivie, 1942 38 p. 65 TYPE. — Univ. of Utah. TYPE LOCALITY. — Baja California, beach near Enseñada. Metepeira grandiosa Chamberlin & Ivie, 1941 36 p. 17 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Santa Cruz Co., Ben Lomond. OCCURRENCE. — California. Metepeira josepha Chamberlin & Ivie, 1942 38 p. 64 TYPE. — Univ. of Utah. TYPE LOCALITY. - California, Santa Clara Co., King Mt. near Palo Alto. Metepeira nanella Chamberlin & Ivie, 1942 38 p. 71 TYPE. — Univ. of Utah. TYPE LOCALITY. — Utah, Millard Co., Fillmore. OCCURRENCE. — California. 38 Metepeira palomara Chamberlin & Ivie, 1942 p. 72 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, San Diego Co., Mt. Palomar. Metepeira palustris Chamberlin & Ivie, 1942 38 p. 73 TYPE. — Univ. of Utah. TYPE LOCALITY. — North Dakota, Divide Co. OCCURRENCE. — Maine, Nova Scotia. 38 Metepeira ventura Chamberlin & Ivie, 1942 p. 67 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, between Oxnard and Santa Monica [Ventura Co.?]. 38 p. 77 Neoscona arkansa Chamberlin & Ivie, 1942 TYPE. — Univ. of Utah. TYPE LOCALITY. — Arkansas, Lawrence Co., Imboden. p. 22 Neoscona jonesi Archer, 1951 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Louisiana, Grant Parish, Kisatchie National Forest. p. 78 Neoscona lativulva Chamberlin & Ivie, 1942 38 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Orange Co., Laguna Beach. MEM. AMER. ENT. SOC., 23

Neoscona nebraskensis Chamberlin & Ivie, 1942 TYPE. — Univ. of Utah. TYPE LOCALITY. — Nebraska, Dodge Co., Fremont	38	p. 77
Neosconella bella Chamberlin & Ivie, 1942 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Orange Co., Laguna	38 Beach	p. 78
Neosconella montana Archer, 1951 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Santa Rita Mts. [Pir Cruz Co.?].		p. 39 Santa
Singa melania Chamberlin & Ivie, 1947 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Matanuska, W 149°, N	45 61°.	p. 65
Singa orotes Archer, 1951 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Colorado, Regnier. OCCURRENCE. — New York.	6	p. 41
Wixia bryanti Archer, 1951 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Whitehouse Canyon, Mts. [Pima or Santa Cruz Co.?]		p. 16 Rita
Wixia hentziana Archer, 1951 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida. OCCURRENCE. — Florida, Alabama.	6	p. 16
 Zygiella carpenteri Archer, 1951 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Monterey Co., Pacific Monte Forest. 		p. 18 ve, Del
 Zygiella nearctica Gertsch, 1964 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Alberta, Seba. OCCURRENCE. — Canada, northern U.S., south to No. 	71 rth Ca	p. 4

ARGIOPINAE

Species

Argiope florida Chamberlin & Ivie, 1944

40 p. 95

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Florida, Palm Beach Co., Lake Worth. OCCURRENCE. — Georgia.

Argiope seminola Chamberlin & Ivie, 1944

40 p. 96

TYPE. - Univ. of Utah.

TYPE LOCALITY. — Florida, Collier Co., 10 mi. east of Naples.

GASTERACANTHINAE

Species

Gasteracantha cancriformis gertschi Archer, 1941

2 p. 24

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Florida, Dade Co., Homestead.

Micrathena comstocki Archer, 1951

6 p. 10

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Florida, Dade Co., Royal Palm State Park. OCCURRENCE. — Florida.

Micrathena sagittata emertoni Archer, 1951

6 p. 10

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. - Massachusetts, Plymouth Co., Norwell.

OCCURRENCE. — Illinois, New Jersey, West Virginia.

METINAE

Genera

Anopas Archer, 1951

6 p. 7

TYPE-SPECIES. — Meta ventralis Thorell, 1877 [= Anopas ventralis (Thorell, 1877)], by original designation.

Opadometa Archer, 1951

6 p. 8

TYPE-SPECIES. — Epeira grata Guerin, 1838 [= Opadometa grata (Guerin, 1838)], by original designation.

Pickardinella Archer, 1951

6 p. 9

TYPE-SPECIES. — Leucauge setigera F. Pickard-Cambridge, 1903 = Pickardinella setigera (F. Pickard-Cambridge, 1903), by original designation and monotypy.

Species

Leucauge mabelae Archer, 1951

6 p. 6

TYPE. — Amer. Mus. Nat. Hist.

 $TYPE\ LOCALITY.$ — Florida, Sarasota Co., Sarasota.

OCCURRENCE. — Florida, Alabama.

TETRAGNATHINAE

Genera

Metellina Chamberlin & Ivie, 1941

36 p. 14

TYPE-SPECIES. — Pachygnatha curtisi MacCook, 1893 [= Metellina curtisi (MacCook, 1893)], by original designation.

Species

Metellina mimetoides Chamberlin & Ivie, 1941

36 p. 15

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Alameda Co., Mt. Diablo.

Pachygnatha kuratai Levi, 1951

91 p. 15

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Ontario, Toronto.

OCCURRENCE. — Wisconsin.

Pachygnatha sewardi Chamberlin & Ivie, 1947

45 p. 64

TYPE. - Univ. of Utah.

TYPE LOCALITY. — Alaska, Beluga Flats, W 150°, N 61°.

OCCURRENCE. — Alaska.

Tetragnatha elmora Chamberlin & Ivie, 1942

38 p. 62

TYPE. — Univ. of Utah.

TYPE LOCALITY. — New Mexico, Valencia Co., Bluewater Lake.

Tetragnatha harrodi Levi, 1951

91 p. 17

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Ontario, Prince Edward Co., Harrowell.

OCCURRENCE. — Wisconsin.

Tetragnatha manitoba Chamberlin & Ivie, 1942

38 p. 61

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Manitoba, Churchill.

Tetragnatha marianna Archer, 1940

p. 20

TYPE. — A. F. Archer Coll., housed at Alabama Mus. Nat. Hist., Tuscaloosa.

TYPE LOCALITY. — Alabama, Monroe Co., Randon's Creek, 4 mi. east of Frisco City.

Tetragnatha numa Levi & Levi, 1955

116 p. 37

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Montana, Glacier National Park, Bowman Lake, 4100'.

Tetragnatha rusticana Chickering, 1959

138 p. 489

TYPE. — probably Mus. Comp. Zool.

TYPE LOCALITY. - Michigan, Bay Co.

THERIDIOSOMATINAE

Genera

Parogulinius Archer, 1953

8 p. 20

TYPE-SPECIES. — Parogulinius hypsigaster Archer, 1953, by original designation and monotypy.

Species

Parogulinius hypsigaster Archer, 1953 TYPE. — Amer. Mus. Nat. Hist. **8** p. 21

TYPE LOCALITY. — Alabama, Tuscaloosa Co., Tuscaloosa, in a swamp.

Theridiosoma davisi Archer, 1953

8 p. 10

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — San Luis Potosi, Tamazunchale.

OCCURRENCE. — Mexico.

Theridiosoma goodnightorum Archer, 1953

p. 11

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Chiapas, Monte Libano, 20 km. east of El Real.

Theridiosoma nelsoni Bryant, 1945

24 p. 184

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Alabama, Tallapoosa Co., Alexander City.

Theridiosoma savannum Chamberlin & Ivie, 1944

40 p. 114

TYPE. — Univ. of Utah.

NI

TYPE LOCALITY. — Georgia, Chatham Co., 3 mi. southeast of Savannah.

CAPONIIDAE

Species

Orthonops lapanus Gertsch & Mulaik, 1940

78 p. 324

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Starr Co., Rio Grande City. OCCURRENCE. — Texas.

CLUBIONIDAE

Genera

Clubionoides Edwards, 1958

49 p. 375

TYPE-SPECIES. — Clubiona expecta L. Koch, 1886 [= Clubionoides expecta (L. Koch, 1886)], by original designation.

Phonotimpus Gertsch & Davis, 1940

74 p. 20

TYPE-SPECIES. — Phonotimpus separatus Gertsch & Davis, 1940, by original designation.

Species

Agroeca kastoni Chamberlin & Ivie, 1944

40 p. 179

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Chatham Co., 3 mi. southeast of Savannah.

OCCURRENCE. — Georgia.

Castianeira alata Muma, 1945

120 p. 97

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Maryland, Prince Georges Co., College Park. OCCURRENCE. — Maryland.

Castianeira alteranda Gertsch, 1942

57 p. 6

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Montana, Ravalli Co., Hamilton.

OCCURRENCE. — Montana.

Castianeira arizonica Gertsch, 1942

57 p. 8

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Arizona, Maricopa Co., Phoenix.

87 Castianeira gertschi Kaston, 1945 p. 6 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Connecticut, New Haven Co., Indian Neck near Branford. OCCURRENCE. - Connecticut, New York. Castianeira stupkai Barrows, 1940 **13** p. 137 TYPE. — Ohio State University, Columbus, Ohio. TYPE LOCALITY. — Tennessee, Sevier Co., Gatlinburg. Castianeira variata Gertsch, 1942 p. 6 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - New York, Suffolk Co., Long Island, Cold Spring Harbor. OCCURRENCE. — Connecticut, Tennessee, Kentucky. Castianeira vulnerea Gertsch, 1942 57 p. 7 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — New York, Brooklyn Co., Coney Island. OCCURRENCE. — New York. Clubiona abbotoides Chamberlin & Ivie, 1946 43 p. 10 TYPE. — Univ. of Utah. TYPE LOCALITY. — Idaho, Payette Co., 1½ mi. north of Fruitland. 56 Clubiona alachua Gertsch, 1941 p. 4 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Alachua Co. OCCURRENCE. — Florida. Clubiona altana Gertsch, 1941 56 p. 16 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Alberta, Seba. Clubiona bishopi Edwards, 1958 p. 413 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — West Virginia, Pocahontas Co., Cheat Range, Durbin. OCCURRENCE. — West Virginia, New York, Maine, Ontario. 56 p. 10 Clubiona catawba Gertsch. 1941 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Tennessee, Roane Co., Kingston.

OCCURRENCE. — Georgia.

Clubiona chippewa Gertsch, 1941 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Wisconsin, Polk Co., St. Croix F.	56 Falls.	p. 16
Clubiona dyasia Gertsch, 1941 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Alabama, Baldwin Co., Dyas Ca	56 reek.	p. 4
Clubiona elizabethae Kaston, 1945 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Connecticut, Litchfield Co., Rive	87 erton.	p. 4
Clubiona estes Edwards, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Colorado, Larimer Co., Estes P. Mountain National Park".		p. 415 "Rocky
Clubiona exempta Gertsch & Davis, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Vera Cruz, La Buena Ventura.	74	p. 16
Clubiona gertschi Edwards, 1958 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — New Hampshire, Coos Co., Mt. OCCURRENCE. — New Hampshire, Vermont, Maine.		p. 408 ington.
Clubiona hilltonia Chamberlin & Ivie, 1944 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Screven Co., Brier Conorth of Sylvania.		p. 182 , 7 mi.
 Clubiona janae Edwards, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, San Mateo Co., Pilat OCCURRENCE. — California. 		p. 394 Creek.
Clubiona johnsoni Gertsch, 1941 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Connecticut, Fairfield Co., Noro OCCURRENCE. — Connecticut, New Jersey, Illinois, S	walk.	p. 14 chewan.
Clubiona kagani Gertsch, 1941 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, McLennan Co., Riesel.	56	p. 6
Clubiona kastoni Gertsch, 1941 TYPE. — Amer. Mus. Nat. Hist.	56	p. 14

TYPE LOCALITY. — Connecticut, Fairfield Co., Norwalk. OCCURRENCE. — New York, Tennessee, Oregon.

Clubiona kiowa Gertsch, 1941

56 p. 12

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Dallas Co., Dallas.

Clubiona kuratai Roddy, 1966

147 p. 405

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Ontario, Lake Opeongo, Sproule Bay. OCCURRENCE. — Ontario.

Clubiona levii Holm, 1960

82 p. 129

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. - Alaska, Nome.

Clubiona marna Roddy, 1966

147 p. 403

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Tulare Co., Kings River Canyon, Cedar Grove.

OCCURRENCE. — California.

Clubiona mutata Gertsch, 1941

56 p. 14

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Utah, Salt Lake Co., Salt Lake City. OCCURRENCE. — Saskatchewan.

Clubiona nicholsi Gertsch, 1941

56 p. 8

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. -- New York, Suffolk Co., Long Island, Mastic.

Clubiona odelli Edwards, 1958

49 p. 416

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Colorado, Mineral Co., North Creede.

OCCURRENCE. — Colorado.

Clubiona opeongo Edwards, 1958

49 p. 412

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Ontario, Algonquin Provincial Park, Lake Opeongo.

Clubiona oteroana Gertsch, 1941

56 p. 6

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — New Mexico, Otero Co., Camp Mary White.

 Clubiona pikei Gertsch, 1941 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — New York, Long Island. OCCURRENCE. — Connecticut, New Jersey, Massach 	56 usetts	p. 10
Clubiona plumbi Gertsch, 1941 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — New York, Long Island.	56	p. 12
 Clubiona pomoa Gertsch, 1941 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Alameda Co., Oakla OCCURRENCE. — California. 		p. 6
Clubiona procteri Gertsch, 1941 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Martin Co., Indian To.	56 wn.	p. 10
Clubiona rhododendri Barrows, 1945 TYPE. — Ohio State Univ., Columbus, Ohio. TYPE LOCALITY. — Tennessee, Great Smoky Mount Park, New Found Gap.	15 tains l	p. 72 National
Clubiona rileyi Gertsch, 1941 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Minnesota, Clearwater Co., Itase OCCURRENCE. — Connecticut.		p. 17 te Park.
Clubiona rowani Gertsch, 1941 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Alberta, Seba.	56	p. 17
 Clubiona screveni Chamberlin & Ivie, 1944 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Jenkins Co., Millen. OCCURRENCE. — Georgia. 	40	p. 184
Clubionoides achuca Roddy, 1966 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Cochise Co., Huachuc Canyon.		p. 401 s., Carr
Clubionoides chisosa Roddy, 1966 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Big Bend National Park, Basin.		p. 401 os Mts.,

Clubionoides madera Roddy, 1966 **147** p. 399 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, [Santa Cruz Co.], Madera Canyon. Corinna annamae Gertsch & Davis, 1940 74 p. 12 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — Guerrero, 62 mi. north of Acapulco. Corinna bajula Gertsch, 1942 57 p. 13 TYPE. — Calif. Acad. Sci. TYPE LOCALITY. — Baja California, Rosarito Beach. Gayenna jollensis Schenkel, 1950 130 p. 77 TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. — California, San Diego Co., La Jolla, Country Club Heights. Heterochemmis mutatus Gertsch & Davis, 1940 74 p. 21 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Oaxaca, Palomores. Lauricius hooki Gertsch, 1941 55 p. 20 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Arizona, Apache Co., White Mt., 17 mi. northeast Whiteriver (Navajo Co.). OCCURRENCE. — Arizona, New Mexico. Liocranoides flavescens Chamberlin & Ivie, 1941 36 p. 24 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Santa Cruz Co., Ben Lomond, W 122°5′ N 37°5′. Micaria alberta Gertsch, 1942 57 p. 1 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Alberta, Medicine Hat. Micaria apacheana Gertsch, 1942 57 p. 2 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Arizona, Apache Co., White Mts., 10 mi. northeast of Whiteriver (Navajo Co.). 74 Micaria bonita Gertsch & Davis, 1940 p. 14 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Nuevo Leon, 28 mi. north of Monterrey. Micaria browni Barnes, 1953 p. 16 TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. - North Carolina, Carteret Co., west end of

Shackleford Banks.		
Micaria elizabethae Gertsch, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Connecticut, New Haven Co., 1 OCCURRENCE. — New York.	57 New H	p. 3 Iaven.
Micaria gertschi Barrows & Ivie, 1942 TYPE. — Univ. of Utah. TYPE LOCALITY. — Ohio, Franklin Co., Columbus.	16	p. 21
Micaria gosiuta Gertsch, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, Salt Lake Co., City Cree	57 k Can	p. 1 yon.
Micaria jacksonia Levi & Levi, 1951 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Wyoming, Grand Teton Nation son Lake.		p. 228 k, Jack-
Micaria jeanae Gertsch, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, Sevier Co., 2 mi. east of	57 Glenw	p. 4
Micaria melanopa Gertsch & Davis, 1940 TYPE. — Amer. Mus. Nat. Hist.	74	p. 14
TYPE LOCALITY. — Tamaulipas, San Pedro.		
TYPE LOCALITY. — Tamaulipas, San Pedro. Micaria petrunkevitchi Bryant, 1945 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Florida, Indian River Co., Seba		p. 209
Micaria petrunkevitchi Bryant, 1945 TYPE. — Mus. Comp. Zool.	stian. 57	p. 209 p. 2
Micaria petrunkevitchi Bryant, 1945 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Florida, Indian River Co., Seba Micaria riggsi Gertsch, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Connecticut, Fairfield Co., Nor	stian. 57	•

TYPE LOCALITY. — Utah, Sevier Co., Salina.

Micaria seminola Gertsch, 1942 57 p. 3 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Johns Co., St. Augustine. OCCURRENCE. — Florida, Mississippi. Micaria tetonia Levi & Levi, 1951 **115** p. 228 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. -- Wyoming, Grand Teton National Park, Signal Mt. Neoanagraphis pearcei Gertsch, 1941 55 p. 19 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, San Bernardino Co., Yermo. Phonotimpus eutypus Gertsch & Davis, 1940 p. 21 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Nuevo Leon, Linares. Phonotimpus separatus Gertsch & Davis, 1940 74 p. 20 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — San Luis Potosi, 5 mi. north of Tamazunchale. Phrurolithus abditus Gertsch, 1941 55 p. 17 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Alachua Co., Gainesville. Phrurolithus absurdus Gertsch, 1941 55 p. 16 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Florida, Martin Co., Port Mayaca, Lake Okeechobee. Phrurolithus adjacens Gertsch & Davis, 1940 74 p. 18 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Coahuila, Diamante Drive, 5 mi. southeast of Saltillo. Phrurolithus aemulatus Gertsch, 1941 55 p. 15 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Arizona, Pima Co., Santa Catalina Mts., Summerhaven, Mt. Lemmon. 55 Phrurolithus apacheus Gertsch, 1941 p. 14

TYPE LOCALITY. — Arizona, Apache Co., White Mts., 9 mi. east

of Whiteriver, (Navajo Co.).

MEM. AMER. ENT. SOC., 23

TYPE. — Amer. Mus. Nat. Hist.

ξ

Phrurolithus approximatus Gertsch & Davis, 1940 TYPE. — Amer. Mus. Nat. Hist.	74	p. 17
TYPE LOCALITY. — Mexico, "a few miles north of trito Federal".	Mexic	o, Dis-
Phrurolithus banksi Gertsch, 1941 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Virginia, Fairfax Co., Falls Chu	55 rch.	p. 4
Phrurolithus brittoni Gertsch, 1941 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — New York, Onondaga Co., Apul OCCURRENCE. — Northeastern U.S.	55 ia.	p. 14
Phrurolithus catalinius Gertsch, 1941 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Pima Co., Santa Catali Lemmon, Bear Wallow.	55 ina M	p. 10 ts., Mt.
Phrurolithus certus Gertsch, 1941 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Virginia, Page Co., Luray. OCCURRENCE. — Alabama.	55	p. 17
Phrurolithus coahuilanus Gertsch & Davis, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Coahuila, Saltillo.	74	p. 16
Phrurolithus concisus Gertsch, 1941 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — not given.	55	p. 15
Phrurolithus connectus Gertsch, 1941 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Colorado, Boulder Co., Ward, 9	55	p. 8
Phrurolithus debilis Gertsch & Davis, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Nuevo Leon, Monterrey.	74	p. 17
Phrurolithus deletus Gertsch, 1941 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — New York, Onondaga Co.	55	p. 10
Phrurolithus diversus Gertsch & Davis, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Vera Cruz, Cerro Gordo.	74	p. 19

Phrurolithus divestus Gertsch, 1941 55 p. 6 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Massachusetts, Franklin Co., Sunderland. OCCURRENCE. - Northeastern U.S. Phrurolithus divinulus Gertsch, 1941 55 p. 6 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Ontario, St. Thomas. OCCURRENCE. — New York. Phrurolithus dulcineus Gertsch, 1941 55 p. 16 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Volusia Co., Deland. OCCURRENCE. - Florida. Phrurolithus goodnighti Muma, 1945 120 p. 99 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Illinois, Macoupin Co., Gillespie. OCCURRENCE. — Illinois, Maryland, Washington, D. C. Phrurolithus illudens Gertsch, 1941 55 p. 18 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Georgia, Toombs Co., Lyons. Phrurolithus kastoni Schenkel, 1950 130 p. 73 TYPE. — Naturhist, Mus., Basel, TYPE LOCALITY. — California, San Diego Co., San Diego, Balboa **120** p. 100 Phrurolithus pipensis Muma, 1945 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Maryland, Prince Georges Co., Berwyn. Phrurolithus redemptus Gertsch, 1941 55 p. 2 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Tennessee, Montvale Springs [Blount Co. ?]. OCCURRENCE. — Southeastern U.S. Phrurolithus schwarzi Gertsch, 1941 55 p. 12 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Arizona, Pima Co., Santa Catalina Mts., Mt. Lemmon, Bear Wallow. OCCURRENCE. — Arizona. Phrurolithus sculleni Gertsch, 1941 55 p. 8 TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Oregon, Columbia Co., Globe, near Rainier. OCCURRENCE. — Washington. Phrurolithus singulus Gertsch, 1941 55 p. 1 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Florida, Alachua Co., Gainesville, Newman's Lake. OCCURRENCE. — Southeasten U.S. Phrurolithus tamaulipanus Gertsch & Davis, 1940 74 p. 19 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Tamaulipas, San Fernando. Phrurolithus tepejicanus Gertsch & Davis, 1940 74 p. 18 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Hidalgo, Tepeji. Phrurotimpus annulatus Chamberlin & Ivie, 1944 p. 187 TYPE. — probably Univ. of Utah. TYPE LOCALITY. — Georgia, Habersham Co., Demorest. OCCURRENCE. — Georgia. 130 Phrurotimpus chamberlini Schenkel, 1950 p. 74 TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. — California, Alameda Co., Berkeley Hills. Piabuna reclusa Gertsch & Davis, 1940 p. 20 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Coahuila, 5 mi. west of Saltillo. Scotinella custeri Levi & Levi, 1951 **115** p. 229 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — South Dakota, Custer Co., Custer State Park, near Game Lodge. Scotinella dixiana Roddy, 1957 **125** p. 288 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Louisiana, St. Helena Parish, Greensburg. Scotinella madisonia Levi, 1951 91 p. 27 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Wisconsin, Dane Co., Madison. Scotinella manitou Levi, 1951 91 p. 28

TYPE LOCALITY. — Wisconsin, Douglas Co., Pattison State Park.

TYPE. — Amer. Mus. Nat. Hist.

Strotarchus planeticus Edwards, 1958

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Cameron Co., Laguna Madre, 25 mi. southeast of Harlingen.

Syrisca nebulosa Gertsch & Davis, 1940

74 p. 15

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Nuevo Leon, 76 mi. north of Monterrey.

Trachelas arizonatus Gertsch, 1942 p. 9
TYPE. — Amer. Mus. Nat. Hist.
TYPE LOCALITY. — Arizona, Maricopa Co., Scottsdale.

Trachelas huachucanus Gertsch, 1942 57 p. 8

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Arizona, Cochise Co., Huachuca Mts.

CTENIDAE

Species

Odo limitatus Gertsch & Davis, 1940 74 p. 1

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Guerrero, Iguala

DICTYNIDAE

Genera

Dixomys Chamberlin, 1948

= Thallumetus Simon, 1892

TYPE-SPECIES. — Lathys pinea Chamberlin & Ivie, 1944, [=

TYPE-SPECIES. — Lathys pinea Chamberlin & Ivie, 1944, [= Dixomys pinea (Chamberlin & Ivie, 1944)], by original designation and monotypy.

 Emblyna Chamberlin, 1948
 30 p. 9

 = Dictyna Sundevall, 1833
 33 p. 48

TYPE-SPECIES. — Dictyna completa Chamberlin & Gertsch, 1928 [= Emblyna completa (Chamberlin & Gertsch, 1928)], by original designation.

Pagomys Chamberlin, 1948

TYPE-SPECIES. — Pagomys uinta Chamberlin, 1948, by original designation and monotypy.

Phantyna Chamberlin, 1948	30	p. 15
= Dictyna Sundevall, 1833	33	p. 48
TYPE-SPECIES. — Dictyna micro Chamberlin & Ivie,		
Phantyna micro (Chamberlin & Iv		944)],
by original designation and monotype	oy.	
Tivyna Chamberlin, 1948	30	p. 16
= Dictyna Sundevall, 1833	33	p. 48
TYPE-SPECIES. — Dictyna floridana Banks, 1904 [= 7]	Tivyno	
dana (Banks, 1904)], by original d	esigna	ation.
Tosyna Chamberlin, 1948	30	p. 16
= Dictyna Sundevall, 1833	33	p. 10 p. 48
TYPE-SPECIES. — Dictyna apacheca Chamberlin & Ivie		•
Tosyna apacheca (Chamberlin & Iv	-	_
by original designation.	,	, , ,
Varyna Chamberlin, 1948	30	p. 17
= Dictyna Sundevall, 1833	33	p. 17 p. 48
TYPE-SPECIES. — Dictyna mulegensis Chamberlin,	1924	_
Varyna mulegensis (Chamberlin,		_
original designation.		,1, 0)
Species		
Argenna lorna Chamberlin & Gertsch, 1958	33	p. 12
TYPE. — Amer. Mus. Nat. Hist.		
TYPE LOCALITY. — Wyoming, Yellowstone National Washburn.	Park	k, Mt.
OCCURRENCE. — Wyoming, Colorado, New Mexico.		
occontinues. — tryoning, colorado, new mexico.		
Argenna matanuska Chamberlin & Ivie, 1947	45	p. 12
= Lathys alberta Gertsch, 1946	45 33	p. 12 p. 27
= Lathys alberta Gertsch, 1946 TYPE. — Univ. of Utah.	33	-
= Lathys alberta Gertsch, 1946	33	p. 27
= Lathys alberta Gertsch, 1946 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Matanuska, W 149°, N Argenna saphes Chamberlin, 1948	33	-
= Lathys alberta Gertsch, 1946 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Matanuska, W 149°, N Argenna saphes Chamberlin, 1948 TYPE. — Amer. Mus. Nat. Hist.	33 59°. 30	p. 27
= Lathys alberta Gertsch, 1946 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Matanuska, W 149°, N Argenna saphes Chamberlin, 1948	33 59°. 30	p. 27
 = Lathys alberta Gertsch, 1946 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Matanuska, W 149°, N Argenna saphes Chamberlin, 1948 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, Duchesne Co., Uintah M. Lake, near Mt. Agissiz. 	33 59°. 30	p. 27 p. 6 Mirror
 = Lathys alberta Gertsch, 1946 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Matanuska, W 149°, N Argenna saphes Chamberlin, 1948 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, Duchesne Co., Uintah M 	33 59°. 30 Its., 1	p. 27
 = Lathys alberta Gertsch, 1946 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Matanuska, W 149°, N Argenna saphes Chamberlin, 1948 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, Duchesne Co., Uintah M. Lake, near Mt. Agissiz. Argenna yakima Chamberlin & Gertsch, 1958 	33 59°. 30 Its., 1	p. 27 p. 6 Mirror p. 11
 = Lathys alberta Gertsch, 1946 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Matanuska, W 149°, N Argenna saphes Chamberlin, 1948 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, Duchesne Co., Uintah M. Lake, near Mt. Agissiz. Argenna yakima Chamberlin & Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. 	33 59°. 30 Its., 1	p. 27 p. 6 Mirror p. 11

Argennina hansii Schenkel, 1950 = Tricholathys hansii (Schenkel, 1950)	130 33	p. 35 p. 23
TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. — California, Alameda Co., Berke		7.
Dictyna abundans Chamberlin & Ivie, 1941 TYPE. — Univ. of Utah.	36	p. 5
TYPE LOCALITY. — Nevada, Clark Co., 4 mi. southea W 114° 33′, N 36° 39′.	st of	Moapa,
OCCURRENCE. — California, Utah.		
Dictyna acuta Jones, 1948 = Dictyna littoricolens Chamberlin & Ivie, 1935 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Washington, Grant Co., Soap I.	86 33 .ake.	1
Dictyna agressa Ivie, 1947	83	(p. 2)
TYPE. — Wilton Ivie Collection. TYPE LOCALITY. — California, Los Angeles Co., Angeles.	We	est Los
Dictyna aiko Chamberlin & Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Los Angeles Co., Ta		p. 140 Mt.
Dictyna alaskae Chamberlin & Ivie, 1947 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, 3 mi. northeast of Cent N 65°. OCCURRENCE. — Alaska.		p. 13 V 144°,
Dictyna alias Chamberlin, 1948	30	p. 7
= Dictyna sancta Gertsch, 1946 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Manitoba.	33	p. 86
Dictyna altamira Gertsch & Davis, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Tamaulipas, Altamira.	75	p. 15
Dictyna annamae Gertsch & Mulaik, 1940 = Dictyna bicornis Emerton, 1915 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Kendall Co., Comfort. MEM. AMER. ENT. SOC., 23	78 33	p. 330 p. 59
THE PARTY STATE ST		

Dictyna ardea Chamberlin & Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist.	33	p. 109
TYPE LOCALITY. — Arizona, Graham Co., Graham non Camp, 9000'.	Mt.,	Shan-
OCCURRENCE. — Arizona, New Mexico.		
Dictyna artemisia Ivie, 1947 TYPE. — Wilton Ivie Collection. TYPE LOCALITY. — Utah, Wasatch Mts.	83	(p. 1)
Dictyna banksi Jones, 1947	85	p. 14
= Dictyna tridentata Bishop & Ruderman, 1946 TYPE. — Mus. Comp. Zool.	33	p. 84
TYPE LOCALITY. — Colorado, Rocky Mountain Na Long's Peak Inn.	tiona	l Park,
Dictyna bifida Jones, 1947	85	p. 8
 Dictyna peragrata Bishop & Ruderman, 1946 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Alberta, Lake Louise. 	33	p. 119
OCCURRENCE. — British Columbia.		
Dictyna bishopi Gertsch & Mulaik, 1940	78	p. 328
= Dictyna secuta Chamberlin, 1924 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Brewster Co., Hot Spring	33	p. 97
		- 100
Dictyna branchi Chamberlin & Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist.	33	p. 109
TYPE LOCALITY. — California, San Bernardino Co., 'Palms.	Iwen	ty-nine
Dictyna bryantae Jones, 1947	85	p. 13
Dictyna altamira Gertsch & Davis, 1942TYPE. — Mus. Comp. Zool.	33	p. 117
TYPE LOCALITY. — Massachusetts, Plymouth Co., D	uxbuı	ry.
Dictyna californica Jones, 1947	85	p. 11
= Dictyna reticulata Gertsch & Ivie, 1936 TYPE. — Mus. Comp. Zool.	33	p. 149
TYPE LOCALITY. — California, Los Angeles Co., Cla	aremo	ont.
Dictyna cavernosa Jones, 1947	85	p. 12
= Dictyna borealis cavernosa (Jones, 1947) TYPE. — Mus. Comp. Zool.		p. 137
TYPE LOCALITY. — Washington, Spokane Co., Spoka	me.	

Dictyna cebolla Ivie, 1947	83	(p. 3)
TYPE. — Wilton Ivie Collection. TYPE LOCALITY. — Colorado, Gunnison Co., Gunnis	son.	
Dictyna chenea Chamberlin, 1948 = Dictyna major Menge, 1869 TYPE. — Amer. Mus. Nat. Hist.	30 33	p. 7 p. 82
TYPE LOCALITY. — Washington, Spokane Co., Cher Refuge.	еу, Т	urnbull
Dictyna chilapa Gertsch & Davis, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Guerrero, Acapulco.	75	p. 15
Dictyna chitina Chamberlin & Gertsch, 1958 TYPE. — U.S. National Museum. TYPE LOCALITY. — Alaska, Chitina Valley, 30 mi.		p. 119 of Mt.
St. Elias. Dictyna cholla Gertsch & Davis, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Sonora, 27 mi. south of Nogale	75	p. 12
Dictyna clackamas Chamberlin, 1948 = Dictyna major Menge, 1869 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Oregon, Clackamas Co., Damas	30 33	p. 7 p. 82
Dictyna completoides Ivie, 1947 TYPE. — Wilton Ivie Collection. TYPE LOCALITY. — Colorado, "Northwestern Colora	83	(p. 1)
Dictyna contorta Jones, 1947 = Dictyna phylax Gertsch & Ivie, 1936 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — New Hampshire, Coos Co., Ran OCCURRENCE. — New Hampshire.	85 33 ndolpl	p. 6 p. 125
Dictyna cornupeta Bishop & Ruderman, 1946 = Dictyna littoricolens Chamberlin & Ivie, 1935 TYPE. — Cornell Univ. Coll. TYPE LOCALITY. — Arizona, Cochise Co., Dragoon Pass. OCCURRENCE. — Wyoming.	19 33 Mts.	p. 1 p. 147 , Texas

 Dictyna coweta Chamberlin & Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Sarasota Co., Sarasota. OCCURRENCE. — Florida, Alabama. 	33	p. 112
Dictyna crosbyi Gertsch & Mulaik, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — New Mexico, "Scott Able Canyo		p. 331
Dictyna curvata Jones, 1948 = Dictyna hentzi Kaston, 1945 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Michigan, Macomb Co., St. Cla	86 33	p. 34 p. 115 Shores.
Dictyna dauna Chamberlin & Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Dade Co., Kendall.	33	p. 99
Dictyna decaprini Kaston, 1945 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Connecticut, New Haven Co., B	88 ra n fo	p. 3 rd.
Dictyna demores Chamberlin & Ivie, 1944 = Dictyna angulata Emerton, 1915 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Habersham Co., Demo	40 33 orest.	p. 117 p. 103
Dictyna dyea Chamberlin & Ivie, 1947 = Dictyna peragrata Bishop & Ruderman, 1946 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Haines, W 135°, N 59°	45 33	p. 14 p. 119
Dictyna emertoni Jones, 1947 = Dictyna annulipes (Blackwall, 1846) TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — New Hampshire, Grafton Co., F	85 33	p. 15 p. 124 onia.
Dictyna evicta Gertsch & Mulaik, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Hays Co.	78	p. 332
Dictyna exlineana Jones, 1948 = Dictyna olympicana Chamberlin, 1919 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Washington, Snohomish Co., Martha Lake. OCCURRENCE. — Washington, Oregon.	86 33 Ec	p. 36 p. 135 dmunds,

Dictyna extensa Jones, 1947 = Dictyna bellans Chamberlin, 1919 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Alabama, Lee Co., Auburn	85 33	p. 2 p. 62
 Dictyna francisca Bishop & Ruderman, 1946 TYPE. — Cornell Univ. Coll. TYPE LOCALITY. — California, San Francisco Co., Sa OCCURRENCE. — California. 	19 in Fra	p. 4 ancisco.
Dictyna gloria Chamberlin & Ivie, 1944 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Screven Co., north of S		p. 118 nia.
Dictyna hardyi Gertsch, 1946 = Dictyna cholla Gertsch & Davis, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Cameron Co., Laguna M southeast of Harlingen. OCCURRENCE. — Arizona.	60 33 adre,	p. 17 p. 68 25 mi.
Dictyna hatchi Jones, 1948 = Dictyna bellans hatchi (Jones, 1948) TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Oregon, Douglas Co., Roseburg	86 33	p. 43 p. 63
Dictyna hentzi Kaston, 1945 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Connecticut, New Haven Co., Co.	88 Cheshi	p. 1
Dictyna hoya Chamberlin & Ivie, 1941 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Santa Cruz Co., Ben 112° 5′, N 37° 5′, 2000′ elevati		p. 7
Dictyna ingenuata Gertsch & Mulaik, 1940 = Dictyna provida Gertsch & Mulaik, 1936 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Hidalgo Co., Edinburg.	78 33	p. 332 p. 55
Dictyna joaquina Chamberlin & Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Madera Co., Shaver		p. 106
Dictyna juno Ivie, 1947 TYPE. — Wilton Ivie Collection. MEM. AMER. ENT. SOC., 23	83	(p. 4)

TYPE LOCALITY. —	Utah, Utah	Co.,	Utah	Lake.
------------------	------------	------	------	-------

Dictyna klamatha Chamberlin & Gertsch, 1958

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. - California, Del Norte Co., Klamath.

Dictyna lina Gertsch, 1946

60 p. 16

p. 145

33

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Arizona, Pima Co., Santa Catalina Mts., Mt. Lemmon.

Dictyna linda Chamberlin & Gertsch, 1958

33 p. 148

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Los Angeles Co., San Gabriel Mts., Tanbark Flats.

OCCURRENCE. — California.

Dictyna manitoba Ivie, 1947

83 (p. 3)

TYPE. — Wilton Ivie Collection.

TYPE LOCALITY. - Minnesota, Marshall Co., Warren.

OCCURRENCE. - Manitoba.

Dictyna marilina Chamberlin, 1948

30 p. 7

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Arizona, Gila Co., 8 mi. north of Roosevelt Dam.

Dictyna marissa Chamberlin & Gertsch, 1958

33 p. 147

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Yuba Co., Marysville.

Dictyna melva Chamberlin & Gertsch, 1958

33 p. 108

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Arizona, Gila Co., Cienega, 30 mi. northeast of Globe.

OCCURRENCE. — Arizona.

Dictyna micro Chamberlin & Ivie, 1944

40 p. 119

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Florida, Alachua Co., Gainesville.

OCCURRENCE. — Georgia.

Dictyna moaba Ivie, 1947

83 (p. 2)

TYPE. — Wilton Ivie Collection.

TYPE LOCALITY. — California, Imperial Co., Imperial Valley.

OCCURRENCE. — Utah.

Dictyna moctezuma Gertsch & Davis, 1942 75 p. 14 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Sonora, Guaymas. Dictyna montana Jones, 1948 p. 37 86 = Dictyna ionesae Rower, 1954 33 p. 123 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. - Montana, Gallatin Co., Bozeman, Hyalite Canyon. Dictyna montgomeryi Gertsch & Mulaik, 1940 **78** p. 328 = Dictyna consulta Gertsch & Ivie, 1936 33 p. 146 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Brewster Co., 25 mi. south of Alpine. Dictyna mora Chamberlin & Gertsch, 1958 p. 75 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — New Mexico, Mora Co., Mora. Dictyna nanda Chamberlin & Gertsch. 1958 **33** p. 105 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, San Diego Co., Guatay. OCCURRENCE. — California. Dictyna navajoa Gertsch & Davis, 1942 **75** p. 16 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Sonora, Guaymas. Dictyna nebraska Gertsch, 1946 **60** p. 16 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. - Nebraska, Weeping Water River, east of Lincoln. **83** (p. 1) Dictyna oasa Ivie, 1947 TYPE. — Wilton Ivie Collection. TYPE LOCALITY. — California, Inyo Co., Owen's Valley. Dictyna orbiculata Jones, 1947 85 p. 5 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. - Texas, Dallas Co., Elm Fork of the Trinity River. Dictyna oregona Gertsch, 1946 60 p. 11 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Oregon, Rogue River Valley [southwestern

Oregon].

Dictyna osceola Chamberlin & Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Pasco Co., Trilby.	33	p. 114
Dictyna pacifica Jones, 1948 = Dictyna terranea Ivie, 1947 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Washington, Kittitas Co., Vanta OCCURRENCE. — Washington.	86 33 ge.	p. 39 p. 60
Dictyna patellaris Jones, 1947 = Dictyna segregata Gertsch & Mulaik, 1936 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Texas, Denton Co., Clear Creek OCCURRENCE. — Texas.	85 33 Wo	p. 1 p. 57 pods.
Dictyna peon Chamberlin & Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Cochise Co., Chiricahua ler's Park. OCCURRENCE. — Southwestern U.S., Mexico south Tlaxaca and Puebla.		
Dictyna peragrata Bishop & Ruderman, 1946 TYPE. — Cornell Univ. Coll. TYPE LOCALITY. — Washington, Snohomish Co., Edo OCCURRENCE. — Washington, California.		p. 3 ds.
TYPE. — Cornell Univ. Coll. TYPE LOCALITY. — Washington, Snohomish Co., Ed	lmon	-
TYPE. — Cornell Univ. Coll. TYPE LOCALITY. — Washington, Snohomish Co., Edo OCCURRENCE. — Washington, California. Dictyna petrunkevitchi Gertsch & Mulaik, 1940 TYPE. — Amer. Mus. Nat. Hist.	78 30 33	ds.
TYPE. — Cornell Univ. Coll. TYPE LOCALITY. — Washington, Snohomish Co., Edo OCCURRENCE. — Washington, California. Dictyna petrunkevitchi Gertsch & Mulaik, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Zapata Co., Laredo. Dictyna phoenix Chamberlin, 1948 = Dictyna tucsona Chamberlin, 1948 TYPE. — Amer. Mus. Nat. Hist.	78 30 33	ds. p. 330 p. 8

Dictyna piratica Ivie, 1947 **83** (p. 3) TYPE. — Wilton Ivie Collection. TYPE LOCALITY. — Utah, Salt Lake Co., Salt Lake City. 33 Dictyna pixi Chamberlin & Gertsch, 1958 p. 54 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — New Jersey, Mercer Co., Washington's Crossing. OCCURRENCE. — Eastern U.S. Dictyna querida Chamberlin & Ivie, 1944 **40** p. 120 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Chatham Co., 3 mi. southeast of Savannah. Dictyna rita Gertsch, 1946 60 p. 12 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Santa Cruz Co., Santa Rita Mts., Madera Canyon. Dictyna rotunda Jones, 1948 86 p. 40 = Dictyna oregona Gertsch, 1946 **33** p. 144 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Oregon, Klamath Co., Crater Lake. Dictyna saepei Chamberlin & Ivie, 1941 36 p. 6 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Santa Cruz Co., Ben Lomond, W 122° 5′, N 37° 5′. Dictyna saltona Chamberlin & Gertsch, 1958 33 p. 98 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. -- California, Imperial Co., Salton Sea. Dictyna sancta Gertsch, 1946 60 p. 13 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Colorado, El Paso Co., Colorado Springs, Garden of the Gods. Dictyna savanna Chamberlin & Ivie, 1944 40 p. 121 = Dictyna altamira Gertsch & Davis, 1942 **33** p. 117 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Chatham Co., Savannah Beach. Dictyna saylori Chamberlin & Ivie, 1941 36 p. 8 TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Santa Cruz Co., Ben 122° 5′, N 37° 5′.	Lom	ond, W
Dictyna seminola Chamberlin & Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Dade Co., Florida City		p. 114
Dictyna serena Chamberlin & Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Santa Clara Co., Pale ford. OCCURRENCE. — California.		p. 134 o, Stan-
Dictyna shasta Chamberlin & Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — "California, Siskiyou Co., Grass OCCURRENCE. — California, Oregon.		p. 150 ey."
Dictyna shoshonea Chamberlin & Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Idaho, Payette Co., Payette. OCCURRENCE. — Idaho, Oregon.	33	p. 150
Dictyna sierra Chamberlin, 1948 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Sierra Co.	30	p. 8
Dictyna sinaloa Gertsch & Davis, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Sinaloa, Culiacan. OCCURRENCE. — Nuevo Leon?	75	p. 14
Dictyna socarina Chamberlin, 1948 = Dictyna uintana Chamberlin, 1919 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, Salt Lake Co., 4 mi. "up" Canyon [from Salt Lake City].	30 33 ' City	p. 8 p. 118 v Creek
Dictyna sonora Gertsch & Davis, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Sonora, Guaymas.	75	p. 12
Dictyna subpinicola Ivie, 1947	83	(p. 2)

TYPE LOCALITY. -- Idaho, Adams Co., Lost Lake near Tam-

arack.

TYPE. — Wilton Ivie Collection.

Dictyna suwanea Gertsch, 1946 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Sarasota Co., Englewood OCCURRENCE. — Florida, Georgia.	60 od.	p. 14
Dictyna sylvania Chamberlin & Ivie, 1944 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Screven Co., 1 mi. r. vania.		p. 122 of Syl-
Dictyna terranea Ivie, 1947 TYPE. — Wilton Ivie Collection. TYPE LOCALITY. — Idaho, Payette Co., Fruitland.	83	(p. 2)
Dictyna texana Jones, 1948 = Dictyna iviei Gertsch & Mulaik, 1936 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Texas, Travis Co., Austin Mt.,	86 33 Bark	p. 42 p. 133 er.
Dictyna toccoa Chamberlin & Ivie, 1944 = Dictyna zaba Barrows & Ivie, 1942 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Habersham and Ste "Clarksville to Toccoa".	40 33 ephens	p. 123 p. 132 s. Cos.,
Dictyna tridentata Bishop & Ruderman, 1946 TYPE. — Cornell Univ. Coll. TYPE LOCALITY. — Wyoming, Teton Co., Summit T	19 Teton	p. 2 Pass.
Dictyna tucsona Chamberlin, 1948 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Pima Co., Tucson.	30	p. 8
Dictyna varyna Chamberlin & Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, Washington Co., Virgin George.		
OCCURRENCE. — Utah, Southwestern U.S. and North		Mexico.
Dictyna varyna miranda Chamberlin & Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Humboldt Co., Humat Miranda.	33 nbold	p. 58 t River
Dictyna volucripoides Ivie, 1947 = Dictyna volucripes volucripoides (Ivie, 1947)	83 33	(p. 4) p. 89

TYPE. — Wilton Ivie Collection. OCCURRENCE. — Florida, Alachua Co., Gainesville.		
Dictyna zaba Barrows & Ivie, 1942 TYPE. — Univ. of Utah. TYPE LOCALITY. — Ohio, Hocking Co.	16	p. 21
Emblyna ampla Chamberlin, 1948	30	p. 9
= Dictyna ampla (Chamberlin, 1948) TYPE. — Amer. Mus. Nat. Hist.	33	p. 141
TYPE LOCALITY. — Wyoming, Sweetwater Co., Springs.	near	Rock
Emblyna capens Chamberlin, 1948	30	p. 9
= Dictyna capens (Chamberlin, 1948)	33	p. 122
TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Alachua Co., Alachua	a.	
Emblyna cognata Chamberlin, 1948	30	p. 9
= Dictyna scotta (Chamberlin, 1948) TYPE. — Amer. Mus. Nat. Hist.	33	p. 107
TYPE LOCALITY. — Arizona, Coconino Co., San F	rancisc	o Mts.
Emblyna crocana Chamberlin, 1948	30	p. 10
= Dictyna crocana (Chamberlin, 1948) TYPE. — Amer. Mus. Nat. Hist.	33	p. 121
TYPE LOCALITY. — California, Alameda Co., Crov	w Cany	on.
Emblyna eugenia Chamberlin, 1948	30	p. 10
= Dictyna eugenia (Chamberlin, 1948) TYPE. — Amer. Mus. Nat. Hist.	33	p. 48
TYPE LOCALITY. — Oregon, Lane Co., Eugene.		
Emblyna mariae Chamberlin, 1948	30	p. 10
= Dictyna ampla (Chamberlin, 1948) TYPE. — Amer. Mus. Nat. Hist.	33	p. 141
TYPE LOCALITY. — Colorado, Mesa Co., Grand meadow.	Mesa,	alpine
Emblyna monoca Chamberlin, 1948	30	p. 10
= Dictyna piratica Ivie, 1947 TYPE, — Amer, Mus, Nat, Hist.	33	p. 143
TYPE LOCALITY. — California, Mono Co., Benton	Station	ı.
Emblyna newina Chamberlin, 1948	30	p. 11
= Dictyna crosbyi Gertsch & Mulaik, 1940	33	p. 77

TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Colorado, Ouray Co., north of C	Ouray	7.
Emblyna palomara Chamberlin, 1948 = Dictyna palomara (Chamberlin, 1948) TYPE. — Amer. Mus. Nat. Hist.	30 33	p. 11 p. 152
TYPE LOCALITY. — California, San Diego Co., Mt. 1	Paior	nar.
Emblyna religens Chamberlin, 1948 = Dictyna sancta Gertsch, 1946 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — South Dakota, Jefferson.	30 33	p. 11 p. 86
Emblyna rena Chamberlin, 1948 = Dictyna completa Chamberlin & Gertsch, 1928 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Nevada, Storey Co., Reno. OCCURRENCE. — Utah.	30 33	p. 11 p. 138
Emblyna rosana Chamberlin, 1948 = Dictyna reticulata Gertsch & Ivie, 1936 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — New Mexico, Guadalupe Co., Sa	30 33 anta	p. 12 p. 149 Rosa.
Emblyna sanfrana Chamberlin, 1948 = Dictyna stulta Gertsch & Mulaik, 1936 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Coconino Co., San Fra	30 33 ncisc	p. 12 p. 106 o Mts.
Emblyna scotta Chamberlin, 1948 = Dictyna scotta (Chamberlin, 1948)	30 33	p. 12 p. 107
TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — New Mexico, Scottsdale Canyon OCCURRENCE. — Arizona.	١.	
Emblyna tosa Chamberlin, 1948 = Dictyna manitoba Ivie, 1947 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Minnesota, Beltrami Co., Wask	30 33 ish.	p. 13 p. 113
Emblyna tosa Chamberlin, 1948 = Dictyna hentzi Kaston, 1945	30 33	p. 13 p. 115

TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Ontario, Fort Albany [Northern Cochran District?].	Ontario,
Emblyna urica Chamberlin, 1948 = Mallos nivens O. Pickard-Cambridge, 1902 33 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, Washington Co., Hurricane.	p. 13 p. 41
Emblyna utesca Chamberlin, 1948 = Dictyna piratica Ivie, 1947 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, East Canyon [Morgan or Summann of Su	p. 13 p. 143 nit Co.].
Emblyna utona Chamberlin, 1948 = Dictyna manitoba Ivie, 1947 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Maricopa Co., Scottsdale?	p. 13 p. 113
Heterodictyna linsdalei Chamberlin & Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Monterey Co., Hastings History Reservation. OCCURRENCE. — California.	p. 47 Natural
Lathys coralynae Gertsch & Davis, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — San Luis Potosi, 20 mi. east of City Muiz.	p. 10
Lathys hesperus Chamberlin, 1948 = Argenna obesa Emerton, 1911 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah?	p. 14 p. 10
Lathys pinea Chamberlin & Ivie, 1944 = Thallumetus pineas (Chamberlin & Ivie, 1944) TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Chatham Co., 3 mi. south Savannah.	p. 125 p. 36
Lathys sylvania Chamberlin & Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist.	p. 29

TYPE LOCALITY. — Georgia, Screven Co., Sylvania. OCCURRENCE. — Georgia, Florida, Mississippi.

Mallos alpheus Chamberlin, 1948

30 p. 14

= Mallos nivens O. Pickard-Cambridge, 1902

33 p. 41

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Utah, American Fork Canyon, Utah Co. OCCURRENCE. — Idaho, Colorado.

Mallos blandus Chamberlin & Gertsch, 1958

33 p. 40

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. - New Mexico, Eddy Co., White City.

Mallos bryanti Gertsch, 1946

60 p. 6

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Arizona, Santa Rita Mts. [Pima Co.?]. OCCURRENCE. — Arizona.

Mallos halli Chamberlin & Ivie, 1941

36 p. 4

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Santa Cruz Co., Ben Lomond, W 122° 5′, N 37° 5′.

Mallos kraussi Gertsch, 1946

60 p. 6

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Morelos, Cuernavaca.

Mallos pearcei Chamberlin & Gertsch, 1958

33 p. 45

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, San Diego Co., Viejas Valley.

OCCURRENCE. — California.

Mallos zionis Chamberlin, 1948

30 p. 15

= Mallos trivittatus (Banks, 1901)

33 p. 46

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Utah, Zion National Park.

Pagomys bishopi Chamberlin & Gertsch, 1958

33 p. 15

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Yosemite National Park, Half Dome, 8800'.

Pagomys lactea Chamberlin & Gertsch, 1958

33 p. 16

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Palo Duro Canyon, [Armstrong Co.?].	near A	marillo
Pagomys uinta Chamberlin, 1948 = Pagomys monticola (Gertsch & Mulaik, 1936) TYPE. — Amer. Mus. Nat. Hist.	30 33	p. 15 p. 15
TYPE LOCALITY. — Utah, Duchesne Co., Uintah Lake, near Mt. Agissiz.	Mts.,	Mirror
Scotolathys alba Chamberlin & Ivie, 1944 = Lathys albida Gertsch, 1946 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Chatham Co., 3 mi.	40 33 south	p. 126 p. 34 of Sav-
annah. OCCURRENCE. — Florida, Georgia.		
Scotolathys apachea Chamberlin, 1948 = Lathys delicatula Gertsch & Mulaik, 1936 TYPE. — Amer. Mus. Nat. Hist.	30 33	p. 16 p. 31
TYPE LOCALITY. — Arizona, Gila Co., 8 mi. north Dam.	h of R	oosevelt
Scotolathys maculata immaculata Chamberlin & Ivie, 1944 = Lathys immaculata (Chamberlin & Ivie, 1944) TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Habersham Co., Den	40 33 norest.	p. 126 p. 34
Thallumetus petrunkevitchinus Gertsch, 1945 = Thallumetus pinus (Chamberlin & Ivie, 1944) TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Alachua Co., 5 mi. w ville.	58 33 Vest of	p. 192 p. 36 Gaines-
Tosyna pior Chamberlin, 1948 = Dictyna personata Gertsch & Mulaik, 1936 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, near Marble Canyo 111° [Coconino Co.?].	30 33 n, N	p. 16 p. 95 36°, W
Tricholathys cascadea Chamberlin & Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Oregon, Jefferson Co., Fly Lal	33 ke.	p. 23

Tricholathys dakota Chamberlin & Gertsch, 1958

33 p. 19

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. -- Colorado, Larimer Co., Fort Collins.

OCCURRENCE. -- Colorado, New Mexico.

Tricholathys jacinto Chamberlin & Gertsch, 1958

33 p. 20

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Riverside Co., Idylwild, San Jacinto Mts.

OCCURRENCE. — California.

Tricholathys monterea Chamberlin & Gertsch, 1958

33 p. 22

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Monterey Co., Hastings Natural History Reservation.

OCCURRENCE. — California.

Tricholathys rothi Chamberlin & Gertsch, 1958

33 p. 23

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Oregon, Polk Co., Independence.

OCCURRENCE. - Oregon.

Tricholathys saltona Chamberlin, 1948

30 p. 17

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Imperial Co., Salton Sea, Fish Springs.

DIGUETIDAE

This family was created by Gertsch in 1949 (American Spiders, D. Van Nostrand Co., Inc., Princeton, N. J.). For a full discussion see Gertsch, 1958, 64.

Species

Diguetia andersoni Gertsch, 1958

64 p. 22

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, San Bernardino Co., Mojave Desert, Twenty nine Palms.

Diguetia canities mulaiki Gertsch, 1958

64 p. 12

TYPE. — Amer. Mus. Nat. Hist.

78 p. 317

TYPE LOCALITY. — Texas, Hidalgo Co., Edinburg. OCCURRENCE. — Texas.

Diguetia imperiosa Gertsch & Mulaik, 1940

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Val Verde Co., Langtry.

OCCURRENCE. — Texas.

Diguetia mojavea Gertsch, 1958 64 p. 20

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, San Bernardino Co., Yermo.

OCCURRENCE. — California, Nevada.

Diguetia signata Gertsch, 1958 64 p. 22

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Arizona, Maricopa Co., Scottsdale.

ERIGONIDAE

Genera

Batroceps Chamberlin & Ivie, 1945 41 p. 223

TYPE-SPECIES. — Batroceps bilobatus Chamberlin & Ivie, 1945, by original designation.

Cheraira Chamberlin, 1948

TYPE-SPECIES. — Cheraira kena Chamberlin, 1948, by original designation.

Coloncus Chamberlin, 1948

TYPE-SPECIES. — Coloncus pius Chamberlin, 1948, by original

designation.

Masoncus Chamberlin, 1948

TYPE-SPECIES. — Masoncus arienus Chamberlin, 1948, by original designation.

Pselothorax Chamberlin, 1948

TYPE-SPECIES. — Pselothorax atopus Chamberlin, 1948, by original designation and monotypy.

Tibioplus Chamberlin & Ivie, 1947 45 p. 51

TYPE-SPECIES. — Tibioplus nearcticus Chamberlin & Ivie, 1947,
by original designation and monotypy.

Yukon Chamberlin & Ivie, 1947

45 p. 52

TYPE-SPECIES. — Yukon majesticum Chamberlin & Ivie, 1947, by original designation and monotypy.

Zygottus Chamberlin, 1948

31 p. 560

TYPE-SPECIES. — Zygottus corvallis Chamberlin, 1948, by original designation.

Species

Anacornia proceps Chamberlin, 1948

31 p. 483

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Duchesne Co., Uintah Mts., Mirror Lake, near Mt. Agissiz.

OCCURRENCE. — Utah.

Araeoncus americanus Chamberlin & Ivie, 1944

40 p. 58

TYPE. - Univ. of Utah.

TYPE LOCALITY. — Georgia, Wilkes Co., "Bell to Washington".

Batroceps bilobatus Chamberlin & Ivie, 1945

41 p. 224

TYPE. — not given.

TYPE LOCALITY. - California, Monterey Co., Pacific Grove.

Batroceps redondo Chamberlin & Ivie, 1945

41 p. 225

TYPE. — not given.

TYPE LOCALITY. — California, Los Angeles Co., 2 mi. south of Redondo Beach.

OCCURRENCE. — California.

Catabrithorax stylifer Chamberlin, 1948

31 p. 486

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Carbon Co., Raft River, 8 mi. south of Lynn [on the D & R G W railway].

OCCURRENCE. — Western U.S., Alaska.

Cephalethus birostrum Chamberlin & Ivie, 1947

45 p. 30

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Alaska, Matanuska, W 149°, N 61°.

OCCURRENCE. - Alaska.

Ceraticelus agathus Chamberlin, 1948

31 p. 491

TYPE. — Univ. of Utah.

TYPE LOCALITY. - not given.

Ceraticelus berthoudi Dondale, 1958

47 p. 155

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. - Colorado, Clear Creek Co., Berthoud Pass.

Ceraticelus bryantae Kaston, 1945

88 p. 8

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Connecticut, Litchfield Co., Tolles, near Terryville.

Ceraticelus formosus pistus Chamberlin, 1948

31 p. 492

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Wyoming, Yellowstone National Park, 4 mi. north of Old Faithful.

Ceraticelus laetabilis pisga Chamberlin, 1948

31 p. 492

TYPE. — Univ. of Utah.

TYPE LOCALITY. - North Carolina, Buncombe Co., Mt. Pisgah.

Ceraticelus laticeps bucephalus Chamberlin & Ivie, 1944 40 p. 60

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Chatham Co., 3 mi. southeast of Savannah.

OCCURRENCE. — Georgia.

Ceraticelus rowensis Levi & Levi, 1955

116 p. 34

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Alberta, Waterton National Park, Upper Rowe Lake, 7100'.

OCCURRENCE. — Alberta.

Ceraticelus savannus Chamberlin & Ivie, 1944

40 p. 61

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Chatham Co., 3 mi. southeast of Savannah.

OCCURRENCE. — Georgia.

Ceraticelus silus Dondale, 1958

47 p. 156

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Alaska, southeast of Wrangell.

Ceraticelus subniger Chamberlin, 1948

31 p. 491

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Salt Lake Co., 10 mi. west of Salt Lake City.

Ceraticelus tuganus Chamberlin, 1948

31 p. 494

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Salt Lake Co., 10 mi. west of Salt Lake City.

Ceratinella alaskae Chamberlin & Ivie, 1947

45 p. 31

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Alaska, Haines, W 135°, N 59°.

Ceratinella buna Chamberlin, 1948

31 p. 496

TYPE. — Univ. of Utah.

TYPE LOCALITY. -- Iowa.

OCCURRENCE. - Iowa.

Ceratinella diversa Chamberlin, 1948

31 p. 498

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Minnesota, Marshall Co., Warren.

Ceratinella hemetha Chamberlin, 1948

31 p. 500

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Screven Co., 4 mi. northeast of Sylvania.

OCCURRENCE. — Florida.

Ceratinella holocerea Chamberlin, 1948

31 p. 500

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Florida, Brevard Co., Cocoa.

Ceratinella kenaba Chamberlin, 1948

31 p. 501

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Florida, St. Johns Co., Hastings.

Ceratinella tigana Chamberlin, 1948

31 p. 504

TYPE. — Univ. of Utah.

TYPE LOCALITY. - Alaska, Haines, W 135°, N 59°.

Ceratinella tosior Chamberlin, 1948

31 p. 506

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Missouri, Boone Co., Columbia.

Ceratinops uintana Chamberlin, 1948

31 p. 508

TYPE. - Univ. of Utah.

TYPE LOCALITY. — Utah, Duchesne Co., Uintah Mts., Mirror Lake, near Mt. Agissiz.

OCCURRENCE. — Utah.

Ceratinopsis bona Chamberlin & Ivie, 1944

40 p. 63

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Chatham Co., 3 mi. southeast of Savannah.

Ceratinopsis crosbyi Chamberlin, 1948

31 p. 510

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Colorado, Larimer Co., Pingree Park.

Ceratinopsis eutypa Chamberlin, 1948

31 p. 509

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Washington, Mt. Rainier National Park. OCCURRENCE. — Oregon, British Columbia.

Ceratinopsis georgiana Chamberlin & Ivie, 1944

40 p. 64

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Habersham Co., Clarksville. OCCURRENCE. — Georgia.

Ceratinopsis gosibia Chamberlin, 1948

31 p. 512

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Arizona, Gila Co., 8 mi. north of Roosevelt Dam.

OCCURRENCE. — Arizona.

Ceratinopsis interventa Chamberlin, 1948

31 p. 514

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Arizona, Gila Co., 8 mi. north of Roosevelt Dam.

Ceratinopsis oregonicola Chamberlin, 1948

31 p. 510

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Oregon, Jackson Co.

Ceratinopsis palomara Chamberlin, 1948

31 p. 511

TYPE. - Univ. of Utah.

TYPE LOCALITY. — California, Santa Barbara Co., Santa Barbara.

Ceratinopsis secuta Chamberlin, 1948

31 p. 512

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Los Angeles Co., 15 mi. west of

Santa Monica.

Ceratinopsis swanea Chamberlin & Ivie, 1944 40 p. 66 TYPE. — Univ. of Utah.

TYPE LOCALITY. — Florida, Hamilton Co., Jasper.

Ceratinopsis sylvania Chamberlin & Ivie, 1944 40 p. 66

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Screven Co., Brier Creek, 7 mi. north of Sylvania.

Ceratinopsis tybeensis Chamberlin & Ivie, 1944 40 p. 67

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Chatham Co., Savannah Beach.

Ceratinopsis watsinga Chamberlin, 1948 **31** p. 516

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah? "probably vicinity of Salt Lake City".

Cheniseo video Chamberlin & Ivie, 1947 45 p. 32

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Alaska, Matanuska Valley, W 149°, N 61°. OCCURRENCE. — Alaska.

Cheraira castoris Chamberlin, 1948 **31** p. 520

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Beaver Canyon.

Cheraira kena Chamberlin, 1948 **31** p. 519

TYPE. — Univ. of Utah.

TYPE LOCALITY. - Utah, Duchesne Co., Uintah Mts., Mirror Lake, near Mt. Agissiz.

Cheraira salmonis Chamberlin, 1948 **31** p. 520

TYPE. — Univ. of Utah.

TYPE LOCALITY. -- Idaho, Twin Falls Co., Salmon Falls near Castleford.

Cheraira willapa Chamberlin, 1948 **31** p. 518

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Washington, Pacific Co., Willapa River. OCCURRENCE. — Washington.

Cochlembolus provo Chamberlin, 1948 **31** p. 522

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Cobble Rest Camp, Upper Provo River.

Collinsia palmeni Hackman, 1954

80 p. 22

TYPE. — Canad. Nat. Coll., Ottawa.

TYPE LOCALITY. - Newfoundland, St. Georges, Port au Port.

Collinsia wilburi Levi & Levi, 1955

116 p. 35

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Montana, Glacier National Park, Iceburg Lake, 6000'.

Coloncus cascadus Chamberlin, 1948

31 p. 524

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Colorado, El Paso Co., west of Cascade.

Coloncus ocala Chamberlin, 1948

31 p. 524

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Florida, Marion Co., Ocala Forest. OCCURRENCE. — Florida.

Coloncus pius Chamberlin, 1948

31 p. 525

TYPE. — Univ. of Utah.

TYPE LOCALITY. -- Idaho, Valley Co., McCall.

Coloncus siou Chamberlin, 1948

31 p. 525

TYPE. — Univ. of Utah.

TYPE LOCALITY. — North Dakota, Williams Co., Hamlet.

Cornicularia dixiana Chamberlin & Ivie, 1944

40 p. 68

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Chatham Co., 3 mi. southeast of Savannah.

OCCURRENCE. — Georgia.

Cornicularia monoceras Chamberlin & Ivie, 1947

45 p. 33

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Oregon, Benton Co., north of Monroe, W 123° 20′, N 44° 25′.

OCCURRENCE. - Oregon, Alaska.

Cornicularia pinocchio Kaston, 1945

88 p. 7

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Connecticut, New Haven Co., Mt. Carmel.

Cornicularia selma Chamberlin, 1948

31 p. 526

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Oregon, Josephine Co., Selma.

Corypheolana oatimpa Chamberlin, 1948 **31** p. 527 TYPE. — Univ. of Utah. TYPE LOCALITY. — Wyoming, Yellowstone National Park, Yellowstone Lake, Bridge Bay. Diplocentria corynetes Chamberlin & Ivie, 1945 42 p. 10 TYPE. — Univ. of Utah. TYPE LOCALITY. — New York, Tompkins Co., McLean. OCCURRENCE. - New York. Disembolus apache Chamberlin, 1948 **31** p. 527 TYPE. — Univ. of Utah. TYPE LOCALITY. — Arizona, Willow Creek near Birchell's Ranch. Disembolus zygethus Chamberlin, 1948 **31** p. 527 TYPE. — Univ. of Utah. TYPE LOCALITY. — Idaho, Valley Co., north end of Payette Lake. Dismodicus alticeps Chamberlin & Ivie, 1947 45 p. 34 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, College, W 147°, N 64°. Dismodicus modicus Chamberlin & Ivie, 1947 45 p. 35 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Haines, W 135°, N 59°. OCCURRENCE. — Alaska. Eperigone coahuilana Gertsch & Davis, 1940 **73** p. 1 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Coahuila, Diamante Drive, 5 mi. southeast of Saltillo. Eperigone lindrothi Holm, 1960 **82** p. 113 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Alaska, Aleutian Islands, Adak. Eperigone socius Chamberlin, 1948 **31** p. 528 TYPE. — Univ. of Utah. TYPE LOCALITY. - Wyoming, Yellowstone National Park, Yellowstone Lake, Bridge Bay.

Erigone allani Chamberlin & Ivie, 1947 45 p. 36

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Alaska, Matanuska, W 149°, N 61°.

45 p. 37 Erigone arcticola Chamberlin & Ivie, 1947 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Alaska, Quartz Creek, 14-15 mi. north of Haycock, W 161°, N 65°. Erigone bodenburgi Chamberlin & Ivie, 1947 45 p. 38 TYPE. - Univ. of Utah. TYPE LOCALITY. — Alaska, Matanuska, Bodenburg Butte, W 149°, N 61°. Erigone chilkatensis Chamberlin & Ivie, 1947 45 p. 39 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Haines, W 135°, N 59°. Erigone crosbyi Schenkel, 1950 130 p. 55 TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. - California, Sonoma Co., Russian River by Guerneville. Erigone latigyna Chamberlin & Ivie, 1947 45 p. 39 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Matanuska, W 149°, N 61°. Erigone matanuskae Chamberlin & Ivie, 1947 45 p. 40 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Matanuska River at Hicks Creek, W 149°, N 61°. p. 40 Erigone mentasta Chamberlin & Ivie, 1947 45 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Fairbanks, W 147°, N 64°. Erigone reducta Schenkel, 1950 130 p. 58 TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. — Oregon, Klamath Co., Crater Lake. Erigone tanana Chamberlin & Ivie, 1947 p. 42 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Fairbanks, W 147°, N 64°. Eulaira altura Chamberlin & Ivie, 1945 42 p. 4 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Gurnsey Creek, W 120° 55', N 40° 20′.

Eulaira arctoa Holm, 1960

82 p. 116

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Alaska, Aleutian Islands, Umnak.

Eulaira kaiba Chamberlin, 1948

31 p. 530

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Duchesne Co., Uintah Mts., Mirror Lake, near Mt. Agissiz.

Eulaira obscura Chamberlin & Ivie, 1945

42 p. 7

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Montana, Mineral Co., Superior.

OCCURRENCE. -- Idaho.

Eulaira quaesito Chamberlin, 1948

31 p. 531

TYPE. — Univ. of Utah.

TYPE LOCALITY. - Manitoba, Churchill.

Eulaira schediana nigrescens Chamberlin & Ivie, 1945

42 p. 8

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Wyoming, Yellowstone National Park, Yellowstone Lake, Thumb.

Eulaira thumbia Chamberlin & Ivie, 1945

42 p. 9

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Wyoming, Yellowstone National Park, Yellowstone Lake, Thumb.

OCCURRENCE. — Wyoming.

Eulaira wioma Chamberlin, 1948

31 p. 530

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Wyoming, Yellowstone National Park, Yellowstone Lake, Bridge Bay.

Floricomus setosus Chamberlin & Ivie, 1944

40 p. 71

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Screven Co., Brier Creek, 7 mi. north of Sylvania.

OCCURRENCE. — Georgia.

Floricomus tallulae Chamberlin & Ivie, 1944

40 p. 72

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Hall Co., Gainesville.

OCCURRENCE. — Georgia.

Grammonota angusta Dondale, 1959 **48** p. 234 TYPE. — Canad. Nat. Coll., Ottawa. TYPE LOCALITY. — Nova Scotia, King's Co., Scott's Bay. OCCURRENCE. — Canada, from Manitoba to the east coast, northern U.S. from South Dakota to Maine. Grammonota barnesi Dondale, 1959 p. 236 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — North Carolina, Mecklenburg Co. OCCURRENCE. — Washington, D.C. Grammonota coloradensis Dondale, 1959 **48** p. 240 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Colorado, Larimer Co., Roosevelt National Forest, Rist Canyon Camp. Grammonota disparata Dondale, 1959 **48** p. 237 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Apache Co., White Mts., McKay's Peak. Grammonota gallinoides Barnes, 1953 p. 8 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — North Carolina, Carteret Co., dunes, 1.6 mi. west of Atlantic Beach, Bogue Bank. 40 Grammonota georgiana Chamberlin & Ivie, 1944 p. 72 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Chatham Co., Savannah Beach. Grammonota salicicola Chamberlin, 1948 **31** p. 532 TYPE. — Univ. of Utah. TYPE LOCALITY. — Utah, Salt Lake Co., southwest of Salt Lake City. Grammonota subarctica Dondale, 1959 **48** p. 240 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Alaska, Menefee Inlet, Etolin Island. OCCURRENCE. — Alaska. Grammonota zephyra Dondale, 1959 p. 240 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Washington, Snohomish Co., Arlington.

80

p. 25

Hilaira algida Hackman, 1954

TYPE. — Canad. Nat. Coll., Ottawa.

TYPE LOCALITY. — Newfoundland, Grand Bruit, Burgeo, La Poile.

Hilaira aquilonia Hackman, 1954

80 p. 27

TYPE. — Canad. Nat. Coll., Ottawa.

TYPE LOCALITY. — Newfoundland, St. Barbe, Stanford River.

Hilaira dubia Hackman, 1954

80 p. 26

TYPE. — Canad. Nat. Coll., Ottawa.

TYPE LOCALITY. — Newfoundland, St. Barbe, Stanford River. OCCURRENCE. — Newfoundland.

Hilaira garrina Chamberlin, 1948

31 p. 532

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Colorado, Pike's Peak [El Paso Co.?].

Hilaira montigena arctica Holm, 1960

82 p. 118

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Alaska, Umial.

Hilaira vexatrix gertschi Holm, 1960

82 p. 120

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. - Alaska, Point Barrow.

Horcotes uncinatus Barrows, 1945

15 p. 75

TYPE. — Ohio State University, Columbus, Ohio.

TYPE LOCALITY. — North Carolina, Great Smoky Mountains National Park, east of New Found Gap.

Hypomma nordlandica Chamberlin & Ivie, 1947

45 p. 44

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Alaska, Quartz Creek, 14-15 mi. north of Haycock, W 161°, N 65°.

Hypomma subarctica Chamberlin & Ivie, 1947

45 p. 44

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Alaska, Circle City, W 144°, N 65°.

Islandiana cavealis Ivie, 1965

141 p. 20

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Kentucky, Feyette County, Picadome Cave, 1.5 miles west-southwest of Lexington.

OCCURRENCE. — Kentucky.

Islandiana coconino Ivie, 1965

141 p. 8

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Arizona, Coconino County, North Rim, Grand Canyon, W 112° 07', N 36° 24'.

OCCURRENCE. — Colorado.

Islandiana flavoides Ivie, 1965

141 p. 16

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — New York, Long Island, Orient, W 72° 19′, N 41° 09′.

OCCURRENCE. — New York, Long Island.

Islandiana holmi Ivie, 1965

141 p. 9

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Wyoming, Park Co. Yellowstone National Park, summit of Mt. Washburn.

OCCURRENCE. — Rocky Mountains of the United States and mountains of New York State.

Islandiana mimbres Ivie, 1965

141 p. 16

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — New Mexico [Grant County], Mimbres Mountains, Rock Creek, W 107° 47′, N 32° 50′.

Islandiana muma

141 p. 22

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Virginia, [Rockbridge County] Natural Bridge, Buck Hill Cave.

OCCURRENCE. — Alabama.

Islandiana speophila Ivie, 1965

141 p. 22

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — West Virginia, Pendleton County, Trout Cave.

Islandiana unicornis Ivie, 1965

141 p. 20

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Childress County, Black Hand Cave, 4 miles east of Newlin.

Lophomma columbia Chamberlin, 1948

31 p. 533

TYPE. — Univ. of Utah.

TYPE LOCALITY. — British Columbia, west side of Saanich Inlet.

Maso marxi matanuskae Chamberlin, 1948

31 p. 534

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Alaska, Matanuska.

Maso navajo Chamberlin, 1948

31 p. 535

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Arizona, Gila County, 8 miles north of Roosevelt Dam.

Masoncus arienus Chamberlin, 1948

31 p. 536

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Arizona, Pima Co., Covered Wells (Quijota). OCCURRENCE. — Arizona.

Masoncus dux Chamberlin, 1948

31 p. 536

TYPE. - Univ. of Utah.

TYPE LOCALITY. - Manitoba, Churchill.

Masoncus nogales Chamberlin, 1948

31 p. 537

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Arizona, Santa Cruz Co., 11 mi. north of Nogales.

OCCURRENCE. — Texas.

Micragus aleuticus Holm, 1960

82 p. 122

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Alaska, Aleutian Islands, Umnak.

Minyriolus pampia Chamberlin, 1948

31 p. 539

TYPE. — Univ. of Utah.

TYPE LOCALITY. — North West Territory, Baffin Island, River Clyde.

Minyriolus plesius Chamberlin, 1948

31 p. 538

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Wyoming, Yellowstone National Park, Yellowstone Lake, Bridge Bay.

OCCURRENCE. — Utah.

Montilaira relicta Chamberlin, 1948

31 p. 540

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Vermont, Mt. Mansfield.

Mythoplastoides sombrus Chamberlin & Ivie, 1947

45 p. 47

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Alaska, College, W 147°, N 64°.

OCCURRENCE. — Alaska.

Oedothorax cascadeus Chamberlin, 1948

31 p. 540

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Idaho, Valley Co., Cascade.

Pelecopsis bishopi Kaston, 1945

88 p. 8

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — New Hampshire, Carroll Co., West Ossipee. OCCURRENCE. — Connecticut.

Pselothorax atopus Chamberlin, 1948

31 p. 541

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Salt Lake Co., mouth of Red Butte Canyon.

Sciastes beluga Chamberlin & Ivie, 1947

45 p. 47

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Alaska, Beluga Flats at mouth of Beluga River, Cook Inlet, W 150°, N 61°.

Sciastes fuscus Chamberlin & Ivie, 1944

40 p. 75

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Chatham Co., 3 mi. southwest of Savannah.

Sciastes mossi Muma, 1945

120 p. 95

TYPE. — Amer. Mus. Nat. Hist.

Sciastes ogeechee Chamberlin & Ivie, 1944

TYPE LOCALITY. - Maryland, Branchville.

40 p. 75

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Effingham Co., south of Guyton.

Sciastes tenna Chamberlin, 1948

31 p. 541

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Tennessee, Sevier Co., Great Smoky Mts., Little Pigeon Creek.

Scironis autor Chamberlin, 1948

31 p. 542

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Guernsey Creek.

Scironis sima Chamberlin, 1948

31 p. 543

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Oregon, Comstock.

Scylaceus amylus Chamberlin, 1948

31 p. 544

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Ohio, Fairfield Co., Sugar Grove.

Scylaceus divisus Chamberlin, 1948

31 p. 544

TYPE. — Univ. of Utah.

TYPE LOCALITY. - North Dakota, Divide Co.

Scylaceus pallas Chamberlin, 1948

31 p. 545

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Illinois, Pallas Park [Palos Park, Cook Co.?].

Sisicottus atypicus Chamberlin & Ivie, 1944

40 p. 76

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Screven Co., Brier Creek, 7 mi. north of Sylvania.

Sisicottus hibernus Barrows, 1945

15 p. 74

TYPE. — Ohio State Univ., Columbus, Ohio.

TYPE LOCALITY. — North Carolina, Great Smoky Mountains National Park, Mingus Creek.

Sisicus longitarsi Chamberlin & Ivie, 1947

45 p. 49

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Alaska, Matanuska, W 149°, N 61°.

Soudinus corneliae Chamberlin & Ivie, 1944

40 p. 77

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Habersham Co., Demorest.

Souessa nasuta Barrows, 1943

14 p. 209

TYPE. — Ohio State Univ., Columbus, Ohio.

TYPE LOCALITY. — Ohio, northwest of West Jefferson [Madison or Williams Co.].

Sougambus georgiensis Chamberlin & Ivie, 1944

40 p. 78

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Effingham Co., south of Guyton.

Spiremblous cheronus Chamberlin, 1948

31 p. 546

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Wyoming, Yellowstone National Park, Yellowstone Lake, Thumb.

Spirembolus maderus Chamberlin, 1948

31 p. 547

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Arizona, Santa Cruz Co., Santa Rita Mts., Madera Canyon.

OCCURRENCE. — California.

Spirembolus oreinoides Chamberlin, 1948

31 p. 546

TYPE. - Univ. of Utah.

TYPE LOCALITY. — California, San Diego Co., summit of Mt. Palomar.

Spirembolus orthus Chamberlin, 1948

31 p. 548

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Inyo Co., west side of Owen's Lake.

Tachygyna alaskensis Chamberlin & Ivie, 1947

45 p. 49

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Alaska, Haines, W 135°, N 59°.

Tachygyna paita Chamberlin, 1948

31 p. 548

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Duchesne Co., Uintah Mts., Mirror Lake, near Mt. Agissiz.

Tachygyna sima Chamberlin, 1948

31 p. 549

TYPE. — Univ. of Utah.

TYPE LOCALITY. — British Columbia, Vancouver Island, Sidney.

Tachygyna watona Chamberlin, 1948

31 p. 549

TYPE. - Univ. of Utah.

TYPE LOCALITY. — Utah, Duchesne Co., Uintah Mts., Mirror Lake, near Mt. Agissiz.

Tapinocyba alpha Chamberlin, 1948

31 p. 550

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Salt Lake Co., Salt Lake City, Dry Creek Canyon.

Tapinocyba emertoni Barrows & Ivie, 1942

16 p. 22

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Ohio, Hocking Co., Rockbridge.

Tapinocyba exigua Hackman, 1954

80 p. 17

TYPE. — Canad. Nat. Coll., Ottawa.

TYPE LOCALITY. — Newfoundland, Grand Falls, Millertown Junction.

Tapinocyba gamma Chamberlin, 1948

31 p. 550

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Duchesne Co., Uintah Mts., Mirror Lake, near Mt. Agissiz.

Tapinocyba idahoana Chamberlin, 1948 **31** p. 550 TYPE. — Univ. of Utah. TYPE LOCALITY. — Idaho, Payette Co., 2 mi. east of Fruitland. Tapinocyba iowa Chamberlin, 1948 **31** p. 552 TYPE. — Univ. of Utah. TYPE LOCALITY. — Iowa, Washington Co. Tapinocyba kesimba Chamberlin, 1948 **31** p. 552 TYPE. — Univ. of Utah. TYPE LOCALITY. - Arizona, Coconino Co., Kaibab National Forest, (V. T. Ranch). OCCURRENCE. — Arizona. Tapinocyba lindrothi Hackman, 1954 80 p. 16 TYPE. — Canad. Nat. Coll., Ottawa. TYPE LOCALITY. — Newfoundland, St. George, Port au Port. Tapinocyba matanuskae Chamberlin & Ivie, 1947 45 p. 50 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Matanuska, W 149°, N 61°. OCCURRENCE. — Alaska. Tapinocyba phana Chamberlin, 1948 **31** p. 553 TYPE. — Univ. of Utah. TYPE LOCALITY. — Idaho, Valley Co., 4 mi. northeast of McCall. Tapinocyba pontis Chamberlin, 1948 **31** p. 554 TYPE. — Univ. of Utah. TYPE LOCALITY. — Wyoming, Yellowstone National Park, Yellowstone Lake, Bridge Bay. Tapinocyba sucra Chamberlin, 1948 **31** p. 554 TYPE. — Univ. of Utah. TYPE LOCALITY. — Ohio, Fairfield Co., Sugar Grove. **31** p. 555 Tapinocyba vermontis Chamberlin, 1948 TYPE. — Univ. of Utah. TYPE LOCALITY. — Vermont, Windham Co., Jamaica. Tibioplus nearcticus Chamberlin & Ivie, 1947 45 p. 51 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Matanuska, W 149°, N 61°. **31** p. 556 Tigellinus mesus Chamberlin, 1948

TYPE LOCALITY. — Colorado, Pike's Peak [El Paso Co.?].

MEM. AMER. ENT. SOC., 23

TYPE. — Univ. of Utah.

Tigellinus perditus Chamberlin, 1948 TYPE. — Univ. of Utah.	555		
TYPE LOCALITY. — uncertain, "vicinity of Salt Lake City, Utah?"			
Tigellinus weber Chamberlin, 1948 TYPE. — Univ. of Utah.	557		
TYPE LOCALITY. — Utah, Summit Co., Smith and Moreho Canyon.	use		
Tortembolus approximatus Chamberlin, 1948 TYPE. — Univ. of Utah. TYPE LOCALITY. — Oregon, Jackson Co. OCCURRENCE. — California, Oregon.	557		
Tortembolus monicus Chamberlin, 1948 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Los Angeles Co., Santa Mon			
Trachynella longidnes Holm, 1960 82 p.			
TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Alaska, Aleutian Islands, Adak.	'		
 Willibaldia sodonta Chamberlin, 1948 TYPE. — Univ. of Utah. TYPE LOCALITY. — Washington, Mt. Rainier National P. 			
White River Camp.	ш,		
Wubana reminiscens Chamberlin, 1948 TYPE. — Univ. of Utah.	560		
TYPE LOCALITY. — Wyoming, Yellowstone National Park.			
TYPE. — Univ. of Utah.	. 52		
TYPE LOCALITY. — Alaska, Matanuska Valley, W 149°, N 6 OCCURRENCE. — Alaska.	51°.		
Zygottus corvallis Chamberlin, 1948 31 p. TYPE. — Univ. of Utah.	561		
TYPE LOCALITY. — Washington, King Co., Denny Creek on Squalmie Pass.	no-		
OCCURRENCE. — Oregon.			
Zygottus oregonus Chamberlin, 1948 31 p. TYPE. — Univ. of Utah. TYPE LOCALITY. — Oregon, Curry Co., South Denmark.	562		

FILISTATIDAE

Species

Filistata geophila wawona Chamberlin & Ivie, 1942 38 p. 4

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Mariposa Co., Yosemite National Park, Wawona Camp.

Filistata hurca Chamberlin & Ivie, 1942

38 p. 3

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Washington Co., Hurricane. OCCURRENCE. — Utah, California.

GNAPHOSIDAE

Genera

Sostogeus Chamberlin & Gertsch, 1940 32 p. 1

TYPE-SPECIES. — Sostogeus zygethus Chamberlin & Gertsch, 1940, by original designation and monotypy.

Species

Callilepis gosoga Chamberlin & Gertsch, 1940 32 p. 10

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Los Angeles Co., Acton.

Drassodes louisianus Roddy, 1957

125 p. 290

50

p. 83

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Louisiana, East Baton Rouge Parish, Baton Rouge, near campus of Southern University.

Drassyllus coahuilanus Gertsch & Davis, 1940 74 p. 7

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Coahuila, Saltillo.

Drassyllus covensis Exline, 1962

TYPE. — Calif. Acad. Sci.

TYPE LOCALITY. — Arkansas, Washington Co., Cove Creek.

Drassyllus creolus Chamberlin & Gertsch, 1940 32 p. 13

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Louisiana, Baton Rouge.

Drassyllus ellipes Chamberlin & Gertsch, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Alabama, Tuscaloosa Co., Dur		p. 14 e.
Drassyllus eremophilus Chamberlin & Gertsch, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Michigan, Douglas Lake.	32	p. 15
Drassyllus hubbelli Chamberlin & Gertsch, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Apache Co., 5 mi. eas ville.	32 at of Sp	p. 15 ringer-
Drassyllus inanus Chamberlin & Gertsch, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, San Juan Co., Bluff.	32	p. 17
Drassyllus lasalus Chamberlin & Gertsch, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, La Sal Mts., [Grand Co.	32 .?].	p. 13
Drassyllus monteriensis Schenkel, 1950 TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. — California, Alameda Co., Berke OCCURRENCE. — California.	130 eley Hi	p. 38 lls.
Drassyllus nannellus Chamberlin & Gertsch, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, Box Elder Co., Tremonto	32 on.	p. 11
Drassyllus seminolus Chamberlin & Gertsch, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Alachua Co., Gainesvi	32 lle.	p. 16
Drassyllus sporadicus Muma, 1944 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Maryland, Anne Arundel Co.,	119 Parole	p. 10
Drassyllus tonaquintus Chamberlin & Gertsch, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, Washington Co., St. Geo OCCURRENCE. — Utah.		p. 17
Gnaphosa sandersi Gertsch & Davis, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Coahuila, Saltillo.	74	p. 8

Haplodrassus dystactus Chamberlin & Gertsch, 1940 32 p. 8 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, Grand Co., Gunnison Butte on the Green River. OCCURRENCE. — Utah. Haplodrassus utus Chamberlin & Ivie, 1944 43 p. 8 TYPE. — Univ. of Utah. TYPE LOCALITY. — Utah, Wasatch Co., Provo River at North Fork. OCCURRENCE. — California, Idaho, Utah, Wyoming. Herpyllus coahuilanus Gertsch & Davis, 1940 74 p. 5 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Coahuila, Diamante Drive, 5 mi. southeast of Saltillo. Laronia reynosana Gertsch & Davis, 1940 74 p. 9 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Tamaulipas, Reynosa. Liodrassus carrvillus Chamberlin & Ivie, 1941 36 p. 21 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Trinity Co., Carrville. Liodrassus metallus Chamberlin & Gertsch, 1940 32 p. 5 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, Tooele Co., Ophir. Liodrassus petersoni Chamberlin & Gertsch, 1940 32 p. 7 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — South Dakota, Lawrence Co., Spear Fish. 32 Litopyllus liber Chamberlin & Gertsch, 1940 p. 2 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Florida, Liberty Co. OCCURRENCE. — Florida. Litopyllus paludis Chamberlin & Gertsch, 1940 32 p. 4 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Georgia, Okefenokee Swamp. 74 Megamyrmecium cambridgei Gertsch & Davis, 1940 p. 11 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Durango, 1 mi. west of Lerdo. OCCURRENCE. — Guerrero.

Nodocion melanie Levi, 1951 91 p. 23 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Wisconsin, Waushana Co., Wautoma, near Hill's Lake. OCCURRENCE. — Wisconsin. Orodrassus orites Chamberlin & Gertsch, 1940 32 p. 10 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Washington, Pierce Co., Mt. Rainier. Poecilochora josephus Chamberlin & Gertsch, 1940 32 p. 4 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, San Mateo Co., Atherton. Poecilochora montanoides Schenkel, 1950 130 p. 41 TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. — Oregon, Klamath Co., Crater Lake. Serigiolus decoratus Kaston, 1945 87 p. 2 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Massachusetts, Barnstable Co., Woods Hole. OCCURRENCE. — South Dakota, Illinois, New Jersey, New York, Massachusetts. Serigiolus lesserti Schenkel, 1950 130 p. 43 TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. — California, Monterio on the Russian River, Sonoma Co. 32 Sostogeus zygethus Chamberlin & Gertsch, 1940 p. 1 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — South Dakota, Brookings Co., Brookings. OCCURRENCE. — Illinois, Utah. Zelotes acapulcoanus Gertsch & Davis, 1940 74 p. 8 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Guerrero, Acapulco. Zelotes inheritus Kaston, 1945 87 p. 1 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Connecticut, New Haven Co., Mt. Carmel. OCCURRENCE. — New York. Zelotes kentzi Barrows, 1945 15 p. 75 TYPE. — Ohio State Univ., Columbus, Ohio. TYPE LOCALITY. — Ohio, Hocking Co., Rockbridge.

OCCURRENCE. — Ohio, Tennessee.

Zelotes nannus Chamberlin & Gertsch, 1940

32 p. 18

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. - Utah, Richardson.

OCCURRENCE. — Utah.

Zelotes sula Lowrie & Gertsch, 1955

117 p. 11

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Wyoming, Teton Co., Signal Mt., by the Snake River.

OCCURRENCE. — Wyoming.

Zelotes sylvanus Chamberlin & Ivie, 1944

40 p. 176

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Screven Co., 1 mi. north of Sylvania.

OCCURRENCE. — Georgia.

HAHNIIDAE

Genera

Hahnistea Chamberlin & Ivie, 1942

38 p. 27

TYPE-SPECIES. — Hahnistea longipes Chamberlin & Ivie, 1942, by original designation and monotypy.

Species

Hahnia arizonica Chamberlin & Ivie, 1942

38 p. 26

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Arizona, Coconino Co., Oak Creek Canyon, 22 mi. south of Flagstaff.

Hahnia inornata Chamberlin & Ivie, 1942

38 p. 26

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Garfield Co., Henry Mts., Pine Springs. OCCURRENCE. — Utah, Colorado, Wyoming.

Hahnia monticola Bryant, 1941

22 p. 132

TYPE. — Boston Soc. Nat. Hist.

TYPE LOCALITY. — New Hampshire, Coos Co., Mt. Washington.

Hahnia veracruzana Gertsch & Davis, 1940

73 p. 14

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Vera Cruz, Jalapa.

Hahnistea longipes Chamberlin & Ivie, 1942

38 p. 28

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Potter Creek Cave.

Neoantistea alachua Gertsch, 1946

59 p. 33

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Florida, Alachua Co., 5 mi. west of Gaines-ville.

OCCURRENCE. — Florida.

Neoantistea coconino Chamberlin & Ivie, 1942

38 p. 28

TYPE. — Univ. of Utah.

TYPE LOCALITY. - Arizona, Coconino Co., Kaibab Forest.

Neoantistea crandalli Gertsch, 1946

59 p. 35

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Arizona, Santa Cruz Co., Patagonia.

OCCURRENCE. — Arizona.

Neoantistea gertschi Muma, 1945

120 p. 101

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Maryland, Montgomery Co., Berwyn.

OCCURRENCE. — Maryland.

59 p. 33

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Hidalgo, 20 mi. south of Jacala.

Neoantistea jollensis Schenkel, 1950

Neoantistea jacalana Gertsch, 1946

130 p. 90

TYPE. — Naturhist. Mus., Basel.

TYPE LOCALITY. — California, San Diego Co., La Jolla, Country Club Heights.

Neoantistea mulaiki Gertsch, 1946

59 p. 34

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Nuevo Leon, Monterrey.

OCCURRENCE. — Mexico, Texas.

Neoantistea procteri Gertsch, 1946

59 p. 31

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Florida, Seminole Co., St. John's River near Geneva.

Neoantistea santana Chamberlin & Ivie, 1942

38 p. 29

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Orange Co., Laguna Beach. OCCURRENCE. — California.

HETEROPODIDAE 1

Species

Eusparassus hansii Schenkel, 1950

130 p. 70

TYPE. — Naturhist. Mus., Basel.

TYPE LOCALITY. — California, Sonoma Co., Monterio on the Russian River.

HYPOCHILIDAE

Species

Hypochilus bonneti Gertsch, 1964

139 p. 6

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Colorado, Fremont Co., Fly Cave, about 5800', in Oil Creek Canyon, north of Canvon City.

OCCURRENCE. — Colorado.

Hypochilus gertschi Hoffman, 1963

81 p. 2

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — West Virginia, Raleigh Co., Grandview State Park, 7 mi. northeast of Beckley.

OCCURRENCE. — West Virginia, Virginia.

Hypochilus petrunkevitchi Gertsch, 1958

66 p. 11

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Fresno Co., King's Canyon, Cedar Grove.

OCCURRENCE. — California.

LEPTONETIDAE

Species

Leptoneta coeca Chamberlin & Ivie, 1942

38 p. 10

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Texas, Coma Co., New Braunfels, Heidrich Cave.

¹ NOTE: This name is following the usage of Gertsch and Levi, not Bonnet.

Leptoneta coma Barrows, 1940

13 p. 131

TYPE. — Ohio State Univ., Columbus, Ohio.

TYPE LOCALITY. — Tennessee, Sevier Co., Gatlinburg.

Leptoneta gertschi Barrows, 1940

13 p. 131

TYPE. — Ohio State Univ., Columbus, Ohio.

TYPE LOCALITY. — Tennessee, Great Smoky Mountains National Park, Greenbrier Section.

Leptoneta sylva Chamberlin & Ivie, 1942

38 p. 9

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Oregon, Josephine Co., Wolf Creek.

Usofila flava Chamberlin & Ivie, 1942

38 p. 8

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Wasatch Co., Uintah Mts., Provo River.

OCCURRENCE. — Utah.

Usofila oregona Chamberlin & Ivie, 1942

38 p. 8

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Oregon, Oak Creek, about W 123° 33′, N 44° 27′ [Linn Co.?].

LINYPHIIDAE

Genera

Arcuphantes Chamberlin & Ivie, 1943

39 p. 16

TYPE-SPECIES. — Arcuphantes fragilis Chamberlin & Ivie, 1943, by original designation.

Centromeroides Schenkel, 1950

130 p. 59

TYPE-SPECIES. — Centromeroides modestus Schenkel, 1950, by monotypy.

Gnathantes Chamberlin & Ivie, 1943

39 p. 5

TYPE-SPECIES. — Gnathantes ferosa Chamberlin & Ivie, 1943, by original designation and monotypy.

Jalapyphantes Gertsch & Davis, 1946

76 p. 7

TYPE-SPECIES. — Jalapyphantes cuernavaca Gertsch & Davis, 1946, by original designation.

Labuella Chamberlin & Ivie, 1943

39 p. 6

TYPE-SPECIES. — Labuella prosaica Chamberlin & Ivie, 1943, by original designation and monotypy.

Linyphantes Chamberlin & Ivie, 1942

38 p. 45

TYPE-SPECIES. — Linyphia ephedra Chamberlin & Ivie, 1933 [= Linyphantes ephedrus (Chamberlin & Ivie, 1933)], by original designation.

Oaphantes Chamberlin & Ivie, 1943

39 p. 7

TYPE-SPECIES. — Bathyphantes pallidula Banks, 1904 [= Oa-phantes pallidula (Banks, 1904)], by original designation and monotypy.

Pimoa Chamberlin & Ivie, 1943

39 p. 9

TYPE-SPECIES. — Labulla hespera Gertsch & Ivie, 1936 [= Pimoa hespera (Gertsch & Ivie, 1936)], by original designation.

Pusillia Chamberlin & Ivie, 1943

39 p. 23

TYPE-SPECIES. — Linyphia mandibulata Emerton, 1882 [= Pusillia mandibulata (Emerton, 1882)], by original designation.

Selenyphantes Gertsch & Davis, 1946

76 p. 7

TYPE-SPECIES. — Leptyphantes longispinosa O. Pickard-Cambridge, 1902 [= Selenyphantes longispinosa (O. Pickard-Cambridge, 1902)], by original designation and monotypy.

Species

Anibontes longipes Chamberlin & Ivie, 1944

40 p. 79

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Chatham Co., Savannah Beach.

Arcuphantes cavaticus Chamberlin & Ivie, 1943

39 p. 19

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Nevada, Lincoln Co., Cave Valley in the northern part of the county.

Arcuphantes decoratus Chamberlin & Ivie, 1943

39 p. 17

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Zion National Park, Zion Canyon.

Arcuphantes fragilis Chamberlin & Ivie, 1943

39 p. 16

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Utah Co., Timpanogos Park, American Fork Canyon.

Arcuphantes pictilis Chamberlin & Ivie, 1943

39 p. 20

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Los Angeles Co., Los Angeles.

Arcuphantes potteri Chamberlin & Ivie, 1943

39 p. 19

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Potter Creek Cave.

Arcuphantes sylvaticus Chamberlin & Ivie, 1943

39 p. 18

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Yosemite National Park, Aspen Valley.

OCCURRENCE. — California.

Bathyphantes hubbsi Chamberlin & Ivie, 1943

39 p. 22

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Subway Cave near Hat Creek.

Bathyphantes insulanus Holm, 1960

82 p. 126

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Alaska, Aleutian Islands, Attu.

Bathyphantes josephus Chamberlin & Ivie, 1947

45 p. 53

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Alaska, Matanuska, W 149°, N 61°. OCCURRENCE. — Alaska.

Bathyphantes kuratai Chamberlin & Ivie, 1947

45 p. 54

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Alaska, Matanuska, W 149°, N 61°.

OCCURRENCE. — Alaska.

Bathyphantes magnificus Chamberlin & Ivie, 1943

39 p. 23

TYPE. — Univ. of Utah.

TYPE LOCALITY. — British Columbia, Vancouver Island, Lake Cameron.

Bathyphantes officiosus Barrows, 1940

13 p. 134

TYPE. — Ohio State Univ., Columbus, Ohio.

TYPE LOCALITY. — Tennessee, Great Smoky Mountains National Park, Headquarters.

Bathyphantes rufulus Hackman, 1954 80 p. 13 TYPE. — Canad. Nat. Coll., Ottawa. TYPE LOCALITY. — Newfoundland, Fortune, Hermitage. Centromeroides modestus Schenkel, 1950 130 p. 60 TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. — California, Sonoma Co., Russian River by Guerneville. Centromerus claytoni Chamberlin & Ivie, 1944 40 p. 80 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Rabun Co., northwest of Clayton. OCCURRENCE. — Georgia. Drapetisca oteroana Gertsch, 1951 61 p. 2 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — New Mexico, Otero Co., Camp Mary White. Frontinella caudata Gertsch & Davis, 1946 76 p. 4 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Guerrero, 39 mi. south of Chilpancingo. OCCURRENCE. — Chiapas. Frontinella huachuca Gertsch & Davis, 1946 76 p. 2 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Arizona, Pima Co., Santa Catalina Mts., Bear Wallow. OCCURRENCE. — Arizona. Frontinella huachuca benevola Gertsch & Davis, 1946 76 p. 3 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Nuevo Leon, Horsetail Falls. OCCURRENCE. - Nuevo Leon. 76 Frontinella lepidula Gertsch & Davis, 1946 p. 4 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chiapas, Tonala. 76 Frontinella potosia Gertsch & Davis, 1946 p. 3 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — San Luis Potosi, 5 mi. north of Tamazunchale. OCCURRENCE. — San Luis Potosi, Vera Cruz. Gnathantes ferosa Chamberlin & Ivie, 1943 39 p. 5

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Salt Lake Co., Salt Lake City, City Creek Canyon. Helophora tunagyna Chamberlin & Ivie, 1943 39 p. 6 TYPE. — Univ. of Utah. TYPE LOCALITY. - Idaho, Adams Co., Lost Lake. Ivesia carolinensis Bishop, 1950 18 p. 9 TYPE. — S. C. Bishop Collection. TYPE LOCALITY. — North Carolina, Burke Co., Linville Cave near Linville Falls. Jalapyphantes cuernavaca Gertsch & Davis, 1946 76 p. 9 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Nuevo Leon, Horsetail Falls. OCCURRENCE. — Morelos. Jalapyphantes minorata Gertsch & Davis, 1946 76 p. 8 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Mexico, mountain pass east of Mexico City. Jalapyphantes puebla Gertsch & Davis, 1946 76 p. 8 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Puebla, Rio Frio. OCCURRENCE. — Mexico, D.F. Labuella prosaica Chamberlin & Ivie, 1943 39 p. 6 TYPE. — Univ. of Utah. TYPE LOCALITY. — Utah, Summit Co., Uintah Mts., Smith and Morehouse Canyon. OCCURRENCE. — Wyoming. Leptyphantes aggressus Chamberlin & Ivie, 1943 39 p. 14 TYPE. — Univ. of Utah. TYPE LOCALITY. - Utah, Salt Lake Co., Wasatch Mts., head of Lambs Canyon. OCCURRENCE. — Utah. Leptyphantes aldersoni Levi & Levi, 1955 116 p. 33 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Alberta, Waterton National Park, near Lower Carthew Lake, 6500-7200'.

Leptyphantes appalachia Chamberlin & Ivie, 1944

TYPE. — Univ. of Utah.

40

p. 81

TYPE LOCALITY. — Georgia, Chatham Co., 3 mi. southwest of Savannah.

OCCURRENCE. — Georgia.

Leptyphantes berthae Levi & Levi, 1955

116 p. 33

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Alberta, Waterton National Park, Bertha Lake, 5800'.

Leptyphantes chamberlini Schenkel, 1950

130 p. 61

TYPE. — Naturhist. Mus., Basel.

TYPE LOCALITY. — Alberta, Banff National Park.

Leptyphantes mercedes Chamberlin & Ivie, 1943

39 p. 15

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Yosemite National Park, Aspen Valley.

OCCURRENCE. — California, Nevada.

Leptyphantes ornithes Barrows, 1940

13 p. 134

TYPE. — Ohio State Univ., Columbus, Ohio.

TYPE LOCALITY. — Tennessee, Great Smoky Mountains National Park, Little River.

Leptyphantes sammamish Levi & Levi, 1955

116 p. 33

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Washington, King Co., Lake Sammamish State Park.

OCCURRENCE. — Montana.

Leptyphantes tamara Chamberlin & Ivie, 1943

39 p. 15

TYPE. — Univ. of Utah.

TYPE LOCALITY. -- Idaho, Adams Co., Lost Lake.

Leptyphantes triramus Chamberlin & Ivie, 1947

45 p. 57

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Alaska, Cook Inlet, Beluga Flats, W 150°, N 61°.

OCCURRENCE. — Northwest Territory.

Linyphantes aliso Chamberlin & Ivie, 1942

38 p. 53

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Orange Co., Laguna Beach.

Linyphantes anacortes Chamberlin & Ivie, 1942

38 p. 56

TYPE. - Univ. of Utah.

TYPE LOCALITY. — Washington, Skagit Co., Larabee Park. OCCURRENCE. — California.

Linyphantes delmarus Chamberlin & Ivie, 1942 p. 51

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Farallone Islands.

Linyphantes distinctus Chamberlin & Ivie, 1942 38 p. 54

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Monterey Co., Pacific Grove.

Linyphantes eureka Chamberlin & Ivie, 1942 38 p. 51

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Humboldt Co., Eureka.

Linyphantes laguna Chamberlin & Ivie, 1942 38 p. 55

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Orange Co., Laguna Beach.

Linyphantes longivulva Chamberlin & Ivie, 1942 38 p. 56

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Monterey Co., Pacific Grove.

Linyphantes microps Chamberlin & Ivie, 1942 38 p. 53

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Orange Co., Irvine.

Linyphantes natches Chamberlin & Ivie, 1942 38 p. 48

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Washington, King Co., Snoqualmie Falls.

Linyphantes nehalem Chamberlin & Ivie, 1942 38 p. 48

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Oregon, Tillamook Co., Oceanside.

Linyphantes nigrescens Chamberlin & Ivie, 1942 38 p. 47

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Monterey Co., Pacific Grove.

Linyphantes obscurus Chamberlin & Ivie, 1942 38 p. 54

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Orange Co., Laguna Beach.

Linyphantes pacificus Chamberlin & Ivie, 1942 38 p. 49

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Monterey Co., Pacific Grove.

Linyphantes pualla Chamberlin & Ivie, 1942 38 p. 49 TYPE. — Univ. of Utah. TYPE LOCALITY. — Washington, King Co., Snoqualmie Pass, Denny Creek Camp. OCCURRENCE. - British Columbia. Linyphantes santinez Chamberlin & Ivie, 1942 38 p. 52 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Santa Barbara Co., 10 mi. west of Santa Barbara. Linyphantes santinez verdugo Chamberlin & Ivie, 1942 38 p. 52 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Los Angeles Co., Montrose. Linyphantes victoria Chamberlin & Ivie, 1942 38 p. 50 TYPE. — Univ. of Utah. TYPE LOCALITY. - British Columbia, Vancouver Island, Victoria. Linyphia catalina Gertsch, 1951 61 p. 8 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Pima Co., Santa Catalina Mts., Mt. Lemmon, ranger station. OCCURRENCE. — Arizona. Linyphia chiapasia Gertsch & Davis, 1946 76 p. 6 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chiapas, Catharinas. Linyphia coosa Gertsch, 1951 61 p. 6 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — Alabama, Macon Co., Tuskegee, Uphapee Creek. OCCURRENCE. — Alabama. Linyphia davisi Gertsch, 1951 61 p. 7 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — Mississippi, Harrison Co., Pass Christian. Linyphia rita Gertsch, 1951 61 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Santa Cruz Co., Santa Rita Mts.,

Madera Canyon.

TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — Vera Cruz, Cordoba. OCCURRENCE. — San Luis Potosi. Meioneta alaskensis Holm, 1960 **82** p. 127 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Alaska, Meade River, W 157°, N 71°. Meioneta barrowsi Chamberlin & Ivie, 1944 p. 83 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Habersham Co., Demorest. OCCURRENCE. — Georgia. Meioneta beaufortensis Barnes, 1953 p. 4 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — North Carolina, Carteret Co., Beaufort, Carrot Island, between Horse Island and Taylor's Creek Channel. OCCURRENCE. - North Carolina. Meioneta dactylata Chamberlin & Ivie, 1944 40 p. 84 TYPE. -- Univ. of Utah. TYPE LOCALITY. — Georgia, Rabun Co., northwest of Clayton. Meioneta decorata Chamberlin & Ivie, 1944 40 p. 84

TYPE. — Univ. of Utah.

76

p. 6

Linyphia xilitla Gertsch & Davis, 1946

TYPE LOCALITY. — Georgia, Chatham Co., Savannah Beach.

Meioneta fuscipes Chamberlin & Ivie, 1944 TYPE. — Univ. of Utah.

40 p. 85

TYPE LOCALITY. — Georgia, Screven Co., Brier Creek, 7 mi. north of Sylvania.

OCCURRENCE. — Georgia.

Meioneta grayi Barnes, 1953

p. 5

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — North Carolina, Carteret Co., Beaufort, Carrot Island, between Horse Island and Taylor's Creek Channel.

OCCURRENCE. -- North Carolina.

Meioneta imitata Chamberlin & Ivie, 1944

40 p. 86

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Chatham Co., 3 mi. southwest of Savannah.

OCCURRENCE. — Georgia.

Meioneta leucophora Chamberlin & Ivie, 1944

40 p. 87

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Screven Co., Brier Creek, 7 mi. north of Sylvania.

OCCURRENCE. — Georgia.

Meioneta longipes Chamberlin & Ivie, 1944

40 p. 87

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Screven Co., Brier Creek, 7 mi. north of Sylvania.

Meioneta minorata Chamberlin & Ivie, 1944

40 p. 88

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Charlton Co., east side of Okefenokee Swamp.

Meioneta ordinaria Chamberlin & Ivie, 1947

45 p. 59

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Alaska, Haines, W 135°, N 59°.

Meioneta picta Chamberlin & Ivie, 1944

40 p. 89

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Chatham Co., 3 mi. southeast of Savannah.

Meioneta regina Chamberlin & Ivie, 1944

40 p. 90

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Chatham Co., 3 mi. southeast of Savannah.

OCCURRENCE. — Georgia.

Meioneta semipallida Chamberlin & Ivie, 1944

40 p. 90

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Screven Co., 7 mi. north of Sylvania, Brier Creek.

OCCURRENCE. — Georgia.

Meioneta zebrina Chamberlin & Ivie, 1944

40 p. 92

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Screven Co., 7 mi. north of Sylvania, Brier Creek.

OCCURRENCE. — Georgia.

Microneta olivena Barrows, 1940 **13** p. 136 TYPE. — Ohio State Univ., Columbus, Ohio. TYPE LOCALITY. — Tennessee, Great Smoky Mountains National Park, Camp 1 near Gatlinburg, Sevier Co. Microneta tennapex Barrows, 1940 **13** p. 136 TYPE. — Ohio State Univ., Columbus, Ohio. TYPE LOCALITY. — Tennessee, Sevier Co., Great Smoky Mountains National Park, summit of Clingman's Dome. Pimoa breviata Chamberlin & Ivie, 1943 39 p. 11 TYPE. — Univ. of Utah. TYPE LOCALITY. — Oregon, Canyon Creek. OCCURRENCE. -- Oregon. Pimoa curvata Chamberlin & Ivie, 1943 39 p. 10 TYPE. — Univ. of Utah. TYPE LOCALITY. — Washington, American River. Pimoa haden Chamberlin & Ivie, 1943 39 p. 10 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Idaho, Kootenai Co.?, Hayden Lake. 61 Pimoa vera Gertsch, 1951 p. 4 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Oregon, Coos Co., North Bend. Pityohyphantes alticeps Chamberlin & Ivie, 1943 39 p. 27 TYPE. — Univ. of Utah. TYPE LOCALITY. — Wyoming, Yellowstone National Park, Yellowstone Lake, Bridge Bay. Pityohyphantes brachygynus Chamberlin & Ivie, 1942 38 p. 57 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Yosemite National Park. Pityohyphantes cristatus Chamberlin & Ivie, 1942 38 p. 58 TYPE. — Univ. of Utah. TYPE LOCALITY. — Wyoming, Yellowstone National Park. Pityohyphantes cristatus coloradensis Chamberlin & Ivie, 1942 38 p. 58 TYPE. — Univ. of Utah. TYPE LOCALITY. — Colorado, Pingree Park.

39 Pityohyphantes kamela Chamberlin & Ivie, 1943 p. 28 TYPE. - Univ. of Utah. TYPE LOCALITY. — Oregon, Union Co., Blue Mt., 8 mi. west of La Grande. Pityohyphantes lomondensis Chamberlin & Ivie, 1941 36 p. 13 TYPE. — Univ. of Utah. TYPE LOCALITY. - California, Santa Cruz Co., Ben Lomond, W 122° 5′, N 37° 5′. **39** Pityohyphantes minidoka Chamberlin & Ivie, 1943 p. 29 TYPE. — Univ. of Utah. TYPE LOCALITY. — Idaho, Custer Co., Thousand Springs. Pityohyphantes navajo Chamberlin & Ivie, 1942 38 p. 61 TYPE. — Univ. of Utah. TYPE LOCALITY. — Utah, Garfield Co., Henry Mts. Pityohyphantes pallidus Chamberlin & Ivie, 1942 38 p. 59 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Siskiyou Co., Weed. Pityohyphantes subarcticus Chamberlin & Ivie, 1943 39 p. 28 TYPE. — Univ. of Utah. TYPE LOCALITY. — Manitoba, Churchill. Pityohyphantes tacoma Chamberlin & Ivie, 1942 38 p. 60 TYPE. — Univ. of Utah. TYPE LOCALITY. — Washington, Mt. Rainier National Park. Pityohyphantes vancouveranus Chamberlin & Ivie, 1942 38 p. 59 TYPE. — Univ. of Utah. TYPE LOCALITY. — British Columbia, Vancouver Island, Lake Cameron. Poeciloneta bellona Chamberlin & Ivie, 1943 39 p. 13 TYPE. — Univ. of Utah. TYPE LOCALITY. — Utah, Duchesne Co., Uintah Mts., Mirror Lake, near Mt. Agissiz. Poeciloneta canionis Chamberlin & Ivie, 1943 39 p. 13 TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Uintah Mts., Cobble Rest Camp on the Provo River.

Porrhomma gertschi Hackman, 1954

80 p. 31

TYPE. — Canad. Nat. Coll., Ottawa.

TYPE LOCALITY. - Newfoundland, Humber, Deer Lake.

Porrhomma ocella Chamberlin & Ivie, 1943

9 p. 4

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Salt Lake Co., Salt Lake City, City Creek Canyon (Rotary Park).

Pusillia bonita Chamberlin & Ivie, 1943

39 p. 26

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Wyoming, Yellowstone National Park, Yellowstone Lake, Bridge Bay.

OCCURRENCE. — Wyoming, Idaho.

Pusillia dana Chamberlin & Ivie, 1943

39 p. 25

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Orange Co., Dana Point, mouth of San Juan Creek.

OCCURRENCE. — California, Oregon, Washington.

Pusillia mandibulata provoana Chamberlin & Ivie, 1943

39 p. 24

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Utah Co., Utah Lake at mouth of Provo River.

Pusillia mandibulata punctata Chamberlin & Ivie, 1943

39 p. 24

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Zion National Park, Zion Canyon. OCCURRENCE. — Western U.S.

Stemonyphantes blauveltae Gertsch, 1951

61 p. 1

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — New York, Onondaga Co., Apulia Hill. OCCURRENCE. — New York, Montana, Utah.

Tapinopa hentzi Gertsch, 1951

61 p. 10

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Alabama Co., Jefferson Co., Shades Mt., 43 mi. west of Acton.

OCCURRENCE. — Alabama.

Taranucnus durdenae Ivie, 1966

146 p. 244

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Pennsylvania, Westmoreland Co., 3 mi. south of Rector.

Troglohyphantes kokoko Ivie, 1966

146 p. 226

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Ontario, Lake Temagami, Ko-ko-ko Bay. OCCURRENCE. — New York.

LYCOSIDAE

Species

Arctosa morelosiana Gertsch & Davis, 1940 73 p. 8

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Morelos, Cuernavaca.

Arctosa veracruzana Gertsch & Davis, 1940 73 p. 6

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Vera Cruz, Jalapa.

Geolycosa escambiensis Wallace, 1942

134 p. 34

TYPE. — H. K. Wallace Collection.

TYPE LOCALITY. — Florida, Escambia Co., Santa Rosa Island. OCCURRENCE. — Florida.

Geolycosa hubbelli Wallace, 1942

134 p. 37

TYPE. — H. K. Wallace Collection.

TYPE LOCALITY. — Florida, Marion Co., Florida State Road 19, Ocala National Forest, Juniper Springs.

OCCURRENCE. — Florida.

Geolycosa micanopy Wallace, 1942

134 p. 40

TYPE. -- H. K. Wallace Collection.

TYPE LOCALITY. — Florida, Alachua Co., Gainesville. OCCURRENCE. — Florida.

o coordination of the first of

Geolycosa patellonigra Wallace, 1942

134 p. 23

TYPE. — H. K. Wallace Collection.

TYPE LOCALITY. — Florida, Levy Co., 5 mi. west of Archer on Florida State Road 13.

OCCURRENCE. — Florida.

Geolycosa riogrande Wallace, 1942

134 p. 49

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Hidalgo Co., Edinburg. OCCURRENCE. — Texas.

Geolycosa rogersi Wallace, 1942

134 p. 17

TYPE. — H. K. Wallace Collection.

TYPE LOCALITY. — Florida, Alachua Co., Gainesville, near San Felasco Hammock, transitional flatwoods.

OCCURRENCE. — Florida, Georgia.

Geolycosa xera archboldi McCrone, 1963

118 p. 57

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Florida, Highlands Co., junction of Florida State Roads 70 and 17.

OCCURRENCE. — Florida.

Geolycosa xera xera McCrone, 1963

118 p. 51

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Florida, Polk Co., 8 mi. north of Avon. OCCURRENCE. — Florida.

Lycosa ammophila Wallace, 1942

133 p. 13

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Florida, Alachua Co., Gainesville, on road to Newman's Lake.

OCCURRENCE. — Florida.

Lycosa annexa Chamberlin & Ivie, 1944

40 p. 142

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Florida, Alachua Co., Gainesville.

OCCURRENCE. — Georgia.

Lycosa apothetica Wallace, 1947

135 p. 33

TYPE. — H. K. Wallace Collection.

TYPE LOCALITY. - Florida, Alachua Co., "61/2 mi. from Alachua County, Florida, Courthouse [in Gainesville], on the west side of the road to the Devil's Mill Hopper (via Florida [State] Road 26)".

OCCURRENCE. — Florida, Georgia, Mississippi.

Lycosa coahuilana Gertsch & Davis, 1940

73 p. 11

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Coahuila, Saltillo.

Lycosa ericeticola Wallace, 1942

133 p. 10

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Florida, Putnam Co., 8.6 mi. east of county line on Florida State Road 14.

OCCURRENCE. — Florida.

43

p. 7

Lycosa jollensis Schenkel, 1951 131 p. 35 TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. — California, San Diego Co., La Jolla, Country Club Heights. Lycosa labrea Chamberlin & Ivie, 1942 38 p. 37 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Los Angeles Co., Los Angeles. Lycosa miami Wallace, 1942 133 p. 11 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. - Florida, Dade Co., Hialeah, Miami Springs. OCCURRENCE. — Florida. Lycosa pseudoceraticola Wallace, 1942 133 p. 3 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, "Indian River Co., 110.8 mi. south of New Smyrna" (Volusia Co.). OCCURRENCE. — Florida. Lycosa santrita Chamberlin & Ivie, 1942 38 p. 37 TYPE. — Univ. of Utah. TYPE LOCALITY. — Arizona, Santa Cruz Co., Santa Rita Mts., Madera Canyon. Lycosa tamae Gertsch & Davis, 1940 73 p. 11 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — San Luis Potosi, Tamazunchale. OCCURRENCE. — San Luis Potosi. Lycosa timuqua Wallace, 1942 133 p. 8 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Martin Co., Jensen. OCCURRENCE. — Southeastern U.S. Lycosa tlaxcalana Gertsch & Davis, 1940 **73** p. 12 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Tlaxcala, Tlaxcala. Lycosa wallacei Chamberlin & Ivie, 1944 **40** p. 146 TYPE. — Univ. of Utah. TYPE LOCALITY. — Florida, Alachua Co., Gainesville. OCCURRENCE. — Georgia.

Pardosa altamontis Chamberlin & Ivie, 1946

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Wyoming, Yellowstone National Park, Yellowstone Lake, Thumb.

OCCURRENCE. -- Northwestern U.S.

Pardosa cascadae Schenkel, 1951

131 p. 25

TYPE. — Naturhist. Mus., Basel.

TYPE LOCALITY. - Alberta, Banff National Park, Cascade Mt.

Pardosa desolatula Gertsch & Davis, 1940

3 p. 5

TYPE. -- Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Tamaulipas, Victoria.

OCCURRENCE. - San Luis Potosi.

Pardosa fallax Barnes, 1959

12 p. 9

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Durango, Nombre de Dios.

OCCURRENCE. — Jalisco, Guerrero.

Pardosa georgiae Chamberlin & Ivie, 1944

40 p. 147

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Chatham Co., Savannah Beach. OCCURRENCE. — Georgia, South Carolina.

Pardosa gertschi Chamberlin & Ivie, 1947

45 p. 19

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Alaska, Right Fork of Bluestone River, 15 mi. south of Teller, W 166°, N 64°.

Pardosa harperi Bishop, 1949

17 p. 101

TYPE. — not given.

TYPE LOCALITY. — Northwest Territory, Keewatin District, northwest corner of Nueltin Lake, mouth of Windy River [approx. W 100°, N 60°].

Pardosa hetchi Chamberlin & Ivie, 1942

38 p. 34

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Yosemite National Park, Aspen Valley.

Pardosa hopi Chamberlin & Ivie, 1942

38 p. 34

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Arizona, Yavapai Co., 3 mi. southwest of Prescott.

Pardosa metlakatoides Schenkel, 1951

131 p. 27

TYPE. — Naturhist. Mus., Basel.

TYPE LOCALITY. - Alberta, Banff National Park, Canmore.

Pardosa nebraska Chamberlin & Ivie, 1942

38 p. 30

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Nebraska, Dawson Co., 10 mi. east of Lexington.

OCCURRENCE. — Nebraska.

Pardosa nordicolens Chamberlin & Ivie, 1947

45 p. 21

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Alaska, Quartz Creek, 14-15 mi. north of Haycock, W 161°, N 65°.

Pardosa platta Chamberlin & Ivie, 1942

38 p. 31

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Nebraska, Hall Co., 10 mi. west of Grand Island.

Pardosa prosaica Chamberlin & Ivie, 1947

45 p. 21

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Alaska, Quartz Creek, 14-15 mi. north of Haycock, W 161°, N 65°.

Pardosa solituda Levi & Levi, 1951

115 p. 225

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Wyoming, Grand Teton National Park, Lake Solitude, 9024'.

OCCURRENCE. — Utah.

Pardosa steva Lowrie & Gertsch. 1955

117 p. 8

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Wyoming, Teton Co., Pilgrim Creek, north of Moran [at Jackson Lake Dam].

OCCURRENCE. — Wyoming.

Pardosa subra Chamberlin & Ivie, 1942

38 p. 31

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Oregon, Harney Co., Malheur Lake.

Pardosa sura Chamberlin & Ivie, 1941

36 p. 10

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Monterey Co., Big Sur, W 121° 52', N 36° 16'.

Pardosa tristoides Chamberlin & Ivie, 1947 45 p, 22 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. - Alaska, Quartz Creek, 14-15 mi. north of Haycock, W 161°, N 65°. Pardosa tumida Barnes, 1959 12 p. 9 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Vera Cruz, Tierra Colorado. OCCURRENCE. — Guerrero, Mexico, D.F. Pardosa vadosa Barnes, 1959 12 p. 7 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Mohave Co., Virgin Narrows [on the Virgin River]. OCCURRENCE. - California, Utah, Texas, Mexico from Sonora to Vera Cruz. Pardosa valens Barnes, 1959 12 p. 10 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Yavapai Co., Prescott. OCCURRENCE. — Arizona, New Mexico, Mexico south to Jalisco. Pardosa xerophila Vogel, 1964 132 p. 21 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Apache Co., White Mt. Reservoir, east of McNary (Navajo Co.). OCCURRENCE. — Arizona, New Mexico, Chihuahua, Durango. Pardosa zionis Chamberlin & Ivie, 1942 p. 33 TYPE. — Univ. of Utah. TYPE LOCALITY. — Utah, Zion National Park. Pirata allapahae Gertsch, 1940 54 p. 23 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Alachua Co., (H. K. Wallace Station 9C). OCCURRENCE. - Florida. Pirata apalacheus Gertsch, 1940 54 p. 17 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Alachua Co., (H. K. Wallace Station 7B). OCCURRENCE. --- Florida. 73 Pirata browni Gertsch & Davis, 1940 p. 9 TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Tamaulipas, Rio Gualolejo, near Forlon.

Pirata bryantae Kurata, 1944

90 p. 3

TYPE. — Royal Ontario Mus. Zool., Toronto.

TYPE LOCALITY. — Ontario, Patricia Dist., Favorable Lake, N 53°, W 94°.

Pirata gertschi Chamberlin & Ivie, 1944

40 p. 149

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Chatham Co., 3 mi. southeast of Savannah.

Pirata gratus Gertsch & Davis, 1940

73 p. 10

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Tamaulipas, San Fernando.

OCCURRENCE. — San Luis Potosi.

Pirata mayaca Gertsch, 1940

54 p. 21

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Florida, Martin Co., Port Mayaca, Lake Okeechobee.

OCCURRENCE. --- Florida.

Pirata nanatus Gertsch, 1940

54 p. 19

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Georgia, Turner Co.

OCCURRENCE. — Florida.

Pirata suwaneus Gertsch, 1940

54 p. 20

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Florida, Martin Co., Port Mayaca, Lake Okeechobee.

OCCURRENCE. — Florida.

Pirata sylvanus Chamberlin & Ivie, 1944

40 p. 151

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Screven Co., 2 mi. east of Slyvania. OCCURRENCE. — Georgia, South Carolina.

Pirata veracruzae Gertsch & Davis, 1940

73 p. 8

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Vera Cruz, Potrero.

Schizocosa salsa Barnes, 1953

9 p. 12

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — North Carolina, Carteret Co., Beaufort, Carrot Island between Horse Island and Taylor's Creek Channel.

Schizocosa wasatchensis Chamberlin & Ivie, 1942

38 p. 39

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Wasatch Co., Wasatch Mts., Hughes Canyon.

Sosippus michoacanus Brady, 1962

20 p. 148

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Michoacan, Tzararacua Falls, 11 km. from Uruapan.

OCCURRENCE. — Michoacan, Guerrero.

Sosippus plutonus Brady, 1962

20 p. 150

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Mexico, Tenango del Valle (Tenango de Arista). 2400m.

OCCURRENCE. — Mexico.

Sosippus texanus Brady, 1962

20 p. 160

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Texas, Aransas Co., Goose Island State Park. OCCURRENCE. — Texas.

Tarentula aquilonaris Fox, 1940

53 p. 44

TYPE. — U.S. Nat. Mus.

TYPE LOCALITY. — Alaska, Attu Island.

Tarentula gertschi Schenkel, 1951

131 p. 29

TYPE. — Naturhist. Mus., Basel.

TYPE LOCALITY. — California, Alameda Co., Berkeley, "campus labor" [?].

Tarentula hamiltoni Chamberlin & Ivie, 1947

45 p. 23

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Alaska, Right Fork of the Bluestone River, 15 mi. south of Teller, W 166°, N 64°.

Trochosa cherokee Chamberlin & Ivie, 1942

38 p. 35

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Oklahoma, Muskogee Co., Fort Gibson.

Trochosa shenandoa Chamberlin & Ivie, 1942

38 p. 37

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Virginia, Shenandoah National Park.

MIMETIDAE

Species

Ero lodingi Archer, 1941

3 p. 192

TYPE. — A. F. Archer Collection, Ala. Mus. Nat. Hist. TYPE LOCALITY. — Alabama, Mobile Co., Mobile.

Mimetus haynesi Gertsch & Mulaik, 1940

78 p. 333

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Zapata Co., 32 mi. southeast of Laredo.

OCCURRENCE. — Texas.

Mimetus nelsoni Archer, 1950

5 p. 31

TYPE. — probably A. F. Archer Collection, Ala. Mus. Nat. Hist. TYPE LOCALITY. — Alabama, Tuscaloosa Co., Duncanville.

Mimetus tillandsiae Archer, 1941

3 p. 189

TYPE. — A. F. Archer Collection, Ala. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Volusia Co., Allendale. OCCURRENCE. — Alabama.

OECOBIIDAE

Species

Oecobius parvus Chamberlin & Ivie, 1942

38 p. 13

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Arizona, Mohave Co., Virgin Narrows [on the Virgin River] near Littlefield.

Oecobius vokesi Gertsch & Davis, 1942

75 p. 19

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Vera Cruz, Hacienda la Oaxaquenya, 30 km. south of Jesus Carranza.

OONOPIDAE

Species

Oonops cuervus Gertsch & Davis, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Nuevo Leon, China.	75	p. 4
Oonops petulans Gertsch &Davis, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Tamaulipas, San Fernando.	75	p. 4
Oonops puebla Gertsch & Davis, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Puebla, Tlacotepec.	75	p. 3
Oonops singulus Gertsch & Davis, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Vera Cruz, Potrero.	7 5	p. 6
Oonops sonora Gertsch & Davis, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Sonora, Guaymas.	75	p. 6
Oonops tolucanus Gertsch & Davis, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Mexico, Mt. Toluca.	75	p. 4
Opopaea sedata Gertsch & Mulaik, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Brooks Co., Encino.	78	p. 325
Orchestina obscura Chamberlin & Ivie, 1942 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Yosemite National Pa	38 irk.	p. 6
Philesius vernalis Bryant, 1945 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Florida, Indian River Co., Sebasi		p. 178
Scaphiella iguala Gertsch & Davis, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Guerrero, Iguala.	75	p. 1

OXYOPIDAE

Species

Hamataliwa unca Brady, 1964

21 p. 499

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Hidalgo Co., Edinburg.

OCCURRENCE. — Texas.

Oxyopes apollo Brady, 1964

21 p. 467

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Brooks Co., Encino.

OCCURRENCE. — South-central U.S., Northern Mexico.

Oxyopes aureus Brady, 1964

21 p. 457

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Texas, Hidalgo Co., Bentsen State Park, 6 mi. southwest of Mission.

OCCURRENCE. — Texas, Louisiana, Tamaulipas, San Luis Potosi.

Oxyopes felinus Brady, 1964

21 p. 476

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Arizona, Pima Co., Santa Catalina Mts., Molino Basin.

Oxyopes floridanus Brady, 1964

21 p. 469

TYPE. - Mus. Comp. Zool.

TYPE LOCALITY. — Florida, Volusia Co.

OCCURRENCE. — Florida.

Oxyopes lynx Brady, 1964

21 p. 475

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Brewster Co., Marathon.

Oxyopes nelsoni Bryant, 1945

24 p. 180

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. - Florida, Indian River Co., Sebastian.

Oxyopes occidens Brady, 1964

21 p. 464

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Arizona, Pima Co., Santa Catalina Mts., Sabino Pond, Sabino Canyon.

OCCURRENCE. — Arizona.

Oxyopes pardus Brady, 1964

21 p. 474

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Arizona, Cochise Co., Chiricahua Mts., south fork of Cave Creek Canyon.

Oxyopes tridens Brady, 1964

21 p. 472

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Nevada, Nye Co., Mercury.

OCCURRENCE. — Southwestern U.S., Sonora, Coahuila.

PHOLCIDAE

Species

Pholcophora diluta Gertsch & Mulaik, 1940

78 p. 320

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Brewster Co., Hot Springs.

Physocyclus hoogstraali Gertsch & Davis, 1942

75 p. 7

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Nuevo Leon, Sabinas Hidalgo, Bat Cave.

Psilochorus acanthus Chamberlin & Ivie, 1942

38 p. 12

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Santa Barbara Co., Santa Barbara.

Psilochorus bantus Chamberlin & Ivie, 1942

38 p. 10

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Santa Barbara Co., 10 mi. west of Santa Barbara.

OCCURRENCE. -- California.

Psilochorus conjunctus Gertsch & Davis, 1942

75 p. 10

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Coahuila, Diamante Drive, 5 mi. southeast of Saltillo.

Psilochorus gertschi Schenkel, 1950

130 p. 44

TYPE. — Naturhist. Mus., Basel.

TYPE LOCALITY. — California, San Diego Co., San Diego, Balboa Park.

Psilochorus imitatus Gertsch & Mulaik, 1940

78 p. 321

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Terrell Co., Sanderson.

OCCURRENCE. - Texas, New Mexico.

Psilochorus papago Gertsch & Davis, 1942

75 p. 8

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Sonora, 27 mi. south of Nogales (Arizona). OCCURRENCE. — Arizona.

Psilochorus redemptus Gertsch & Mulaik, 1940

78 p. 322

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Hidalgo Co., Edinburgh. OCCURRENCE. — Texas.

Psilochorus simplicior Chamberlin & Ivie, 1942

38 p. 12

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Monterey Co., Pacific Grove.

Psilochorus sinaloa Gertsch & Davis, 1942

p. 8

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Sinaloa, Culiacan.

Psilochorus topanga Chamberlin & Ivie, 1942

38 p. 11

75

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Los Angeles Co., Topanga, near Santa Monica.

PISAURIDAE

Species

Dolomedes spatulatus Chamberlin & Ivie, 1946

43 p. 6

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Tennessee, Roane Co., Kingston.

PLECTREURIDAE

Species

Kibramoa guapa Gertsch, 1958

67 p. 38

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Baja California, 8 mi. west of Tecate, 700'. OCCURRENCE. — Baja California, California.

Kibramoa isolata Gertsch, 1958

67 p. 43

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Baja California, Guadelupe Island "Isolote Negro".

Kibramoa madrona Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist.	67	p. 37
TYPE LOCALITY. — California, Monterey Co., H. History Reservation. OCCURRENCE. — California.	Hastings	Natural
Kibramoa paiuta Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Nevada, Clark Co., Gypsum		p. 41
Kibramoa suprenans pima Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist.		p. 36
TYPE LOCALITY. — Arizona, Pima Co., Baboquiv Canyon. OCCURRENCE. — Arizona.	an mus.	., brown
Kibramoa yuma Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Yuma Co., Tinajas OCCURRENCE. — Arizona.		p. 39
Plectreurys angela Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, San Bernardina Springs.		p. 18 Desert
Plectreurys ardea Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Sinaloa, near Concordia, 3 Mazatlan.		p. 31 east of
Plectreurys arida Gertsch, 1958 TYPE. — Calif. Acad. Sci. TYPE LOCALITY. — Baja California, Ballena Isla.		p. 26
Plectreurys conifera Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Riverside Co., Sa Idyllwild.	67 nn Jacin	•
OCCURRENCE. — California. Plectreurys deserta Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Riverside Co., W. OCCURRENCE. — California.		p. 16 ter.

Plectreurys misteca Gertsch, 1958

67 p. 31

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Oaxaca, Pico San Felipe, 9000'.

Plectreurys mojavea Gertsch, 1958

67 p. 14

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, San Bernardino Co., Mojave Desert, Palmdale, 2655'.

Plectreurys monterea Gertsch, 1958

67 p. 11

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Monterey Co., Hastings Natural History Reservation.

Plectreurys nahuana Gertsch, 1958

67 p. 30

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Vera Cruz, 10 mi. west of Jalapa. OCCURRENCE. — Chiapas.

Plectreurys oasa Gertsch, 1958

67 p. 17

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, San Diego Co., Mountain Springs, near, Jacumba.

Plectreurys paisana Gertsch, 1958

67 p. 27

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — San Luis Potosi, Pujal.

OCCURRENCE. — Hidalgo.

Plectreurys schicki Gertsch, 1958

67 p. 16

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Riverside Co., San Jacinto Mts., Snow Creek Canyon.

OCCURRENCE. — California.

Plectreurys tecate Gertsch, 1958

67 p. 13

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Baja California, 8 mi. west of Tecate.

Plectreurys vaquera Gertsch, 1958

TYPE. — Mus. Comp. Zool.

67 p. 24

TYPE LOCALITY. — Tamaulipas, San Carlos Mts., Rancho El Milagro.

Plectreurys zacatea Gertsch, 1958

67 p. 23

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Zacatecas, Zacatecas.

SALTICIDAE

Genera

Gertschia Kaston, 1945

87 p. 16

TYPE-SPECIES. — Synemosyna noxiosa Hentz, 1850 [= Gertschia noxiosa (Hentz, 1850)], by original designation and monotypy.

Species

Habrocestum bufoides Chamberlin & Ivie, 1944

40 p. 196

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Screven Co., 1 mi. north of Sylvania.

OCCURRENCE. — Georgia.

Habrocestum inscriptum Schenkel, 1951

131 p. 40

TYPE. — Naturhist. Mus., Basel.

TYPE LOCALITY. — California, Sonoma Co., Russian River by Guerneville.

Habronattus cambridgei Bryant, 1948

26 p. 64

TYPE. — probably at Mus. Comp. Zool.

TYPE LOCALITY. — Guerrero, Acapulco.

Habronattus elegans georgiensis Chamberlin & Ivie, 1944 **40** p. 198 TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Chatham Co., Savannah Beach.

Habronattus tachypodus Chamberlin & Ivie, 1944

40 p. 199

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Screven Co., Brier Creek, 7 mi. north of Sylvania.

Habronattus trimaculatus Bryant, 1945

24 p. 187

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Florida, Indian River Co., Sebastian.

Hyctia bryantae Jones, 1945

84 p. 39

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Texas, Denton Co., Clear Creek Grassland. OCCURRENCE. — Texas. Icius fontanus Levi, 1951 91 p. 33 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Wisconsin, Walworth Co., Fontana, bog on outlet of Lake Geneva. Maevia expansa Barnes, 1955 10 p. 6 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Georgia, De Kalb Co., Decatur. OCCURRENCE. — Florida. Maevia hobbsae Barnes, 1955 10 p. 9 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - North Carolina, Durham Co., Durham. Maevia intermedia Barnes, 1955 p. 5 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. -- Florida, Alachua Co., Gainesville. OCCURRENCE. — Alabama, Georgia. Maevia michelsoni Barnes, 1955 10 p. 10 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Sarasota Co., Sarasota. OCCURRENCE. — Florida. Marpissa dentoides Barnes, 1958 11 p. 27 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — New York, Nassau Co., Sea Cliff. OCCURRENCE. — New York, Massachusetts, North Carolina, Tennessee. Marpissa obtusa Barnes, 1958 11 p. 28 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Matagorda Co., Palacios. OCCURRENCE. — Texas.

Marpissa sulcosa Barnes, 1958

11 p. 25

TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Alachua Co.

OCCURRENCE. — Florida, South Carolina, North Carolina.

Marpissa wallacei Barnes, 1958

11 p. 13

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Florida, Alachua Co. OCCURRENCE. — Florida.

Metacyrba arizonensis Barnes, 1958

11 p. 42

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. - Arizona, Pima Co., Tucson.

OCCURRENCE. - Arizona, California, Utah, New Mexico.

Metaphidippus albeolus Chamberlin & Ivie, 1941

36 p. 27

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Monterey Co., Point Sur, W 121° 54′, N 36° 19′.

Metaphidippus clematus Levi & Levi, 1951

115 p. 232

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. - Alberta, Medicine Hat.

OCCURRENCE. — Wyoming.

Metaphidippus dominatus Chamberlin & Ivie, 1941

36 p. 26

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Monterey Co., Big Sur, W 121° 52', N 36° 16'.

Metaphidippus franciscanus Schenkel, 1951

131 p. 39

TYPE. — Naturhist. Mus., Basel.

TYPE LOCALITY. — California, San Diego Co., San Diego, Mission Beach.

Metaphidippus gratus Bryant, 1948

26 p. 66

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Guerrero, Acapulco.

Metaphidippus purus Bryant, 1948

26 p. 68

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Guerrero, Acapulco.

Metaphidippus tricolor Chamberlin & Ivie, 1941

36 p. 29

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Santa Cruz County, Ben Lomond, W 122° 5′, N 37° 5′.

Metaphidippus watonus Chamberlin & Ivie, 1941

36 p. 28

TYPE. — Univ. of Utah.

TYPE LOCALITY. — California, Trinity County, Carrville, W 121° 42′, N 41° 4′.

Myrmarachne cutleri Richman, 1965 **143** p. 133 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. -- Arizona, Yuma County, Yuma. OCCURRENCE. — Arizona, Yuma County. Neon avalonus Gertsch & Ivie, 1955 77 p. 14 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, San Luis Obispo County, San Luis Obispo. OCCURRENCE. — California. Neon ellamae Gertsch & Ivie, 1955 77 p. 4 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Idaho, Payette County, Fruitland. OCCURRENCE. — California, Idaho, Utah, Oregon. Neon pixii Gertsch & Ivie, 1955 77 p. 15 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - South Dakota, Custer Co., Blue Bell in the Black Hills. OCCURRENCE. — California, Utah, Oregon. Neon plutonus Gertsch & Ivie, 1955 77 p. 8 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Alachua Co., Gainesville. OCCURRENCE. — Eastern U.S. from New York to Florida. 87 Paraphidippus pineus Kaston, 1945 p. 11 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Connecticut, Fairfield Co., Wilton. OCCURRENCE. — Connecticut, Massachusetts. 117 Pellenes apacheus Lowrie & Gertsch. 1955 p. 24 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Apache Co., White Mts., McKay's 36 Pellenes bulbipes Chamberlin & Ivie, 1941 p. 34 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Trinity Co., Carrville, W 122° 42′, N 41° 4′. Pellenes crandalli Lowrie & Gertsch, 1955 117 p. 27 TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Arizona, Atascosa Mt.

Pellenes eleganoides Chamberlin & Ivie, 1941 36 p. 33 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Santa Cruz Co., Ben Lomond, W 122° 5′, N 37° 5′. Pellenes eleganoides suranus Chamberlin & Ivie, 1941 36 p. 34 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Monterey Co., Point Sur, W 121° 54', N 36° 19'. Pellenes levii Lowrie & Gertsch, 1955 117 p. 25 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Wyoming, Teton Co., Uhl Hill, east of Jackson Lake Dam. Pellenes mustaciata Chamberlin & Ivie, 1941 36 p. 37 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, Santa Cruz Co., Ben Lomond, W 122° 5′, N 37° 5′. Pellenes nigripes Chamberlin & Ivie, 1941 36 p. 35 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, El Dorado Co., Echo Lake. Pellenes washomus Lowrie & Gertsch, 1955 117 p. 28 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Sierra Co., Peavine. p. 23 Pellenes wrighti Lowrie & Gertsch, 1955 117 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Illinois, Kankakee Co., Pembroke Township. OCCURRENCE. — Illinois, Indiana. p. 205 Phidippus abboti Chamberlin & Ivie, 1944 40 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Toombs Co., Lyons. Phidippus bryantae Kaston, 1945 87 p. 12 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Connecticut, New Haven Co., New Haven. Phidippus dorsalis Bryant, 1942 **23** p. 697

TYPE LOCALITY. — North Carolina, Hoke Co., Southern Pines.

TYPE. — Mus. Comp. Zool.

Phidippus tullgreni Wallace, 1950

136 p. 79

TYPE. — Zool. Inst., Uppsala.

TYPE LOCALITY. - Florida, Orange County.

Pseudicius lecontei Barrows, 1940

13 p. 138

TYPE. — Ohio State Univ., Columbus, Ohio.

TYPE LOCALITY. — Tennessee, Great Smoky Mountains National Park, Sevier County, top of Leconte Mountain

OCCURRENCE. — Ohio.

Sitticus barnesi Cutler, 1965

139 p. 140

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — New York, New York County, Shepaer Hall, City College of New York.

OCCURRENCE. — New York, New Jersey, Pennsylvania, Minnesota, Ontario.

Sitticus hansii Schenkel, 1951

131 p. 44

TYPE. — Naturhist. Mus., Basel.

TYPE LOCALITY. — California, Alameda County, Berkeley Hills.

Sitticus haydeni Levi & Levi, 1951

115 p. 232

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Wyoming, Yellowstone National Park.

Sitticus magnus Chamberlin & Ivie, 1944

40 p. 214

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Hall County, Gainesville.

Sitticus mazamae Schenkel, 1951

131 p. 45

TYPE. — Naturhist. Mus., Basel.

TYPE LOCALITY. — Oregon, Crater Lake National Park, Crater Lake.

Tomis jonesae Bryant, 1948

26 p. 71

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Guerrero, Acapulco.

SCYTODIDAE

Species

Loxosceles arizonicus Gertsch & Mulaik, 1940

78 p. 317

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. - Arizona, Pima Co., Tucson.

OCCURRENCE. — Texas, Arizona, Mexico, from Coa California.	huila	to Baja
Loxosceles bolivari Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Nuevo Leon, Cueva Garcia. OCCURRENCE. — San Luis Potosi.	65	p. 22
Loxosceles boneti Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Guerrero, Acapulco. OCCURRENCE. — Puebla, Guerrero, Morelos.	65	p. 23
Loxosceles colima Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Colima, Colima. OCCURRENCE. — Western Mexico, from Nayarit to	65 Colim	p. 24 a.
Loxosceles devius Gertsch & Mulaik, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Hidalgo Co., Edinburg. OCCURRENCE. — Texas, Mexico.	78	p. 316
Loxosceles marylandicus Muma, 1944 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Maryland, Prince Georges Co.,	119 Colleg	p. 2 ge Park.
Loxosceles misteca Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Guerrero, Taxco. OCCURRENCE. — Guerrero.	65	p. 27
Loxosceles nahuana Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Hidalgo, 5 mi. north of Zimapa OCCURRENCE. — Hidalgo, Mexico, D.F.	65 an.	p. 29
Loxosceles reculsus Gertsch & Mulaik, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Travis Co., Austin. OCCURRENCE. — Southeastern and Central U.S.	78	p. 317
Loxosceles tehuana Gertsch, 1958 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chiapas, Tehuantepec.	65	p. 26

Loxosceles zapoteca Gertsch, 1958 65 p. 28 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Guerrero, 38 mi. south of Iguala. OCCURRENCE. — Guerrero. **78** p. 318 Scytodes zapatan Gertsch & Mulaik, 1940 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Zapata Co., Laredo.

SELENOPIDAE

Species

123 Selenops abyssus Muma, 1953 p. 21 TYPE. — Amer. Must. Nat. Hist. TYPE LOCALITY. - Jalisco. OCCURRENCE. — Nayarit. Selenops gracilis Muma, 1953 123 p. 10 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Guerrero, Ayotzinapa. OCCURRENCE. — Michoacan, Guerrero, Morelos. Selenops lepidus Muma, 1953 123 p. 17 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Colima, Manzanillo. Selenops scitus Muma, 1953 123 p. 19 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Guerrero, Mexcala. Selenops tehuacanus Muma, 1953 123 p. 9 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - Puebla, Tehuacan.

SYMPHYTOGNATHIDAE

Genera

Maymena Gertsch, 1960 p. 30 TYPE-SPECIES. — Nesticus mayanus Chamberlin & Ivie, 1938 = Maymena mayana (Chamberlin & Ivie, 1938), by original designation.

Species

Anapisona gertschi Forster, 1958 TYPE. — Amer. Nus. Nat. Hist. TYPE LOCALITY. — Chiapas, Tenejapa. OCCURRENCE. — Chiapas.	p. 9
Anapistula boneti Forster, 1958 52 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Vera Cruz, Atoyac. OCCURRENCE. — Chiapas.	p. 14
Chasmocephalon shantzi Gertsch, 1960 TYPE. — Amer. Mus. Nat. Hist.	p. 5
TYPE LOCALITY. — California, Monterey Co., Hastings History Reservation. OCCURRENCE. — California, Oregon.	Natural
Maymena chica Gertsch, 1960 TYPE. — Amer. Mus. Nat. Hist.	p. 35
TYPE LOCALITY. — San Luis Potosi, Tamazunchale. OCCURRENCE. — Nuevo Leon.	
Maymena misteca Gertsch, 1960 68 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Guerrero, Acuitlapan.	p. 36
Mysmena ² colima Gertsch, 1960 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Colima, Manzanillo, Miramar. OCCURRENCE. — Colima.	p. 18
Mysmena cymbia Levi, 1955 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Dade Co., Perrine. OCCURRENCE. — Florida.	p. 11
Mysmena ixlitla Levi, 1955 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — San Luis Potosi, Ixlitla. OCCURRENCE. — Guerrero.	p. 9
Mysmenopsis mexcala Gertsch, 1960 TYPE. — Amer. Mus. Nat. Hist.	p. 26

 $^{^2}$ NOTE: The genus Mysmena was placed in the family Symphytognathidae in 1960 by Gertsch. $\mathbf{68}$

TYPE LOCALITY. — Guerrero, Mexcala.

Trogloneta paradoxum Gertsch, 1960

68 p. 12

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Alameda Co., Castro Valley.

OCCURRENCE. — California, Oregon, Utah.

THERIDIIDAE

Genera

Archerius Levi, 1957

103 p. 114

= Comaroma Bertkau, 1889

142 p. 16

TYPE-SPECIES. — Archerius mendocino Levi, 1957, by original designation and monotypy.

Arctachaea Levi, 1957

105 p. 102

= Chrysso O. Pickard-Cambridge, 1882

142 p. 16

TYPE-SPECIES. — Arctachaea pelyx Levi, 1957, by original designation.

Chindellum Archer, 1950

5 p. 12

= Theridion Walckenaer, 1805

142 p. 18

TYPE-SPECIES. — Theridion intervallatum Emerton, 1915 [= Chindellum intervallatum (Emerton, 1915)], by original designation.

Emertonella Bryant, 1945

24 p. 182

= Euryopis Menge, 1868

142 p. 20

TYPE-SPECIES. — Euryopis emertoni Bryant, 1933 [= Emertonella emertoni (Bryant, 1933)], by original designation and monotypy.

Hentziectypus Archer, 1946

4 p. 51

= Achaearanea Strand, 1929

142 p. 21

TYPE-SPECIES. — Theridion globosum Hentz, 1850 [= Hentzi-ectypus globosus (Hentz, 1850)], by original designation and monotypy.

Kochiura Archer, 1950

5 p. 16

= Anelosimus Simon, 1891

142 p. 23

TYPE-SPECIES. — Theridion aulica Koch, 1838 [= Kochiura aulica (Koch, 1838)], by original designation and monotypy.

Mufila Bryant, 1949

Nesticodes Archer, 1950

Paidiscura Archer, 1950

= Euryopis Menge, 1868

= Theridion Walckenaer, 1805

= Theridion Walckenaer, 1805

TYPE. — Amer. Mus. Nat. Hist.

tion and monotypy.

and monotypy.

TYPE-SPECIES. — Mufila texana Bryant, 1949, by original designa-

TYPE-SPECIES. — Theridion rufipes Lucas, 1846 [= Nesticodes

TYPE-SPECIES. — Theridion pallens Blackwall, 1834 [= Paidi-

rufipes (Lucas, 1846)], by original designation

scura pallens (Blackwall, 1834)], by original

27

5

5

142

142

142

p. 66

p. 24

p. 22

p. 24

p. 26

p. 25

designation and monotypy. Paratheridula Levi, 1957 **103** p. 105 TYPE-SPECIES. — Mysmena quadrimaculata Banks, 1896 [= Paratheridula quadrimaculata (Banks, 1896)], by original designation and monotypy. **103** p. 107 Tekellina Levi, 1957 TYPE-SPECIES. - Tekellina archboldi Levi, 1957, by original designation and monotypy. Theridiotis Levi, 1954 p. 178 94 p. 30 = Chrosiothes Simon, 1894 142 TYPE-SPECIES. — Dipoena jocosa Gertsch & Davis, 1936 [= Theridiotis jocosa (Gertsch & Davis, 1936)], by original designation. **Species** Achaea index Chamberlin & Ivie, 1944 40 p. 36 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Screven Co., Brier Creek, 7 mi. north of Sylvania. OCCURRENCE. — Florida, Georgia. Achaearanea ambera Levi, 1963 **110** p. 204

TYPE LOCALITY. — Utah, Salt Lake Co., Salt Lake City, Mill Creek Canyon.

Achaearanea chiricahua Levi, 1955 98 p. 26 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Cochise Co., Rustler's Camp, Chiricahua Mts. OCCURRENCE. — Arizona. Achaearanea fresno Levi, 1955 98 p. 27 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Fresno Co., Cherry Gap, near Hume. OCCURRENCE. — California. Achaearanea geochares Levi, 1955 98 p. 20 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Monterey Co., Monterey. Achaearanea hermosillo Levi, 1959 107 p. 63 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Sonora, 66 mi. north of Hermosillo. Achaearanea manzanillo Levi, 1959 107 p. 77 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Colima, Manzanillo, Miramar. Achaearanea nayaritensis Levi, 1959 107 p. 67 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Nayarit, La Mesa de Nayarit. Achaearanea serax Levi, 1959 107 p. 66 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chiapas, Finca Cuauhtemoc, near Cacahua-5 Allotheridion orlando Archer, 1950 p. 20 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Orange Co., Orlando. Anelosimus nelsoni Bryant, 1945 **25** p. 200 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Florida, Indian River Co., Sebastian. **100** p. 417 Anelosimus pacificus Levi, 1956 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Guerrero, Pie de la Cuesta, 8 mi west of Acapulco.

MEM. AMER. ENT. SOC., 23

OCCURRENCE. — Sinaloa.

Archerius mendocino Levi, 1957 **103** p. 115 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Mendocino Co., Casper. Arctachaea pelyx Levi. 1957 105 p. 104 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, Salt Lake Co., East Canyon. OCCURRENCE. — Utah, Oregon. Argyrodes baboquivari Exline & Levi, 1962 51 p. 119 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Arizona, Pima Co., Santa Catalina Mts., Molino Basin. OCCURRENCE. — Arizona, Chihuahua, Sonora. Argyrodes concisus Exline & Levi, 1962 **51** p. 120 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — San Luis Potosi, Tamazunchale. OCCURRENCE. — Vera Cruz. Argyrodes davisi Exline & Levi, 1962 **51** p. 191 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Cameron Co., "Big Tree Vine Association". OCCURRENCE. — Texas, Chiapas. Argyrodes leonensis Exline & Levi, 1962 **51** p. 197 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Nuevo Leon, Horsetail Falls. OCCURRENCE. — Nuevo Leon, Chiapas. Argyrodes mexicanus Exline & Levi, 1962 **51** p. 129 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Nuevo Leon, Villa Santiago, Horsetail Falls, 650 m elevation. OCCURRENCE. — San Luis Potosi. Argyrodes taeter Exline & Levi, 1962 **51** p. 170 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — San Luis Potosi, Xilitla.

Chindellum magnificum Archer, 1950 TYPE. — A. F. Archer Collection.

OCCURRENCE. - San Luis Potosi.

TYPE LOCALITY. — Mississippi, Wilkinson Co., Centreville.

5

p. 13

Chrosiothes iviei Levi, 1964 114 p. 87 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Imperial Co., Fish Springs, Salton Sea. OCCURRENCE. — California. Chrosiothes litus Levi, 1964 114 p. 90 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. -- Nayarit, San Blas. Chrosiothes portalensis Levi, 1964 114 p. 89 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Cochise Co., Southwestern Research Station, 5 mi. west of Portal. OCCURRENCE. - Navarit. Chrysso davisi Bryant, 1945 **25** p. 202 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Florida, Orange Co., Winter Park. Coleosoma normale Bryant, 1944 137 p. 56 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Florida, Lee Co., Fort Meyers. Conopistha ocula Muma, 1944 119 p. 5 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Maryland, Wicomico Co., Salsbury. Crustulina altera Gertsch & Archer, 1942 p. 1 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Connecticut, Fairfield Co., Norwalk. OCCURRENCE. — Eastern U.S. Ctenium arcticum Chamberlin & Ivie, 1947 47 p. 25 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Fairbanks. Ctenium banksi Kaston, 1946 89 p. 5 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Ontario, Ottawa. OCCURRENCE. — Ontario, Northeastern U.S., Maryland, Michigan, 89 p. 6 Ctenium borealis Kaston, 1946 TYPE. — Cornell Univ. Collection. TYPE LOCALITY. — Ontario, Arnprior, Renfrew Co. OCCURRENCE. — Maine, Michigan.

Ctenium crosbyi Kaston, 1946 TYPE. — Cornell Univ. Collection. TYPE LOCALITY. — New York, Hamilton Co., Ragn OCCURRENCE. — New York.	89 nette L	p. 7 ake.
Ctenium floridensis Kaston, 1946 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Calhoun Co., Blountst	89 town.	p. 7
Ctenium longipalpus Kaston, 1946 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — New Jersey, Bergen Co., Ramse OCCURRENCE. — Northeastern U.S., Michigan, Onta		p. 10
Ctenium similis Kaston, 1946 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — New York, Tompkins Co., Itha	89 aca.	p. 12
Dipoena anahuas Levi, 1963 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Nuevo Leon, Linares, Canyon huas.	109 de la	p. 164
Dipoena appalachia Levi, 1953 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — North Carolina, Carteret Co., E rot Island. OCCURRENCE. — Southeastern U.S.	93 Beaufo	p. 19 ort, Car-
Dipoena bernardino Levi, 1963 TYPE. — Cornell Univ. Collection. TYPE LOCALITY. — California, San Bernardino Co San Bernardino Mts.		p. 147 Baldy,
Dipoena cathedralis Levi, 1953 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Brewster Co., Alpine.	93	p. 15
Dipoena chathami Levi, 1953 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Georgia, Chatham Co., 3 mi. Savannah.	93 south	p. 21 neast of
Dipoena daltoni Levi, 1953 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Fresno Co., Dalton	93 Creek	p. 35

OCCURRENCE. — Utah.

Dipoena dorsata Muma, 1944

119 p. 6

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. - Maryland, Harford Co., Churchville.

OCCURRENCE. — Maryland.

Dipoena fortunata Levi, 1953

92 p. 4

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Vera Cruz, La Buena Ventura.

OCCURRENCE. — Hidalgo, Vera Cruz.

Dipoena lana Levi, 1953

93 p. 36

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Oregon, Lane Co., McKenzie Bridge.

OCCURRENCE. — California.

Dipoena luisi Levi, 1953

92 p. 6

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — San Luis Potosi, Tamazunchale.

Dipoena malkini Levi, 1953

93 p. 33

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Oregon, Curry Co., Rogue River, 6 mi. east of Gore Beach.

OCCURRENCE. — Southwestern U.S., Pacific Coast.

Dipoena munda Barrows & Ivie, 1942

16 p. 20

TYPE. — Univ. of Utah.

TYPE LOCALITY. - Ohio, Hocking Co., Rockbridge.

Dipoena neotoma Levi, 1953

p. 36

93

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Monterey Co., Hastings Natural History Reservation.

Dipoena ocosingo Levi, 1953

92 p. 8

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Chiapas, El Real.

OCCURRENCE. — Chiapas.

Dipoena originata Levi, 1953

92 p. 9

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Chiapas, San Cristobal.

Dipoena provalis Levi, 1953 TYPE. — Amer. Mus. Nat. Hist.	93	p. 34
TYPE LOCALITY. — Utah, north fork of the Provo I Rest Camp. OCCURRENCE. — Utah, Oregon.	River,	Cobble
Dipoena rita Levi, 1953 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY Arizona Sonto Bito Mts. Whi	93	p. 32
TYPE LOCALITY. — Arizona, Santa Rita Mts., Whi yon [Pima or Santa Cruz Co.].	tenous	e Can-
Dipoena sulfurica Levi, 1953 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Durango, 10 mi. east of El Salto OCCURRENCE. — New Mexico.	93	p. 29
Dipoena tecoja Levi, 1953 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chiapas, Tecoja.	92	p. 10
Dipoena washougalia Levi, 1953 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Washington, Clark Co., Washo	93 ugal.	p. 35
Enoplognatha joshua Chamberlin & Ivie, 1942 TYPE. — Univ. of Utah. TYPE LOCALITY. — California, San Bernardino Co. of Victorville.	38 , 6 mi	p. 44 . south
Enoplognatha joshua pintura Chamberlin & Ivie, 1942 TYPE. — Univ. of Utah. TYPE LOCALITY. — Utah, Washington Co., Hurrican OCCURRENCE. — Utah.	38 ne.	p. 44
Enoplognatha maricopa Levi, 1962 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Arizona, Maricopa Co., Phoenix OCCURRENCE. — California.	108	p. 15
Enoplognatha marmorata parvior Chamberlin & Ivie, 1942 TYPE. — Univ. of Utah. TYPE LOCALITY. — Vermont, W 72°, N 42°.	38	p. 41
Enoplognatha pikes Chamberlin & Ivie, 1942 TYPE. — Univ. of Utah.	38	p. 42

TYPE LOCALITY. — Colorado, El Paso Co., Pike's Peak. OCCURRENCE. — Wyoming.

Enoplognatha piuta Chamberlin & Ivie, 1942

38 p. 45

TYPE. — Univ. of Utah.

TYPE LOCALITY. - Utah, Carbon Co., Helper, Spring Canyon.

Enoplognatha puritana Chamberlin & Ivie, 1942

p. 41

TYPE. — Univ. of Utah.

TYPE LOCALITY. — New York, Tompkins Co., Ithaca. OCCURRENCE. — New York, Connecticut, Virginia.

Enoplognatha selma Chamberlin & Ivie, 1946

43 p. 3

TYPE. — Univ. of Utah.

TYPE LOCALITY. -- Oregon, Josephine Co., Selma.

Enoplognatha wyuta Chamberlin & Ivie, 1942

38 p. 43

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Wyoming, Yellowstone National Park, 13 mi. north of Old Faithful.

OCCURRENCE. — Utah.

Episinus chiapensis Levi, 1954

95 p. 76

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Chiapas, Las Ruinas de Palenque.

OCCURRENCE. — Chiapas.

Episinus colima Levi, 1954

95 p. 76

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Colima, Las Humedales, Armeria.

Episinus juarezi Levi, 1954

95 p. 74

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Tamaulipas, Villa Juarez.

OCCURRENCE. - San Luis Potosi, Oaxaca.

Euryopis coki Levi, 1954

96 p. 33

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Utah, Salt Lake Co., Salt Lake City.

OCCURRENCE. — Utah, Idaho, Wyoming.

Euryopis georgiana Chamberlin & Ivie, 1944

40 p. 41

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Screven Co., 1 mi. north of Sylvania.

Euryopis gertschi Levi, 1951 91 p. 4 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Michigan, Livingston Co., E. S. George Reserve. OCCURRENCE. — Connecticut. Euryopis inornata Chamberlin & Ivie, 1944 40 p. 42 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Screven Co., 4 mi. northeast of Sylvania. Euryopis mulaiki Levi, 1954 96 p. 19 TYPE. — U.S. Nat. Mus. TYPE LOCALITY. — Texas, Kleberg Co., Kingsville. OCCURRENCE. — Arizona. Euryopis orniceps Chamberlin & Ivie, 1944 40 p. 43 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Stephens Co., southeast of Toccoa. Euryopis pepini Levi, 1954 96 p. 32 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Wisconsin, Pepin Co., Pepin. OCCURRENCE. — Wisconsin. Euryopis saukea Levi, 1951 91 p. 7 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Wisconsin, Dane Co., Sauk City. OCCURRENCE. — Minnesota. Euryopis spiritus Levi, 1954 96 p. 46 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Colorado, Fremont Co., Phantom Canyon, south of Victor. OCCURRENCE. — Colorado. Euryopis tavara Levi, 1954 96 p. 29 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Lake Co. Euryopis varis Levi, 1963 109 p. 130 TYPE. — Cornell Univ. Collection. TYPE LOCALITY. — Florida, Brevard Co., Eau Gallie. Euryopis weesei Levi, 1963 109 p. 134 TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Oklahoma, Comonche Co., Wichita National Forest.

Latrodectus mactans mexicanus Gonzalez, 1954

79 p. 455

TYPE. — not given.

TYPE LOCALITY. - not given.

OCCURRENCE. — Estado de Mexico, Morelos, Nayarit, Guerrero, Chiapas.

Lithyphantes tricolor Chamberlin & Ivie, 1944

40 p. 44

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Georgia, Chatham Co., Savannah Beach.

Mufila texana Bryant, 1949

27 p. 67

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Texas, Dallas Co., Dallas.

Paidisca camano Levi, 1957

102 p. 105

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Alameda Co., Castro Valley.

OCCURRENCE. — California, Utah, Washington.

Paidisca missionensis Levi, 1957

102 p. 102

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Nuevo Leon, 76 mi. north of Monterrey.

OCCURRENCE. — Texas south to Costa Rica.

Paidisca sarasota Levi, 1957

102 p. 105

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Florida, Sarasota Co., Sarasota.

Paidisca sclerotis Levi, 1957

102 p. 104

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — New Mexico, Mimbres Mts., Rock Creek Camp, W 107° 47′, N 32° 50′.

OCCURRENCE. — New Mexico.

Pholcomma barnesi Levi, 1957

103 p. 114

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Pennsylvania, Bucks Co., Horseshoe Bend, Neshaminy Creek, east of Jamison.

OCCURRENCE. - North Carolina.

Pholcomma carota Levi, 1957

103 p. 113

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — North Carolina, Carteret Co., Beaufort, Carrot Island.

Phoroncidia triunfo Levi, 1964 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chiapas, El Triunfo, 2000m.	113	p. 82
Sphyrotinus boneti Levi, 1959 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Vera Cruz, Atoyac. OCCURRENCE. — Vera Cruz.	107	p. 148
Sphyrotinus bradti Levi, 1959 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chihuahua, Torrecillas, 6900'.	107	p. 150
Sphyrotinus chiapensis Levi, 1959 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chiapas, San Cristobal.	107	p. 148
Sphyrotinus corus Levi, 1959 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chiapas, Las Ruinas de Palenque		p. 149
Sphyrotinus matachic Levi, 1959 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chihuahua, Matachic.	107	p. 154
Sphyrotinus orilla Levi, 1959 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Colima, Tecoman, Rio Armeria		p. 149 la.
Sphyrotinus verus Levi, 1959 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Vera Cruz, Santa Cruz.	107	p. 146
Steatoda alamosa Gertsch, 1960 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Brewster Co., Big Bend N Chisos Mts., The Basin. OCCURRENCE. — Texas, Mexico.	69 Tationa	p. 41 al Park,
Steatoda apacheana Gertsch, 1960 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Cochise Co., Paradise. OCCURRENCE. — Arizona, New Mexico.	69	p. 43
Steatoda atascadera Chamberlin & Ivie, 1942 TYPE. — Univ. of Utah.	38	p. 39

TYPE LOCALITY. — California, San Luis Obispo Co., Atascadero Lake.

Steatoda merula Fox, 1940

53 p. 41

TYPE. - U. S. Nat. Mus.

TYPE LOCALITY. — Arizona, Pima Co., Santa Catalina Mts., Mt. Lemmon.

OCCURRENCE. — Arizona, New Mexico.

Steatoda nahuana Gertsch, 1960

69 p. 37

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Jalisco, Ajijic.

OCCURRENCE. — Mexico.

Steatoda saltensis Levi, 1957

104 p. 381

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. - Durango, El Salto.

OCCURRENCE. — Central Mexico.

Steatoda variata Gertsch, 1960

69 p. 24

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Arizona, Coconino Co., Navajo Indian Reservation, The Gap.

OCCURRENCE. - Western U. S.

Steatoda variata china Gertsch, 1960

69 p. 29

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Nuevo Leon, China.

OCCURRENCE. - Mexico, Texas.

Steatoda washona Gertsch, 1960

69 p. 21

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Los Angeles Co., San Gabriel Mts., Tanbark Flats.

OCCURRENCE. — Western U. S., Baja California.

Stemmops cambridgei Levi, 1955

99 p. 340

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Chiapas, between San Antiono and El Real. OCCURRENCE. — Chiapas, Tabasco, Yucatan, Honduras.

Stemmops lina Levi, 1955

99 p. 342

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Chiapas, Palenque Ruins.

OCCURRENCE. — Puebla, San Luis Potosi.

Stemmops questa Levi, 1955	99	p. 340
TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chiapas, Finca Cuauhtemoc, ne	ear (Cacaho-
atan.		
Stemmops victoria Levi, 1955 TYPE. — Amer. Mus. Nat. Hist.	99	p. 341
TYPE LOCALITY. — Tamaulipas, Ciudad Victoria.		
	106	p. 19
TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Pima Co., 30 mi. south	n of	Ajo.
Tekellina archboldi Levi, 1957 TYPE. — Amer. Mus. Nat. Hist.	103	p. 107
TYPE LOCALITY. — Florida, Dade Co., Kendall. OCCURRENCE. — Florida.		
Theridion aeolium Levi, 1963 TYPE. — Mus. Comp. Zool.	111	p. 547
TYPE LOCALITY. — Arizona, Pima Co., Santa Ca Windy Point, 2000 m.	talin	a Mts.,
Theridion agrifoliae Levi, 1957 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Washington, King Co., Seattle. OCCURRENCE. — Washington, British Columbia, Cali		p. 83 a.
Theridion ambitum Barrows, 1940	13	p. 132
TYPE. — Ohio State Univ., Columbus, Ohio. TYPE LOCALITY. — Tennessee, Great Smoky Mounta Park, Laurel Falls trail.	ains 1	National
Theridion apulco Levi, 1959 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Hidalgo, Apulco. OCCURRENCE. — Vera Cruz.	107	p. 109
Theridion arcadium Gertsch & Archer, 1942 = Mysmena quadrimaculata Banks, 1896 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, DeSoto Co., Arcadia. OCCURRENCE. — Florida, Alabama.	72 102	p. 5 p. 21
Theridion arizonense Levi, 1957 TYPE. — Amer. Mus. Nat. Hist.	102	p. 49

TYPE LOCALITY. — Arizona, Cochise Co., Chiricahua Mts., Rust-

ler's Camp. OCCURRENCE. — Arizona, New Mexico. Theridion atlixco Levi, 1959 **107** p. 135 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Puebla, Atlixco. Theridion barbarae Levi, 1959 107 p. 94 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chihuahua, Santa Barbara. OCCURRENCE. — Chihuahua. Theridion bishopi Schenkel, 1950 130 p. 47 = Theridion melanurum Hahn, 1831 102 p. 55 TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. — California, Alameda Co., Berkeley. Theridion blatchleyi Bryant, 1945 25 p. 205 = Theridion hobbsi Gertsch & Archer, 1942 102 p. 62 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Florida, Pinellas Co., Dunedin. Theridion bolivari Levi, 1959 **107** p. 108 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Mexico, D.F., Desierto de los Leones. Theridion bridgesi Levi, 1959 **107** p. 138 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — San Luis Potosi, Pujal. Theridion cameronense Levi, 1957 102 p. 40 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Cameron Co., Harlingen. Theridion catalinae Gertsch & Archer, 1942 72 p. 6 = Paidisca pictipes (Banks, 1904) 102 p. 102 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Pima Co., Santa Catalina Mts., Bear Wallow. Theridion catapetraeum Gertsch & Archer, 1942 72 p. 10 = Achaearanaea porteri (Banks, 1896) 102 p. 21 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Dade Co., north of Royal Palms

State Park.

OCCURRENCE. — Alabama.

Theridion crucum Levi, 1959

TYPE. — Amer. Mus. Nat. Hist.

Theridion cheimatos Gertsch & Archer, 1942 72 p. 3 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Orange Co., Winter Park. Theridion chihuahua Levi, 1959 **107** p. 108 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chihuahua, Santa Barbara. Theridion chilapa Levi, 1959 **107** p. 132 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Guerrero, Chilapa. Theridion chinda Chamberlin & Ivie, 1944 40 p. 49 = Theridion intervallatum Emerton, 1915 102 p. 64 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Screven Co., Brier Creek, 7 mi. north of Sylvania. OCCURRENCE. — Georgia. Theridion cochise Levi, 1963 **111** p. 553 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Cochise Co., Southwestern Research Station, 5 mi. west of Portal. Theridion colima Levi, 1959 **107** p. 136 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Colima, Manzillo, Miramar. **107** p. 100 Theridion contreras Levi, 1959 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Mexico, D.F., Contreras, 2600m. OCCURRENCE. — Durango, Hidalgo, Mexico, D.F. Theridion cowlease Levi, 1957 102 p. 31 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Los Angeles Co., West Los Angeles. Theridion coyoacan Levi, 1959 107 p. 93 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Mexico, D. F., Coyoacan.

107

p. 96

TYPE LOCALITY. — Chihuahua, National Park near Las Cruces. OCCURRENCE. — Mexico, D.F. Theridion cuyutlan Levi, 1963 **111** p. 579 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Colima, Cuyutlan. Theridion davisorum Levi, 1959 107 p. 89 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Nuevo Leon, Monterrey. Theridion dilutum Levi, 1957 102 p. 37 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Hidalgo Co., Pharr. OCCURRENCE. — Southwestern U.S., south to Nayarit. Theridion dividuum Gertsch & Archer, 1942 72 p. 6 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Alabama, Dale Co., "Pea River Project". Theridion dreisbachi Levi, 1959 107 p. 96 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Nayarit, San Blas. Theridion dulcineum Gertsch & Archer, 1942 72 p. 4 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Alabama, Lauderdale Co., Cypress Creek. Theridion fieldi Levi, 1951 91 p. 3 = Theridion berkeleyi Emerton, 1924 102 p. 52 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Wisconsin, Grant Co., Wyalusing State Park, Wisconsin River bottom. OCCURRENCE. — Wisconsin. Theridion frigicola Chamberlin & Ivie, 1947 45 p. 27 = Theridion impressum L. Koch, 1881 102 p. 89 TYPE. — Univ. of Utah. TYPE LOCALITY. — Alaska, Circle Hot Springs, W 145°, N 65°. OCCURRENCE. — Alaska. Theridion frio Levi, 1959 **107** p. 110 TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Mexico, D.F., 2 mi. west of Rio Frio, 3200m.

Theridion gertschi Levi, 1959 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chihuahua, Madera. OCCURRENCE. — Chihuahua, Arizona.	107	p. 89
Theridion goodnightorum Levi, 1957 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Colorado, Costillo Co., Blanco OCCURRENCE. — Wyoming to California at low tral Mexico.		p. 41 es, Cen-
Theridion hansii Schenkel, 1950 = Paidisca pictipes (Banks, 1904) TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. — California, Sonoma Co., Russ	130 102 sian Riv	p. 46 p. 102 /er.
Theridion hidalgo Levi, 1957 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Texas, Starr Co., Rio Grande OCCURRENCE. — Texas, Central Mexico, Tamaulip		p. 43
Theridion hobbsi Gertsch & Archer, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Alachua Co., Gaines	72 ville.	p. 5
Theridion indianorum Gertsch & Archer, 1942 = Theridion intritum (Bishop & Crosby, 1926) TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Martin Co., Indian OCCURRENCE. — Florida.	72 102 Γown.	p. 9 p. 35
Theridion istokpoga Levi, 1957 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Monroe Co., Tavern OCCURRENCE. — Florida, Chiapas.	102 ier.	p. 67
Theridion jeanae Gertsch & Archer, 1942 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Pima Co., Santa Summer Haven.	72 Catalin	p. 7 a Mts.,
Theridion kawea Levi, 1957 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Tulare Co., Kawe east of Three Rivers.	102 a River	p. 48

OCCURRENCE. — California, Utah, Chihuahua.

Theridion lawrencei Gertsch & Archer, 1942

72 p. 8

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. - Oregon, Jackson Co.

Theridion leechi Gertsch & Archer, 1942

72 p. 8

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. - British Columbia, Salmon Arm.

Theridion leones Levi, 1959

107 p. 99

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Mexico, D.F., Desierto de los Leones.

Theridion llano Levi, 1957

102 p. 28

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Llano Co., Llano.

OCCURRENCE. — Texas.

Theridion lowriei Barrows, 1945

15 p. 72

TYPE. — Ohio State Univ., Columbus, Ohio.

TYPE LOCALITY. — Tennessee, Great Smoky Mountains National Park, Mt. Leconte.

Theridion maculipes Bryant, 1948

26 p. 57

TYPE. — probably Mus. Comp. Zool.

TYPE LOCALITY. — Guerrero, Acapulco.

Theridion maderae Gertsch & Archer, 1942

72 p. 12

= Paidisca maderae (Gertsch & Archer, 1942)

102 p. 106

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Arizona, Santa Cruz Co., Santa Rita Mts., Madera Canyon.

Theridion malkini Levi, 1959

107 p. 131

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — San Luis Potosi, Tamazunchale.

Theridion martini Levi, 1959

107 p. 104

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Vera Cruz, Volcan San Martin, near San Andres, 5000'.

Theridion michelbacheri Levi, 1957

102 p. 47

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Siskiyou Co., Dorris.

OCCURRENCE. — Montana, Washington, California.		
Theridion moctezuma Levi, 1959 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Vera Cruz, La Planta de Moc		p. 129 a, near
Fortin. OCCURRENCE. — Vera Cruz.		
Theridion mohave Gertsch & Archer, 1942 = Theridion geminipunctatum Chamberlin, 1924 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, San Bernardino Co., ert, near Twenty Nine Palms.	72 102 Moha	p. 9 p. 43 ve Des-
Theridion myersi Levi, 1957 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Lee Co., Fort Myers. OCCURRENCE. — Florida to Oaxaca, Tamaulipas.	102	p. 31
Theridion neshamini Levi, 1957 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Pennsylvania, Bucks Co., Hornord Neshaminy Creek, northeast of OCCURRENCE. — Eastern U.S.		
Theridion omiltemi Levi, 1959 TYPE. — Brit. Mus. (Nat. Hist.). TYPE LOCALITY. — Guerrero, Omiltemi. OCCURRENCE. — Guatemala.	107	p. 105
Theridion opuntia Levi, 1963 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Sonora, El Coyote, 970m.	111	p. 531
Theridion pallisterorum Levi, 1959 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Mexico, D.F., Contreras	107	p. 121
Theridion paradisiacum Gertsch & Archer, 1942 = Paidisca unimaculata (Emerton, 1882) TYPE. — Amer. Mus. Nat. Hist.	72 102	p. 11 p. 108
TYPE LOCALITY. — Florida, Hillsborough Co., River State Park.	Hills	borough

OCCURRENCE. — Florida, Alabama.

Theridion pelaezi Levi, 1963 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Puebla, Rio Frio, 3000m.	111	p. 545
Theridion placidium Bryant, 1948TYPE. — Mus. Comp. Zool.TYPE LOCALITY. — Guerrero, Acapulco.	26	p. 58
Theridion pseudofrondeum Schenkel, 1950 = Theridion californicum Banks, 1904 TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. — California, Sonoma Co., Rus. Monterio.	130 102 sian R	p. 50 p. 85
Theridion quemadum Levi, 1959 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chiapas, Cruz Quemada, near 2000m.		p. 140 enango,
Theridion rabuni Chamberlin & Ivie, 1944 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Rabun Co., Tallulah	40 Falls.	p. 53
Theridion reticulateum Muma, 1944 = Theridion rabuni Chamberlin & Ivie, 1944 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Maryland, Prince Georges Co.,	119 102 , Colles	p. 7 p. 28 ge Park.
Theirion rinconense Levi, 1959 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chiapas, Rincon.	107	p. 139
Theridion ritae Gertsch & Archer, 1942 = Theridion transgressum Petrunkevitch, 1911 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Santa Cruz Co., San Madera Canyon.	72 102 nta Ri	p. 7 p. 47 ta Mts.,
Theridion rothi Levi, 1959 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Mexico, D.F., 2 mi. west of RicoCCURRENCE. — Central Mexico.	107 o Frio,	p. 95 3200m.
Theridion ruinum Levi, 1959 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chiapas, Las Ruinas de Paler	107 nque.	p. 131

Theridion saanichum Chamberlin & Ivie, 1947 45 p. 28 TYPE. — Univ. of Utah. TYPE LOCALITY. — British Columbia, west side of Saanich Inlet, W 123°, N 48°. OCCURRENCE. — British Columbia, Alaska. Theridion sanctus Levi, 1959 107 p. 95 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Durango, Nombre de Dios. OCCURRENCE. — Mexico. Theridion sardis Chamberlin & Ivie, 1944 40 p. 54 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Screven Co., Brier Creek, 7 mi. north of Sylvania. Theridion saylori Fox, 1940 53 p. 43 = Teutonia triangulosa (Walckenaer, 1802) 102 p. 21 TYPE. — U. S. Nat. Mus. TYPE LOCALITY. — Missouri, Ozark Lake [Lake of the Ozarks?]. Theridion schrammeli Levi, 1963 **111** p. 556 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — San Luis Potosi, Tamazunchale. Theridion serenoae Gertsch & Archer, 1942 72 p. 10 = Achaearanaea serenoae (Gertsch & Archer, 1942) 102 p. 21 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Alabama, Mobile Co., Dauphin Island. OCCURRENCE. — Alabama, Florida. Theridion sexsetosum Barrows, 1940 p. 132 13 = Graphomoa theridiodes Chamberlin, 1929 102 p. 21 TYPE. — Ohio State Univ., Columbus, Ohio. TYPE LOCALITY. — Tennessee, Great Smoky Mountains National Park, Headquarters Area. Theridion sinaloa Levi, 1959 **107** p. 115 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Sinaloa, Mazatlan. Theridion stannardi Levi, 1963 **111** p. 578 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chiapas, Finca Mantchibano, Ososingo Valley.

Theridion talmo Chamberlin & Ivie, 1944 = Theridion alabamense Gertsch & Archer, 1942 TYPE. — Univ. of Utah. TYPE LOCALITY. — Georgia, Jackson Co., northwest of grass.	2	p. 55 p. 58 Pender-
Theridion timpanogos Levi, 1957 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Utah, Utah Co., Timpanogos, Amer Canyon.		p. 31 nn Fork
Theridion wallacei Gertsch & Archer, 1942 7 = Paidisca pallida (Emerton, 1913) 10 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Alachua Co., Gater Sink.		p. 5 p. 99
Theridion wallacei Schenkel, 1950 = Theridion berkeleyi Emerton, 1924 TYPE. — Naturhist. Mus., Basel. TYPE LOCALITY. — California, Sonoma Co., Russian Guerneville.	2	p. 49 p. 52 ver, by
Theridion yuma Levi, 1963 TYPE. — Mus. Comp. Zool. TYPE LOCALITY. — Arizona, Yuma Co., Gila Valley.	1	p. 535
Theridiotis barrowsi Levi, 1954 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Hernando Co., Brooksvill OCCURRENCE. — Chiapas, Guatemala.	4 e.	p. 187
Theridoitis chirica Levi, 1954 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Cochise Co., Chiricahua Mer's Camp. OCCURRENCE. — Arizona, Colorado, Mexico, D.F.		p. 184 ., Rust-
Theridiotis goodnightorum Levi, 1954 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chiapas, Rio San Gregorio, between and Ocotal. OCCURRENCE. — Mexico.		p. 186 Comitan
Theridiotis tonala Levi, 1954 TYPE. — Amer. Mus. Nat. Hist.	4	p. 185

TYPE LOCALITY. — Chiapas, Tonala. OCCURRENCE. — Mexico, Central America.

Theridiotis wagneri Levi, 1954

94 p. 188

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Vera Cruz, Papantla.

Theridula casas Levi, 1954

97 p. 338

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Chiapas, Las Casas.

Theridula emertoni Levi, 1954

97 p. 333

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — New Jersey, Bergen Co., Ramsey.

OCCURRENCE. — U.S. from Wisconsin to West Virginia, Canada from British Columbia to Nova Scotia.

Theridula puebla Levi, 1954

97 p. 338

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Puebla, Villa Jaurez.

Theridula regia Gertsch & Archer, 1942

72 p. 2

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Florida, Dade Co., Royal Palm State Park.

Thymoites minnesota Levi, 1964

112 p. 467

TYPE. — Mus. Comp. Zool.

TYPE LOCALITY. — Minnesota, Freebon Co., Albert Lea.

THOMISIDAE

Genera

Pelloctanes Schick, 1965

144 p. 88

TYPE-SPECIES. — Apollophanes margareta Lowrie & Gertsch, 1955

[= Pelloctanes margareta (Lowrie & Gertsch, 1955)], by original designation and monotypy.

Rhysodromus, Schick, 1965

144 n 66

TYPE-SPECIES. — Thomisus histrio Latreille, 1819 [= Rhysodromus histria (Latreille, 1819)], by original designation.

Species

Apollophanes francesca Lowrie & Gertsch

117 p. 15

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Tulare County, King's River Canyon, Cedar Grove, 4633'.

Apollophanes margareta Lowrie & Gertsch, 1955

117 p. 16

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Montana, Sanders County, Thompson Falls. OCCURRENCE. — New Mexico.

Apollophanes patricia Lowrie & Gertsch, 1955

117 p. 18

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Wyoming, Grand Teton National Park, Death Canyon, about 7500'.

OCCURRENCE. - Montana, Idaho.

Coriarachne nakina Gertsch, 1953

63 p. 462

TYPE. — Royal Ont. Mus. Zool., Toronto.

TYPE LOCALITY. — Ontario, Attawapiskat.

OCCURRENCE. — Ontario.

Ebo albocaudatus Schick, 1965

144 p. 77

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, San Bernardino County.

OCCURRENCE. — California.

Ebo andreaannae Schick, 1965

144 p. 82

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Los Angeles County, 3.5 miles south of Palmdale, near U.S. highway 6.

OCCURRENCE. — California, Arizona.

Ebo creosotis Schick, 1965

144 p. 82

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, San Bernardino County, Twentynine Palms.

OCCURRENCE. — California.

Ebo dispar Schick, 1965

144 p. 84

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Los Angeles County, Little Rock. OCCURRENCE. — California.

Ebo merkeli Schick, 1965

144 p. 86

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, San Diego County, Borrego Valley.

OCCURRENCE. — California.

Ebo parabolis Schick, 1965

144 p. 79

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Lassen County, Egal Lake, northeast shore on Susanville-Adin road.

OCCURRENCE. — California, Oregon, Arizona.

Misumenops aikoae Schick, 1965

144 p. 131

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Los Angeles County, Sepulveda Canyon, Santa Monica Mountains.

OCCURRENCE. — California.

Misumenops deserti Schick, 1965

144 p. 124

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Riverside County, Thousand Palms Canyon.

OCCURRENCE. — Southwestern United States and adjacent Mexico.

Misumenops gabrielensis Schick, 1965

144 p. 119

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Los Angeles County, Tanbark Flat, San Gabriel Mountains.

OCCURRENCE. — California.

Misumenops importunus belkini Schick, 1965

144 p. 131

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Calif. Los Angeles County, Big Tujunga Canyon, San Gabriel Mountains.

OCCURRENCE. — California.

Misumenops obesulus Gertsch & Davis, 1940

74 p. 3

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Tamaulipas, Rio Frio at Limon.

Misumenops quercinus Schick, 1965

144 p. 117

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Los Angeles County, Oak Flat Public Camp.

OCCURRENCE. — California.

Misumenops rothi Schick, 1965

144 p. 117

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, San Diego County, Jacumba. OCCURRENCE. — California, Ildefonso Island, Gulf of California.

Misumenops schlingeri Schick, 1965

144 p. 120

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, San Bernardino County, Mountain Home.

OCCURRENCE. — California.

Misumenops sierrensis Schick, 1965

144 p. 119

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Alpine County, Woodfords. OCCURRENCE. — California, Oregon.

Misumenops verityi Schick, 1965

144 p. 132

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Tulare County, Badger. OCCURRENCE. — California.

Ozyptila belma Gertsch, 1953

62 p. 467

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Quebec, Montreal.

Ozyptila bison Gertsch, 1953

62 p. 468

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Colorado, Teller County, Buffalo Lake, 11,000', near Victor.

Ozyptila creola Gertsch, 1953

62 p. 469

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Georgia, Rabun County, Tallulah Falls.

Ozyptila gertschi Kurata, 1944

90 p. 1

TYPE. — Royal Ont. Mus. Zool., Toronto.

TYPE LOCALITY. — Ontario, James Bay, Fort Albany.

Ozyptila hardyi Gertsch, 1953

62 p. 471

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Cameron County, Laguna Madre, 25 miles southwest of Harlingen.

Ozyptila imitata Gertsch, 1953

62 p. 464

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Tamaulipas, 10 miles south of Victoria.

OCCURRENCE. - Nuevo Leon.

Ozyptila inglesi Schick, 1965

144 p. 173

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Fresno County, Huntington Lake, 7000'.

Ozyptila peon Gertsch, 1953

62 p. 465

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Vera Cruz, Huatusco.

Ozyptila schusteri Schick, 1965

144 p. 175

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, El Dorado County, Riverton. OCCURRENCE. — California.

Ozyptila yosemitica Schick, 1965

144 p. 173

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Mariposa County, Wawona Camp. OCCURRENCE. — California.

Philodromus agreutes Schick, 1965

144 p. 47

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Lassen County, Eagle Lake, northwest shore, on Susanville-Adin road.

OCCURRENCE. — California.

Philodromus chamisis Schick, 1965

144 p. 50

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Lake County, 10 miles west of Kelseyville, on Hopland Road.

OCCURRENCE. — California.

Philodromus coachellae Schick, 1965

144 p. 66

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Riverside County, Snow Creek Canyon.

Philodromus droseroides Schick, 1965

144 p. 65

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Los Angeles County, Little Rock. OCCURRENCE. — California.

Philodromus gertschi diablae Schick, 1965

144 p. 55

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Contra Costa County, Mt. Diablo State Park.

OCCURRENCE. — California.

Philodromus gertschi gertschi Schick, 1965

144 p. 53

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, San Diego County, 2 miles south of Burnt Rancheria, Laguna Mountains.

OCCURRENCE. — California.

Philodromus insperatus Schick, 1965

144 p. 60

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Siskiyou County, Weed. OCCURRENCE. — Pacific Coast States, eastward to Utah.

Philodromus michiganense Levi, 1951

91 p. 30

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Michigan, Ingham County, East Lansing.

Philodromus oneida Levi, 1951

91 p. 31

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Michigan, Marquette County, Marquette. OCCURRENCE. — Wisconsin.

Philodromus orarius Schick, 1965

144 p. 53

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Los Angeles County, Malibu. OCCURRENCE. — California, Baja California.

Philodromus pinyonelis Schick, 1965

144 p. 45

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Kern County, Frazer Park (1 mile west).

OCCURRENCE. — California, Nevada.

Philodromus quercicola Schick, 1965

144 p. 56

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Tuolomne County, Dardanelle. OCCURRENCE. — California.

Philodromus undarum Barnes, 1953

9 p. 18

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — North Carolina, Carteret County, Beaufort, Carrot Island, between Horse Island and Taylor's Creek Channel.

Philodromus verityi Schick, 1965

144 p. 65

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Los Angeles County, ½ miles south of Coldbrook Camp, San Gabriel Mountains.

OCCURRENCE. — California.

Rhysodromus alascensis dondalei Schick, 1965

144 p. 73

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Mono County, 7 miles south of Lee Vining.

OCCURRENCE. — California, Nevada, Utah.

Tibellus californicus Schick, 1965

144 p. 99

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, San Diego County, Guatay. OCCURRENCE. — California.

Tibellus gertschi Chamberlin & Ivie, 1942

38 p. 81

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Summit County, Smith & Morehouse Canyon.

Tibellus rothi Schick, 1965

144 p. 101

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Imperial County, Imperial Dam. OCCURRENCE. — California, Arizona.

Titanebo magnificus Chamberlin & Ivie, 1942

38 p. 81

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Salt Lake County, Salt Lake City.

Titanebo tridentatus Chamberlin & Ivie, 1942

38 p. 80

TYPE. — Univ. of Utah.

TYPE LOCALITY. — North Dakota "probably Divide County".

Tmarus salai Schick, 1965

144 p. 138

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, San Diego County, 3 miles east of Bannar.

OCCURRENCE. — California.

Xysticus ampullatus Turnbull, Dondale & Redner, 1965 145 p. 1241 TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Ontario, Prince Edward County, Redners-ville.

OCCURRENCE. — Ontario, Manitoba, Nova Scotia.

Xysticus apalacheus Gertsch, 1953 **62** p. 428 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Florida, Liberty County, Blountstown. OCCURRENCE. — Florida. Xysticus aztecus Gertsch, 1953 **62** p. 455 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Puebla, Villa Jaurez. Xysticus bolivari Gertsch, 1953 **62** p. 455 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Vera Cruz, Tecolutla. OCCURRENCE. — Vera Cruz. Xysticus bradti Gertsch, 1953 **62** p. 432 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Chicuahua, San Jose Babicora. OCCURRENCE. — Chihuahua. Xysticus chaparralis Schick, 1965 **144** p. 152 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, San Diego County, Guatay. OCCURRENCE. — California. Xysticus chippewa Gertsch, 1953 **62** p. 430 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Michigan, Schoolcraft County, Manistique. OCCURRENCE. — Ontario. Xysticus cochise Gertsch. 1953 **62** p. 442 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Arizona, Cochise County, Chiricahua Mountains. Xysticus federalis Gertsch, 1953 **62** p. 443 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. - Mexico, D. F., Tlalpam. Xysticus fervidus Gertsch, 1953 **62** p. 427 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Colorado, Rocky Mountain National Park. OCCURRENCE. — Colorado, British Columbia. **144** p. 159 Xysticus gertschi Schick, 1965

TYPE LOCALITY. — California, Lassen County, Eagle Lake, north-

west shore on Susanville-Adin road.

MEM. AMER. ENT. SOC., 23

TYPE. — Amer. Mus. Nat. Hist.

OCCURRENCE. — Rocky Mountains of United States and Canada west to British Columbia and California, South to Chihuahua.

Xysticus imitarius Gertsch, 1953

62 p. 442

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Utah, Salt Lake County, Little Cottonwood Canyon.

OCCURRENCE. --- Utah.

Xysticus iviei iviei Schick, 1965

144 p. 164

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Los Angeles County, Tapia Park, Santa Monica Mountains.

OCCURRENCE. — California.

Xysticus iviei sierrensis Schick, 1965

144 p. 164

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, El Dorado County, Alpine Camp, on state highway 89.

OCCURRENCE. — California.

Xysticus leechi Turnbull, Dondale, & Redner, 1965

145 p. 1261

TYPE. — Canad. Nat. Coll., Ottawa.

TYPE LOCALITY. — British Columbia, Mount St. Paul, Mile 392, Alaska highway.

OCCURRENCE. — British Columbia, Yukon.

Xysticus malkini Gertsch, 1953

62 p. 423

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Oregon, Clakamas County, Clackamas.

OCCURRENCE. — Oregon, British Columbia, Washington, California.

Xysticus mysticus Chamberlin & Ivie, 1942

38 p. 79

TYPE. — Univ. of Utah.

TYPE LOCALITY. — Utah, Wasatch County, Mill Creek Canyon, Wasatch Mountains.

Xysticus ocala Gertsch, 1953

62 p. 440

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Florida, Marion County, Ocala.

OCCURRENCE. — Florida, Georgia.

Xysticus pearcei Schick, 1965

144 p. 166

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — California, Riverside County, 1.5 miles west of Dripping Springs Public Camp on state highway 71.

OCCURRENCE. — California.

Xysticus robinsoni Gertsch, 1953

62 p. 441

TYPE. - Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Texas, Brazos County.

OCCURRENCE. — Texas, San Luis Potosi.

Xysticus rockefelleri Gertsch, 1953

62 p. 435

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Chihuahua, Canyon Prieto, near Primavera. OCCURRENCE. — Chihuahua, Zacatecas.

Xysticus spiethi Gertsch, 1953

62 p. 437

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Chihuahua, Las Canoas, near San Jose Babicora.

Xysticus tampa Gertsch, 1953

62 p. 432

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Florida, Hillsborough County, Tampa, Mc-Dill Field.

Xysticus toltecus Gertsch, 1953

62 p. 439

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Vera Cruz, Tlacitalpan.

Xysticus wagneri Gertsch, 1953

62 p. 425

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Chiapas, San Cristobal.

Xysticus winnipegensis Turnbull, Dondale & Redner

145 p. 1262

TYPE. — Canad. Nat. Coll., Ottawa.

TYPE LOCALITY. — Manitoba, 10 miles east of Winnipeg.

ULOBORIDAE

Species

Ariston referens Muma & Gertsch, 1964

124 p. 17

TYPE. — Amer. Mus. Nat. Hist.

TYPE LOCALITY. — Arizona, Cochise Co., Dragoon-Mountains, Cochise's Stronghold.

OCCURRENCE. — Arizona.

Ariston reticens Gertsch & Davis, 1942 75 p. 17 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - San Luis Potosi, 23 miles east of Ciudad del Maiz. Hyptiotes puebla Muma & Gertsch, 1964 124 p. 14 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. - New Mexico, Otero Co., Camp Mary White. OCCURRENCE. — Southwestern U.S. Hyptiotes tehama Muma & Gertsch, 1964 124 p. 16 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Tehama Co., Deer Creek. OCCURRENCE. — California, Wyoming. Uloborus abstrusus Gertsch & Davis, 1942 75 p. 18 TYPE. - Amer. Mus. Nat. Hist. TYPE LOCALITY. — San Luis Potosi, Xilitla. Uloborus octonarius Muma, 1945 120 p. 91 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Maryland, Prince Georges Co., College Park. OCCURRENCE. — Maryland. **ZODARIIDAE Species** Lutica abalonea Gertsch, 1961 **70** p. 371 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, Ventura Co., beach 4 mi. west of Oxnard. Lutica clementea Gertsch, 1961 **70** p. 374 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, San Clemente Island. Lutica nicolasia Gertsch, 1961 **70** p. 370 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — California, San Nicholas Island. Storena absoluta Gertsch & Davis, 1940 **73** p. 15 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Tamaulipas, 13 mi. south of Villa Juarez.

OCCURRENCE. — San Luis Potosi.

BEATRICE R. VOGEL		159
Storena mundella Gertsch & Davis, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Guerrero, Acapulco.	73	p. 17
Storena veracruzana Gertsch & Davis, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Vera Cruz, Vera Cruz.	73	p. 17
ZOROPSIDAE		
Species		
Zorocrates guerrerensis Gertsch & Davis, 1940 TYPE. — Amer. Mus. Nat. Hist. TYPE LOCALITY. — Guerrero, Acapulco.	74	p. 2

BIBLIOGRAPHY

ARCHER, A. F.

- 1940. The Argiopidae or orb-weaving spiders of Alamaba. Mus. Pap. Ala. Mus. Nat. Hist. 14: 1-77.
- 1941. Suppliment to the Argiopidae of Alabama. Mus. Pap. Ala. Mus. Nat. Hist. 18: 1-47.
- 1941. Alabama spiders of the family Mimetidae. Pap. Mich. Acad. Sci. 27: 183-193.
- 1946. The Theridiidae or comb-footed spiders of Alabama. Mus. Pap. Ala. Mus. Nat. Hist. 22: 1-67.
- 1950. A study of theridiid and mimetid spiders, with descriptions of new genera and species. Mus. Pap. Ala. Mus. Nat. Hist. 30: 1-40.
- 1951. Studies in the orbweaving spiders (Argiopidae) 1. Amer. Mus. Novit. 1487: 1-52.
- 1951. Studies in the orbweaving spiders (Argiopidae) 2. Amer. Mus. Novit. 1502: 1-34.
- 8. 1953. Studies in the orbweaving spiders (Argiopidae) 3. Amer. Mus. Novit. 1622: 1-27.

BARNES, R. D.

- 1953. Report on a collection of spiders from the coast of North Carolina. Amer. Mus. Novit. 1632: 1-21.
- 10. 1955. North American jumping spiders of the genus Maevia. Amer. Mus. Novit. 1746: 1-13.
- 11. 1958. North American jumping spiders of the subfamily Marpissinae (Araneae, Salticidae). Amer. Mus. Novit. 1867: 1-50.
- 12. 1959. The *lapidicina* group of the wolf spider genus *Pardosa* (Araneae, Lycosidae). Amer. Mus. Novit. 1960: 1-21.

BARROWS, W. M.

- 13. 1940. New and rare spiders from the Great Smoky Mountains National Park region. Ohio Jour. Sci. 40(3): 130-139.
- 14. 1943. A new prairie spider. Ohio Jour. Sci. 43(5): 209.
- 15. 1945. New spiders from the Great Smoky Mountains National Park. Ann. Ent. Soc. Amer. 38(1): 70-76.

BARROWS, W. M. & W. IVIE

16. 1942. Some new spiders from Ohio. Ohio Jour. Sci. 42(1): 20-23.

BISHOP, S. C.

- 17. 1949. Spiders of the Nueltin Lake Expedition, Keewatin, 1947. Canad. Ent. 81(4): 101-104.
- 18. 1950. A new cave spider from North Carolina. Proc. Biol. Soc. Wash. 63: 9-12.

BISHOP, S. C. & C. RUDERMAN

19. 1946. Four new species of Dictyna. Proc. Biol. Soc. Wash. 59: 1-8.

BRADY, A. R.

- 20. 1962. The spider genus *Sosippus* in North America, Mexico and Central America (Araneae, Lycosidae). Psyche 69(3): 129-164.
- 1964. The lynx spiders of North America north of Mexico (Araneae, Oxyopidae). Bull. Mus. Comp. Zool. 131(13): 432-518.

BRYANT, E. B.

- 22. 1941. Notes on the spider fauna of New England. Psyche 48: 129-146.
- Descriptions of certain North American Phidippus (Araneae).
 Amer. Mid. Nat. 28(3): 693-707.
- 24. 1945. Some new or little known southern spiders. Psyche 52(3-4): 178-192.
- 1945. Notes on some Florida spiders. Trans. Conn. Acad. Arts Sci. 36: 199-211.
- 26. 1948. Some spiders from Acapulco, Mexico. Psyche 55(2): 55-77.
- 27. 1949. A new genus and species of Theridiidae from eastern Texas (Araneae). Psyche 56(2): 66-69.

BRYANT, E. B. & A. F. ARCHER

28. 1940. Notes on Epeira pentagona Hentz. Psyche 47: 60-65.

CHAMBERLIN, R. V.

- 1947. A summary of the known North American Amaurobiidae. Bull. Univ. Utah 38(8): 1-31.
- 30. 1948. The genera of North American Dictynidae. Bull. Univ. Utah 38 (15): 1-31.
- 31. 1948. On some American spiders of the family Erigonidae. Ann. Ent. Soc. Amer. 41(4): 483-562.

CHAMBERLIN, R. V. & W. J. GERTSCH

- 1940. Descriptions of new Gnaphosidae from the United States. Amer. Mus. Novit. 1068: 1-19.
- 1958. The spider family Dictynidae in America, north of Mexico. Bull. Amer. Mus. Nat. Hist. 116(1): 1-152, pls. 1-47.

CHAMBERLIN, R. V. & W. IVIE

- 34. 1940. Agelenid spiders of the genus *Cicurina*. Bull. Univ. Utah 30(13): 1-108.
- 35. 1941. North American Agelenidae of the genera Agelenopsis, Calilena, Ritalena and Tortolena. Ann. Ent. Soc. Amer. 34(3): 585-626.
- Spiders collected by L. W. Saylor and others, mostly in California. Bull. Univ. Utah 31(8): 1-49.
- 1942. Agelenidae of the genera Hololena, Novalena, Rualena, and Melpomene. Ann. Ent. Soc. Amer. 35(2): 203-241.
- 1942. A hundred new species of American spiders. Bull. Univ. Utah 32 (13): 1-117.
- 39. 1943. New genera and species of North American linyphiid spiders. Bull. Univ. Utah 33(10): 1-39.
- **40.** 1944. Spiders of the Georgia region of North America. Bull. Univ. Utah 35(9): 1-267.
- 41. 1945. Erigonid spiders of the genera Spirembolus, Disembolus, and Batroceps. Trans. Conn. Acad. Arts Sci. 36: 215-235.
- **42.** 1945. Some erigonid spiders of the genera *Eulaira* and *Diplocentria*. Bull. Univ. Utah 36(2): 1-19.
- 43. 1946. On several new American spiders. Bull. Univ. Utah 36(13): 1-15.
- **44.** 1947. North American dictynid spiders: The *bennetti* group of *Amaurobius*. Ann. Ent. Soc. Amer. 40(1): 29-55.
- 45. 1947. The spiders of Alaska. Bull. Univ. Utah 37(10): 1-103.

CHICKERING, A. M.

 1955. The genus Eustala (Araneae: Argiopidae) in Central Amercia. Bull. Mus. Comp. Zool. 112(6): 391-518.

DONDALE, C. D.

- 47. 1958. Two species of *Ceraticelus* (Araneae: Erigonidae) from western North America. Canad. Ent. 90: 155-157.
- 48. 1959. Definition of the genus *Grammonota* (Araneae: Erigonidae) with descriptions of seven new species. Canad. Ent. 91(4): 232-242.

EDWARDS, R. J.

 The spider subfamily Clubioninae of the United States, Canada, and Alaska (Araneae: Clubionidae). Bull. Mus. Comp. Zool. 118: 365-436.

EXLINE, H.

50. 1962. Two gnaphosid spiders from Arkansas. Proc. Cal. Acad. Sci. 32 (4): 79-85.

EXLINE, H. & H. W. LEVI

1962. American spiders of the genus Argyrodes (Araneae: Theridiidae).
 Bull. Mus. Comp. Zool. 127(2): 75-202.

FORSTER, R. R.

52. 1958. Spiders of the family Symphytognathidae from North and South America. Amer. Mus. Novit. 1885: 1-14.

Fox, I.

 1940. Notes on nearctic spiders chiefly of the family Theridiidae. Proc. Biol. Soc. Wash. 53: 39-45.

GERTSCH, W. J.

- 54. 1940. Five new wolf-spiders from Florida. Fla. Ent. 23(2): 17-23.
- 55. 1941. New American spiders of the family Clubionidae, I. Amer. Mus. Novit. 1147: 1-20.
- 1941. New American spiders of the family Clubionidae, II. Amer. Mus. Novit. 1148: 1-18.
- 1942. New American spiders of the family Clubionidae, III. Amer. Mus. Novit. 1195: 1-18.
- 58. 1945. Two interesting species of *Thallumetus*. Trans. Conn. Acad. Arts Sci. 36: 191-197.
- 1946. Five new spiders of the genus Neoantistea. Jour. N. Y. Ent. Soc. 54: 31-37.
- 1946. Notes on American spiders of the family Dictynidae. Amer. Mus. Novit. 1319: 1-21.
- 61. 1951. New American linyphiid spiders. Amer. Mus. Novit. 1514: 1-11.
- 1953. The spider genera Xysticus, Coriarachne, and Oxyptila (Thomisidae, Misuminae) in North America. Bull. Amer. Mus. Nat. Hist. 102(4): 417-482.
- 63. 1955. The North American bolas spiders of the genera Mastophora and Agatostichus. Bull. Amer. Mus. Nat. Hist. 106(4): 225-254.
- 64. 1958. The spider family Diguetidae. Amer. Mus. Novit. 1904: 1-24.
- 65. 1958. The spider genus Loxosceles in North America, Central America and West Indies. Amer. Mus. Novit. 1907: 1-46.
- 66. 1958. The spider family Hypochilidae. Amer. Mus. Novit. 1912: 1-28.
- 67. 1958. The spider family Plectreuridae. Amer. Mus. Novit. 1920: 1-53.

- 68. 1960. Descriptions of American spiders of the family Symphytognathidae. Amer. Mus. Novit. 1981: 1-40.
- 1960. The fulva group of the spider genus Steatoda (Araneae, Theridiidae). Amer. Mus. Novit. 1982: 1-48.
- 70. 1961. The spider genus Lutica. Senck. Biol. 42(4): 365-374.
- The spider genus Zygiella in North America (Araneae, Argiopidae).
 Amer. Mus. Novit. 2188: 1-21.

GERTSCH, W. J. & A. F. ARCHER

72. 1942. Descriptions of new American Theridiidae. Amer. Mus. Novit. 1171: 1-16.

GERTSCH, W. J. & L. I. DAVIS

- 1940. Report on a collection of spiders from Mexico, II. Amer. Mus. Novit. 1059: 1-18.
- 1940. Report on a collection of spiders from Mexico, III. Amer. Mus. Novit. 1069: 1-22.
- 1942. Report on a collection of spiders from Mexico, IV. Amer. Mus. Novit. 1158: 1-19.
- 1946. Report on a collection of spiders from Mexico, V. Amer. Mus. Novit. 1313: 1-11.

GERTSCH, W. J. & W. IVIE

77. 1955. The spider genus *Neon* in North America. Amer. Mus. Novit. 1743: 1-17.

GERTSCH, W. J. & S. MULAIK

78. 1940. The spiders of Texas I. Bull. Amer. Mus. Nat. Hist. 77(6): 307-340.

GONZALEZ, T.

 1954. Latrodectus mactans mexicanus subsp. nov. An. Inst. Biol. Univ. Mex. 24: 455-457.

HACKMAN, W.

80. 1954. The spiders of Newfoundland. Acta Zool. Fenn. 79: 1-99.

HOFFMAN, R. L.

81. 1963. A second species of the spider genus *Hypochilus* from eastern North America. Amer. Mus. Novit. 2148: 1-8.

HOLM, A.

82. 1960. On a collection of spiders from Alaska. Zool. Bidr. Uppsala 33: 109-134.

IVIE, W.

83. 1947. Some new spiders of the genus *Dictyna*. Published privately by the author in New York, N. Y. 4 pages, not numbered.

JONES, S. E.

- 84. 1945. A new southern spider. Field & Lab. 13(1): 39-41.
- 1947. Descriptions of some species of the spider genus Dictyna. Field & Lab. 15(1): 1-35.
- **86.** 1948. The species of *Dictyna* (Arachnida) in the Exline collection. Field and Lab. 16(1): 29-44.

KASTON, B. J.

- 87. 1945. New spiders in the group Dionycha, with notes on other species. Amer. Mus. Novit. 1290: 1-25.
- 88. 1945. New Micryphantidae and Dictynidae with notes on other spiders. Amer. Mus. Novit. 1292: 1-14.

89. 1946. North American spiders of the genus *Ctenium*. Amer. Mus. Novit. 1306: 1-19.

KURATA, T. B.

Two new species of Ontario spiders. Occ. Pap. R. Ont. Mus. Zool.
 1-6.

LEVI, H. W.

- 1951. New and rare spiders from Wisconsin and adjacent states. Amer. Mus. Novit. 1501: 1-41.
- 92. 1953. New and rare *Dipoena* from Mexico and Central America (Araneae, Theridiidae). Amer. Mus. Novit. 1639: 1-11.
- 93. 1953. Spiders of the genus *Dipoena* from America north of Mexico (Araneae, Theridiidae). Amer. Mus. Novit. 1647: 1-39.
- 94. 1954. Spiders of the new genus *Theridiotis* (Araneae: Theridiidae). Trans. Amer. Micr. Soc. 73(2): 177-189.
- 95. 1954. The spider genera *Episinus* and *Spintharus* from North America, Central America, and the West Indies (Araneae: Theridiidae). Jour. N. Y. Ent. Soc. 62: 65-90.
- 96. 1954. Spiders of the genus *Euryopis* from North and Central America (Araneae, Theridiidae). Amer. Mus. Novit. 1666: 1-48.
- 97. 1954. The spider genus *Theridula* in North and Central America and the West Indies (Araneae, Theridiidae). Trans. Amer. Micr. Soc. 73(4): 331-342.
- 98. 1955. The spider genera Coressa and Achaearanea in America north of Mexico (Araneae, Theridiidae). Amer. Mus. Novit. 1718: 1-33.
- 99. 1955. The spider genera *Oronota* and *Stemmops* in North, Central America and the West Indies (Araneae: Theridiidae). Ann. Ent. Soc. Amer. 48(5): 333-342.
- 100. 1956. The spider genera Neottiura and Anelosimus in America (Araneae: Theridiidae). Trans. Amer. Micr. Soc. 75(4): 407-422.
- 101. 1956. The spider genus Mysmena in the Americas (Araneae, Theridiidae). Amer. Mus. Novit. 1801: 1-13.
- 102. 1957. The spider genera Enoplognatha, Theridion and Paidisca in America north of Mexico (Araneae, Theridiidae). Bull. Amer. Mus. Nat. Hist. 112(1): 1-123.
- 103. 1957. The North American spider genera Paratheridula, Tekellina, Pholcomma and Archerius (Araneae, Theridiidae). Trans. Amer. Micr. Soc. 76(2): 105-115.
- 104. 1957. The spider genera Crustulina and Steatoda in North America, Central America and the West Indies (Araneae, Theridiidae). Bull. Mus. Comp. Zool. 117(23): 367-424.
- 105. 1957. Spiders of the new genus Arctachaea (Araneae, Theridiidae). Psyche 64(3): 102-106.
- 106. 1959. The spider genus Styposis (Araneae, Theridiidae). Psyche 66 (1-2): 13-18.
- 107. 1959. The spider genera Achaearanea, Theridion and Sphyrotinus from Mexico, Central America and the West Indies (Araneae, Theridiidae). Bull. Mus. Comp. Zool. 121(3): 57-163.
- 108. 1962. The spider genera Steatoda and Enoplognatha in America (Araneae, Theridiidae). Psyche 69(1): 11-36.

- 109. 1963. American spiders of the genera Audifia, Euryopis and Dipoena (Araneae, Theridiidae). Bull. Mus. Comp. Zool. 129(2): 121-185.
- 110. 1963. American spiders of the genus Achaearanea and the new genus Echinotheridion (Araneae, Theridiidae). Bull. Mus. Comp. Zool. 129(3): 187-240.
- 111. 1963. American spiders of the genus *Theridion* (Araneae, Theridiidae).
 Bull. Mus. Comp. Zool. 129(10): 481-589.
- 112. 1964. The spider genus *Thymoites* in America (Araneae: Theridiidae).
 Bull. Mus. Comp. Zool. 130(7): 445-471.
- 113. 1964. American spiders of the genus *Phoroncidia* (Araneae: Theridiidae).
 Bull. Mus. Comp. Zool. 131(3): 65-86.
- 114. 1964. The spider genera Stemmops, Chrosiothes and the new genus Cabello from America. Psyche 71(2): 73-92.
- LEVI, H. W. & L. R. LEVI
 - 115. 1951. Report on a collection of spiders and harvestmen from Wyoming and neighboring states. Zoologica 36(4): 219-237.
 - 1955. Spiders and harvestmen from Waterton and Glacier National Parks. Canad. Field Nat. 69(2): 32-40.
- LOWRIE, D. C. & W. J. GERTSCH
 - 117. 1955. A list of spiders of the Grand Teton Park area, with descriptions of some new North American spiders. Amer. Mus. Novit. 1736: 1-29.
- McCrone, J. D.
 - 118. 1963. Taxonomic status and evolutionary history of the Geolycosa pikei complex in the southeastern United States (Araneae, Lycosidae). Amer. Midl. Nat. 70(1): 47-73.
- MUMA, M. H.
 - 119. 1944. A report on Maryland spiders. Amer. Mus. Novit. 1257: 1-14.
 - 120. 1945. New and interesting spiders from Maryland. Proc. Biol. Soc. Wash. 58: 91-104.
 - 121. 1946. North American Agelenidae of the genus Coras Simon. Amer. Mus. Novit. 1329: 1-20.
 - 122. 1947. North American Agelenidae of the genus Wadotes Chamberlin. Amer. Mus. Novit. 1334: 1-12.
 - 123. 1953. A study of the spider family Selenopidae in North America, Central America and the West Indies. Amer. Mus. Novit. 1619: 1-55.
- MUMA, H. M. & W. J. GERTSCH
 - 124. 1964. The spider family Uloboridae in North America north of Mexico. Amer. Mus. Novit. 2196: 1-43.
- RODDY, L. R.
 - 125. 1957. Some spiders from southeastern Louisiana. Trans. Amer. Micr. Soc. 76(3): 285-295.
- ROTH, V. D.
 - 126. 1952. The genus Cybaeus (Arachnida: Agelenidae) in Oregon. Ann. Ent. Soc. Amer. 45: 205-219.
 - 127. 1952. Notes and a new species in Cybaeina (Arachnida: Agelenidae).
 Pan-Pac. Ent. 42(9): 195-201.
 - 128. 1954. Review of the spider subgenus *Barronopsis* (Arachnida, Agelenidae). Amer. Mus. Novit. 1678: 1-7.
 - 129. 1956. Revision of the genus *Yorima* Chamberlin & Ivie (Arachnida, Agelenidae). Amer. Mus. Novit. 1773: 1-10.
 - MEM. AMER. ENT. SOC., 23

SCHENKEL, E.

- 130. 1950. Spinnentiere aus dem westlichen Nordamerika, gesammelt von Dr. Hans Schenkel-Rudin. Verh. Naturf. Ges. Basel 61: 29-92.
- 131. 1951. Spinnentiere aus dem westlichen Nordamerika. Verh. Naturf. Ges. Basel 62: 24-62.

VOGEL, B. R.

132. 1964. A taxonomic revision of the distincta group of the wolf-spider genus Pardosa in America north of Mexico (Araneida, Lycosidae). Postilla 82: 1-30.

WALLACE, H. K.

- 133. 1942. A study of the *lenta* group of the genus *Lycosa* with descriptions of new species (Araneae, Lycosidae). Amer. Mus. Novit. 1185: 1-21.
- 134. 1942. A revision of the burrowing spiders of the genus *Geolycosa* (Araneae, Lycosidae). Amer. Midl. Nat. 27(1): 1-62.
- 135. 1947. A new wolf spider from Florida with notes on other species. Fla. Ent. 30(3): 33-38.
- 136. 1950. On Tullgren's Florida spiders. Fla. Ent. 33: 71-83.

ADDENDA

BRYANT, E. B.

137. 1944. Three species of *Coleosoma* from Florida (Araneae, Theridiidae). Psyche 50(1-2): 51-58.

CHICKERING, A. M.

138. 1959. The genus Tetragnatha (Araneae, Argiopidae) in Michigan. Bull. Mus. Comp. Zool. 119(9): 466-499.

CUTLER, B.

139. 1965. The jumping spiders of New York City (Araneae: Salticidae). Jour. N. Y. Ent. Soc. 73(3): 138-143.

GERTSCH, W. J.

140. 1964. A review of the genus Hypochilus and a description of a new species from Colorado (Araneae, Hypochilidae). Amer. Mus. Novit. 2203: 1-14.

IVIE, W.

141. 1965. The spiders of the genus *Islandiana* (Linyphiidae, Erigoninae). Amer. Mus. Novit. 2221: 1-25.

Levi, H. W. & L. R. Levi

142. 1962. The genera of the spider family Theridiidae. Bull. Mus. Comp. Zool. 127(1): 1-71, figs. 1-334.

RICHMAN, D. B.

143. 1965. Jumping spiders (Salticidae) from Yuma County, Arizona, with a description of a new species and distributional records. S. W. Nat. 10(2): 132-135.

SCHICK, R. X.

144. 1965. The crab spiders of California (Araneida, Thomisidae). Bull. Amer. Mus. Nat. Hist. 129(1): 1-180.

TURNBULL, A. L., C. D. DONDALE & J. H. REDNER

145. 1965. The genus Xysticus C. L. Koch (Araneae: Thomisidae) in Canada. Canad. Ent. 97(12): 1233-1280.

IVIE, W.

146. 1966. Two new North American spiders (Araneae: Linyphiidae). Jour. N. Y. Ent. Soc. 74(4): 224-327.

RODDY, L. R.

147. 1966. New species, records, of clubionid spiders. Trans. Amer. Micros. Soc. 85(3): 399-407.

INDEX

Families and Subfamilies

Agelenidae, 3	Leptonetidae, 87
Amaurobidae, 16	Linyphiidae, 88
Anyphaenidae, 20	Lycosidae, 101
Araneidae, 20	
Araneinae, 20	Mimetidae, 109
Argiopinae, 29	
Gasteracanthinae, 29	Oecobiidae, 109
Metinae, 29	Oonopidae, 110
Tetragnathinae, 30	Oxyopidae, 111
Theridiosomatinae, 31	
	Pholcidae, 112
Caponiidae, 32	Pisauridae, 113
Clubionidae, 32	Plectreuridae, 113
Ctenidae, 43	
	Salticidae, 116
Dictynidae, 43	Scytodidae, 121
Diguetidae, 61	Selenopidae, 123
F: :1 (0	Symphytognathidae, 123
Erigonidae, 62	
Filistatidae, 81	Theridiidae, 125
Thistatidae, 61	Thomisidae, 148
Gnaphosidae, 81	
<u>F</u>	Uloboridae, 157
Hahniidae, 85	
Heteropodidae, 87	Zodariidae, 158
Hypochilidae, 87	Zoropsidae, 159
	Carana 3
	Genera ³

Acheae, 126	Aranea, 22
Achaearanea, 126	Araneus, 23
ACULEPEIRA, 20, 22	ARANEILLA, 21, 23
Agastostichus, 22	ARCHERIUS, 125, 128
Agelena, 3	ARCTACHAEA, 125, 128
Agelenopsis, 4	Arctosa, 101
Agroeca, 32	ARCUPHANTES, 88, 89
Allotheridion, 127	Argenna, 44
AMAROTYPUS, 21, 22	Argennina, 45
Amaurobius, 17	Argiope, 29
Anacornia, 63	Argyrodes, 128
Anapisona, 123	Ariston, 157
Anapistula, 124	
Anelosimus, 127	Bathyphantes, 90
Anibontes, 89	BATROCEPS, 62, 63
ANOPAS, 29	
Anyphaena, 20	CALILENA, 3, 4
Anyphaenella, 20	Callilepis, 81
Apollophanes, 149	Callioplus, 18
Araeoncus, 63	CALLOBIUS, 16

³ Genera named since 1939 are indicated by capital letters.

BEATRICE R. VOGEL

Calymmaria, 6 CAMBRIDGEPEIRA, 21 Castianeira, 32 Catabrithorax, 63 CENTROMEROIDES, 88, 91 Centromerus, 91 Cephalethus, 63 Ceraticelus, 64 Ceratinella, 65 Ceratinops, 66 Ceratinopsis, 66 Chasmocephalon, 124 Chensieo, 67 CHERAIRA, 62, 67 CHINDELLUM, 125, 128 Chrosiothes, 129 Chrysso, 129 Cicurina, 6 Clubiona, 33 CLUBIONOIDES, 32, 36 Cochlembolus, 67 Coleosoma, 129 Collinsia, 68 COLONCUS, 62, 68 COLPHEPEIRA, 21 CONARANEA, 21, 24 CONEPEIRA, 21, 24 Conopistha, 129 Coras, 9 Coriarachne, 149 Corinna, 37 Cornicularia, 68 Corypheolana, 69 Crustulina, 129 Ctenium, 129 Cybaeina, 11 Cybaeus, 11

Dictyna, 45
Diguetia, 62
Diplocentria, 69
Dipoena, 130
Disembolus, 69
Dismodicus, 69
DIXOMYS, 43
Dolomedes, 113
Drapetisca, 91
Drassodes, 81
Drassyllus, 81

Ebo, 149
EMBLYNA, 43, 56
EMERTONELLA, 125
Enoplognatha, 132
Epeira, 25
Eperigone, 69
Episinus, 133
Erigone, 69
EROVIXIA, 21
Ero, 109
Ethobuella, 12
Eulaira, 70
Euryopis, 133
Eusparassus, 87

Filistata, 81 Floricomus, 71 Frontinella, 91

Eustala, 25

Gasteracantha, 29 Gayenna, 37 Geolycosa, 101 GERTSCHIA, 116 GIBBARANEA, 21 Gnaphosa, 82 GNATHANTES, 88, 91 Grammonota, 72

Habrocestum, 116 Habronattus, 116 Hahnia, 85 HAHNISTEA, 85 Hamataliwa, 111 Haplodrassus, 83 Helophora, 92 HENTZIECTYPUS, 125 Herpyllus, 83 Heterochemmis, 37 Heterodictyna, 58 Hillaira, 72 Hololena, 12 Horcotes, 73 Hyctia, 116 Hypochilus, 87 Hypomma, 73 Hyptiotes, 158

Icius, 117 Islandiana, 73 Ivesia, 92

JALAPYPHANTES, 88, 92

Kibramoa, 113 KOCHIURA, 125

LABUELLA, 89, 92 LARINIACANTHA, 21 Laronia, 83 Lathys, 58 Latrodectus, 135 Lauricius, 37 Leptoneta, 87 Leptyphantes, 92 Lecauge, 30 LINYPHANTES, 89, 93 Linyphia, 95 Liocranoides, 37 Liodrassus, 83 Lithyphantes, 135 Litopyllus, 83 Lophomma, 74 Loxosceles, 121 Lutica, 158

Maevia, 117 Mallos, 59 Mangora, 26 Maso, 74 MASONCUS, 62, 75 Marpissa, 117 Mastophora, 26 MAYMENA, 123, 124 Megamyrmecium, 83 Meioneta, 96 Metacyrba, 118 Metaphidippus, 118 METELLINA, 30 Metepeira, 26 Micaria, 37 Micragus, 75 Micrathena, 29 Microneta, 98 Mimetus, 109 Minyriolus, 75 Misumenops, 150

Lycosa, 102

Montilaira, 75 MUFILA, 126, 135 Mysmena, 124 Mysmenopsis, 124 Myrmarachne, 119 Mythoplastoides, 75

Neoanagraphis, 39 Neoantistea, 86 Neon, 119 Neoscona, 27 Neosconella, 28 NESTICODES, 126 NICHOLASIA, 21 Nodocion, 84 NOVALENA, 3, 14

OAPHANTES, 89
Odo, 43
Oecobius, 109
Oedothorax, 75
Oonops, 110
OPADOMETA, 29
Opopaea, 110
Orchestina, 110
Orodrassus, 84
Orthonops, 32
Oxyopes, 111
Ozyptila, 151

Pachygnatha, 30 PAGOMYS, 43, 60 Paidisca, 135 PAIDISCURA, 126 Paraphidippus, 119 PARATHERIDULA, 126 Pardosa, 103 PAROGULINIUS, 31 Pelecopsis, 76 Pellenes, 119 PELLOCTANES, 148 PHANTYNA, 44 Phidippus, 120 Philesius, 110 Philodromus, 152 Pholcomma, 135 Pholcophora, 112 PHONOTIMPUS, 32, 39 Phoroncida, 136 Phrurolithus, 39

Phrurotimpus, 42 Physocyclus, 112 Piabuna, 42

PICKARDINELLA, 29 PIMOA, 89, 98 PIMUS, 16, 18 Pirata, 106 Pityohyphantes, 98 Plectreurys, 114 Poecilochora, 84 Poeciloneta, 99 Porrhomma, 100

PSELOTHORAX, 62, 76

Pseudicius, 121 Psilochorus, 112 PUSILLIA, 89, 100

RHYSODROMUS, 148, 154 RITALENA, 3, 14 RUALENA, 3, 14

SALTONIA, 3, 15 Scaphiella, 110 Schizocosa, 107 Sciastes, 76 Scironis, 76 Scotinella, 42 Scotolathys, 60 Scylaceus, 76 Scytodes, 123 Selenops, 123 SELENYPHANTES, 89

Serigiolus, 84 SIMONARACHNE, 21

Singa, 28 Sisicottus, 77 Sisicus, 77 Sitticus, 121 Sosippus, 108

SOSTOGEUS, 81, 84

Soudinus, 77 Souessa, 77 Sougambus, 77 Sphyrotinus, 136 Spirembolus, 77 Steatoda, 136 Stemmops, 137 Stemonyphantes, 100 Storena, 158

Strotarchus, 43

MEM. AMER. ENT. SOC., 23

Styposis, 138 Syrisca, 43

Tachygyna, 78 Tapinocyba, 78 Tapinopa, 100 Taranucnus, 100 Tarentula, 108 Tegenaria, 15

TEKELLINA, 126, 138 Tetragnatha, 30 Thallumetus, 60 Theridion, 138 Theridiosoma, 31

THERIDIOTIS, 127, 147

Theridula, 148 Thymoites, 148 Tibellus, 154 TIBIOPLUS, 62, 79 Tigellinus, 79 Titanebo, 154 Titanoeca, 19 TIVYNA, 44 Tmarus, 154 Tomis, 121 Tortembolus, 80 TORTOLENA, 3, 15 TOSYNA, 44, 61 Trachelas, 43 Trachynella, 80 Tricholathys, 61 Trochosa, 108 Troglohyphantes, 101

Trogloneta, 125

Uloborus, 158 Usofila, 88

Varyna, 44

Wadotes, 15 WALMUS, 16, 19 Willibaldia, 80 Wixia, 28 Wubana, 80

Xysticus, 154

YORIMA, 3, 16

YUKON, 63, 80

ZANOMYS, 16, 20 Zelotes, 84 Zorocrates, 159 Zygiella, 28 ZYGOTTUS, 63, 80

Species and Subspecies 4

abalonea, Lutica, 158 abbotti, Phidippus, 120 abbotoides, Clubiona, 33 abdita, Eustala, 25 abditus, Phrurolithus, 39 absoluta, Storena, 158 abstrusus, Uloborus, 158 absurdus, Phrurolithus, 39 abundans, Dictyna, 45 abyssus, Selenops, 123 acanthus, Psilochorus, 112 acapulcoanus, Zelotes, 84 achuca, Clubionoides, 36 acuta, Dictyna, 45 adenoidea, Cybaeus, 11 adjacens, Phrurolithus, 39 adna, Calilena, 4 aduma, Hololena, 12 aemulatus, Phrurolithus, 39 aeolium, Theridion, 138 aerialis, Coras, 9 agastus, Walmus, 19 agathus, Ceraticelus, 63 aggressus, Leptyphantes, 92 agressa, Dictyna, 45 agreutes, Philodromus, 152 agrifoliae, Theridion, 138 aiko, Dictyna, 45 aikoae, Misumenops, 150 ajo, Styposis, 138 alabama, Coras, 10 alachua, Clubiona, 33 alachua, Neoantistea, 86 alamosa, Steatoda, 136 alascensis dondalei, Rhysodromus, 154 alaskae, Ceratinella, 65 alaskae, Dictyna, 45 alaskensis, Meloneta, 96 alaskensis, Tachygyna, 78 alaskanus, Amaurobius, 17 alata, Castianeira, 32 alba, Scotolathys, 60

albeolus, Metaphidippus, 118 alberta, Micaria, 37 albida, Yorima, 16 albocaudatus, Ebo, 149 aldersoni, Leptyphantes, 92 aleuticus, Micragus, 75 algida, Hilaira, 72 alias, Dictyna, 45 aliso, Linyphantes, 93 allapahae, Pirata, 106 alleni, Erigone, 69 alleni, Rualena, 14 alpha, Tapinocyba, 78 alpheus, Mallos, 59 alpicora, Cicurina, 6 alpina, Metepeira, 26 altamira, Dictyna, 45 altamontis, Pardosa, 103 altana, Cicurina, 7 altana, Clubiona, 33 altera, Crustulina, 129 alternada, Castianeira, 32 alticeps, Dismodicus, 69 alticeps, Pityohyphantes, 98 altura, Eulaira, 70 altura, Hololena, 12 ambera, Achaearanea, 126 ambitum, Theridion, 138 americana anopla, Titanoeca, 19 americanus, Araeoncus, 63 ammophila, Lycosa, 102 ampla, Emblyna, 56 ampullatus, Xysticus, 154 amylus, Scylaceus, 76 anacortes, Linyphantes, 93 anahuas, Dipoena, 130 andersoni, Diguetia, 61 andreaannae, Ebo, 149 andrewsi, Aranea, 22 angela, Plectreurys, 114 angelena, Calilena, 5 angeleus, Amaurobius, 17

⁴ Listed are all names published as new species or new subspecies in North America from 1940 to 1966.

angelica, Yorima, 16 angelus, Cybaeus, 11 angularis, Coras, 10 angusta, Grammonota, 72 annamae, Agelena, 3 annamae, Corinna, 37 annamae, Dictyna, 45 annexa, Lycosa, 102 annulatus, Phrurotimpus, 42 anopla, Titanoeca americana, 19 anyphaenoides, Ethobuella, 12 apache, Disembolus, 69 apachea, Scotolathys, 60 apacheana, Micaria, 37 apacheana, Steatoda, 136 apacheus, Pellenes, 119 apacheus, Phrurolithus, 39 apalacheus, Pirata, 106 apalacheus, Xysticus, 155 aperta guttata, Agelenopsis, 4 apollo, Oxyopes, 111 apothetica, Lycosa, 102 appalachia, Dipoena, 130 appalachia, Leptyphantes, 92 approximatus, Phrurolithus, 40 approximatus, Tortembolus, 80 apulco, Theridion, 138 aquilona, Hilaira, 73 aquilonaris, Tarentula, 108 arcadium, Theridion, 138 arcata, Cicurina, 7 archboldi, Geolycosa xera, 101 archboldi, Tekellina, 138 archeri, Mastophora, 26 arctica, Hilaira montigena, 73 arcticola, Erigone, 70 arcticum, Ctenium, 129 arctoa, Eulaira, 71 ardea, Dictyna, 46 ardea, Plectruerys, 114 arida, Plectreurys, 114 arienus, Masoncus, 75 arizona, Cicurina, 7 arizonatus, Trachelus, 43 arizonense, Theridion, 138 arizonensis, Metacyrba, 118 arizonica, Calilena, 5 arizonica, Castianeira, 32 arizonica, Hahnia, 85 arizonica, Metepeira, 26

arizonicus, Amaurobius, 17 arizonicus, Loxosceles, 121 arkansana, Eustala, 25 arkansas, Neoscona, 27 artemesia, Dictyna, 46 aspenola, Calymmaria, 6 atascadera, Steatoda, 136 atlantis, Conepeira, 24 atlixco, Theridion, 139 atopus, Pselothorax, 76 atypica, Hololena, 12 atypicus, Sisicottus, 77 aureus, Oxyopes, 111 autor, Scironis, 76 avalonus, Neon, 119 avila, Rualena, 15 aztecus, Xysticus, 155

baboquivari, Argyrodes, 128 bajula, Corinna, 37 balboae, Agelenopsis, 4 banksi, Ctenium, 129 banksi, Dictyna, 46 banksi, Eustala, 25 banksi, Phrurolithus, 40 bantus, Psilochorus, 112 barbarae, Theridion, 139 barbarana, Hololena, 12 barbarus, Walmus, 19 barnesi, Grammonota, 72 barnesi, Pholcomma, 135 barnesi, Sittacus, 121 barrowsi, Anyphaena, 20 barrowsi, Meioneta, 96 barrowsi, Theridiotis, 147 beaufortensis, Meioneta, 96 belkini, Misumenops importunus, 150 bella, Neosconella, 28 bellona, Poeciloneta, 99 belma, Ozyptila, 151 beluga, Sciastes, 76 benevola, Frontinella huachuca, 91 bernardino, Dipoena, 130 berthae, Leptyphantes, 93 berthoudi, Ceraticelus, 64 bifida, Dictyna, 46 bilobatus, Batroceps, 63 birostrum, Cephalethus, 63 bishopi, Clubiona, 33 bishopi, Dictyna, 46

bishopi, Pagomys, 59 bishopi, Pelecopsis, 76 bishopi, Theridion, 139 bison, Ozyptila, 151 blandus, Mallos, 59 blatchleyi, Theridion, 139 blauveltae, Stemonyphantes, 100 bodenburgi, Erigone, 70 bolivari, Loxosceles, 122 bolivari, Theridion, 139 bolivari, Xysticus, 155 bona, Ceratinopsis, 66 boneti, Anapistula, 124 boneti, Loxosceles, 122 boneti, Sphyrontius, 136 bonita, Micaria, 37 bonita, Pusillia, 100 bonneti, Hypochilus, 87 borealis, Ctenium, 129 brachygynus, Pityohyphantes, 98 bradti, Sphyrontius, 136 bradti, Xysticus, 155 branchi, Dictyna, 46 breviata, Pimoa, 98 bridgesi, Theridion, 139 brittoni, Phrurolithus, 40 browni, Micaria, 37 browni, Pirata, 106 bryantae, Ceraticelus, 64 bryantae, Dictvna, 46 bryantae, Hyctia, 116 bryantae, Phidippus, 120 bryantae, Pirata, 107 bryanti, Mallos, 59 bryanti, Wixia, 28 bucephalus, Ceraticelus laticeps, 64 bufoides, Habrocestum, 116 bulbipes, Pellenes, 119 buna, Ceratinella, 65 buwata, Cicurina, 7

calavera, Novalena, 14
californica, Dictyna, 46
californicus, Tibellus, 154
camano, Paidiscura, 135
cambridgei, Habronattus, 116
cambridgei, Megamyrmecium, 83
cambridgei, Stemmops, 137
cameronse, Theridion, 139
canada, Amarobius, 17

cancriformis gertschi, Gasteracantha, 29 canites mulaiki, Diguetia, 61 canmorus, Araneus, 23 canonis, Poeciloneta, 99 capens, Emblyna, 56 carolinalis, Epeira, 25 carolinensis, Ivesia, 92 carota, Pholcomma, 135 carpenteri, Zvgiella, 28 carrvillus, Liodrassus, 83 casas, Theridula, 148 cascadae, Pardosa, 104 cascadea, Tricholathys, 60 cascadeus, Oedothorax, 75 cascadius, Cybaeus, 11 cascadus, Coloncus, 68 castoris, Cheraira, 67 castro, Tegenaria, 15 catalina, Linyphia, 95 catalinae, Theridion, 139 catalinius, Phrurolithus, 40 catalinus, Amaurobius, 17 catapetraeum, Theridion, 139 catawba, Clubiona, 33 cathederalis, Dipoena, 130 caudata, Frontinella, 91 cavaticus, Arcuphantes, 89 cavealis, Islandiana, 73 cavernorum, Coras, 10 cavernosa, Dictyna, 46 cebolla, Dictyna, 47 certus, Phrurolithus, 40 chamberlini, Leptyphantes, 93 chamberlini, Phrurotimpus, 42 chamisis, Philodromus, 152 chaparralis, Xysticus, 155 chathami, Dipoena, 130 cheimatos, Theridion, 140 chenea, Dictyna, 47 cherokee, Trochosa, 108 cheronus, Spirembolus, 77 chiapasia, Linyphia, 95 chiapensis, Episinus, 133 chiapensis, Schyrotinus, 136 chica, Maymena, 124 chihuahua, Theridion, 140 chilapa, Dictyna, 47 chilapa, Theridion, 140 chilkatensis, Erigone, 70

china, Steatoda variata, 137 chinda, Theridion, 140 chippewa, Clubiona, 34 chippewa, Xysticus, 155 chiricahua, Achaearanea, 127 chirica, Theridiotis, 147 chisosa, Clubionoides, 36 chitina, Dictyna, 47 cholla, Dictyna, 47 clakamas, Dictyna, 47 claytoni, Centromerus, 91 clematus, Metaphidippus, 118 clementae, Lutica, 158 coachellae, Philodromus, 152 coahuilana, Agelena, 4 coahuilana, Eperigone, 69 coahuilana, Lycosa, 102 coahuilanus, Drassyllus, 81 coahuilanus, Herpyllus, 83 coahuilanus, Phrurolithus, 40 cochise, Theridion, 140 cochise, Xysticus, 155 cockerelli, Rualena, 15 coconino, Islandiana, 73 coconino, Neoantistea, 86 coeca, Leptoneta, 87 cognata, Emblyna, 56 coki, Euryopis, 133 colima, Episinus, 133 colima, Loxosceles, 122 colima, Mysmena, 124 colima, Theridion, 140 colorada, Cicurina, 7 coloradensis, Grammonota, 72 coloradensis, Pityohyphantes cristatus, 98 columbia, Lophomma, 74 coma, Leptoneta, 88 completoides, Dictyna, 47 comstocki, Micrathena, 29 concisus, Argyrodes, 128 concisus, Phrurolithus, 40 confusa, Cybaeina, 11 conifera, Plectreurys, 114 conjunctus, Psilochorus, 112 connectus. Phrurolithus. 40 constrictus, Cybaeus, 11 contorta, Dictyna, 47 contreras, Theridion, 140 convolutus, Wadotes, 15

coralynae, Lathys, 58 corneliae, Soudinus, 77 cornupeta, Dictyna, 47 corus, Sphyrotinus, 136 corvallis, Zygottus, 80 corynetes, Diplocentria, 69 covensis, Drassyllus, 81 coweta, Dictyna, 48 cowlease, Theridion, 140 coyoacan, Theridion, 140 crandalli, Neoantistea, 86 crandalli, Pellenes, 119 crassipes, Metepeira, 26 creola, Ozyptila, 151 creolus, Drassyllus, 81 creosotis, Ebo, 149 crescentis, Coras, 10 cristatus, Pityohyphantes, 98 cristatus coloradensis, Pityohyphantes, 98 crocana, Emblyna, 56 crosbyi, Ceratinopsis, 66 crosbyi, Ctenium, 130 crosbyi, Dictyna, 48 crosbyi, Erigone, 70 crucum, Theridion, 140 cruzana, Rualena, 15 cuernavaca, Jalapyphantes, 92 cuervus, Oonops, 110 curvata, Dictyna, 48 curvata, Pimoa, 98 custeri, Scotinella, 42 cutleri, Myrmarachne, 119 cuyutlan, Theridion, 141 cymbia, Mysmena, 124

dactylata, Meioneta, 96 dakota, Metepeira, 26 dakota, Tricholathys, 61 daltoni, Dipoena, 130 dana, Hololena, 12 dana, Pusillia, 100 darlingtoni, Aranea, 22 datona, Metepeira, 26 davisi, Argyrodes, 128 davisi, Chrysso, 129 davisi, Linyphia, 95 davisi, Theridiosoma, 31 davisorum, Theridion, 141 dauna, Dictyna, 48

MEM. AMER. ENT. SOC., 23

coosa, Linyphia, 95

dawsoni, Conepeira, 24 debilis, Phrurolithus, 40 decaprini, Dictyna, 48 deces, Amaurobius, 17 decorata, Meioneta, 96 decoratus, Arcuphantes, 89 decoratus, Serigiolus, 84 dela, Tortolena, 15 deletus, Phrurolithus, 40 delmarus, Linyphantes, 94 demores, Dictyna, 48 denningi, Aranea, 22 dentoides, Marpissa, 117 deserta, Plectreurys, 114 deserti, Misumenops, 150 deserticola, Cicurina, 7 desolatula, Pardosa, 104 desplicata octopunctata, Araniella, 23 devius, Cybaeus, 11 devius, Loxosceles, 122 diablae, Philodromus gertschi, 152 diegenis, Araneus, 23 diluta, Pholcophora, 112 dilutum, Theridion, 141 dispar, Ebo, 149 disparata, Grammonota, 72 distinctus, Linyphantes, 94 diversa, Ceratinella, 65 diversus, Phrurolithus, 40 divestus, Phrurolithus, 41 dividuum. Theridion, 141 divinulus, Phrurolithus, 41 divisus, Scylaceus, 77 dixiana, Calilena multiformis, 5 dixiana, Corniculatia, 68 dixiana, Scotinella, 42 dominatus, Metaphidippus, 118 dondalei, Rhysodromus alascensis, 154 dorotheae, Walmus, 19 dorsalis, Phidippus, 120 dorsata, Dipoena, 131 douglasi, Metepeira, 26 dreisbachi, Theridion, 141 droseroides, Philodromus, 152 dubia, Hilaira, 73 dulcineum, Theridion, 141 dulcineus, Phrurolithus, 41 durdenae, Taranucnus, 100 dux, Masoncus, 75 dyasia, Clubiona, 34

dyea, Dictyna, 48 dystactus, Haplodrassus, 83

eleganoides, Pellenes, 120 eleganoides suranus, Pellenes, 120 elegans georgiensis, Habronattus, 116 elizabethae, Clubiona, 34 elizabethae, Micaria, 38 ellamae, Neon, 119 ellipes, Drassyllus, 82 elmora, Tetragnatha, 30 emertoni, Agelenopsis, 4 emertoni, Dictyna, 48 emertoni, Micrathena sagittata, 29 emertoni, Tapinocyba, 78 emertoni, Theridula, 148 ensenada, Metepeira, 27 enus, Amaurobius, 17 eremophilus, Drassyllus, 82 ericeticola, Lycosa, 102 escambiensis, Geolycosa, 101 estes, Clubiona, 34 eugenia, Emblyna, 57 eureka, Linyphantes, 94 eutypa, Ceratinopsis, 66 eutypus, Phonotimpus, 39 evicta, Dictyna, 48 exempta, Clubiona, 34 exigua, Tapinocyba, 78 exlinae, Cicurina, 7 exlineana, Dictyna, 48 expansa, Maevia, 117 extensa, Dictyna, 49

fallax, Pardosa, 104
federalis, Xysticus, 155
felinus, Oxyopes, 111
ferosa, Gnathantes, 91
fervidus, Xysticus, 155
fieldi, Theridion, 141
flava, Usofila, 88
flavescens, Liocranoides, 37
flavoides, Islandiana, 74
florida, Argiope, 29
floridanus, Mangora, 26
floridanus, Oxyopes, 111
floridensis, Agelenopsis, 4
floridensis, Ctenium, 130
fontanus, Icius, 117

formosus pistus, Ceraticelus, 64
fortunata, Dipoena, 131
fragilis, Arcuphantes, 89
francesca, Apollophanes, 149
francisca, Dictyna, 49
franciscanus, Metaphidippus, 118
fresno, Achaearanea, 127
frianta, Hololena, 12
frigicola, Theridion, 141
frio, Theridion, 141
furcatus, Coras, 10
fuscipes, Meiontea, 96
fuscus, Sciastes, 76

gabrielensis, Misumenops, 150

gallinoides, Grammonota, 72 gamma, Tapinocyba, 78 garrina, Hilaira, 73 geochares, Achaearanea, 127 geophila wawona, Filistata, 81 georgiae, Pardosa, 104 georgiana, Ceratinopsis, 66 georgiana, Euryopis, 133 georgiana, Grammonota, 72 georgiensis, Habronattus elegans, 116 georgiensis, Sougambus, 77 gertschi, Agelenopsis, 4 gertschi, Anapisona, 124 gertschi, Calilena, 5 gertschi, Castianeira, 33 gertschi, Clubiona, 34 gertschi, Conaranea, 24 gertschi, Euryopis, 134 gertschi, Gasteracantha cancriformis, 29 gertschi, Hilaira vexatrix, 73 gertschi, Hypochilus, 87 gertschi, Leptoneta, 88 gertschi, Micaria, 38 gertschi, Neoantistea, 86 gertschi, Ozyptila, 151 gertschi, Pardosa, 104 gertschi diablae, Philodromus, 152 gertschi gertschi, Philodromus, 153 gertschi, Pirata, 107

gloria, Dictyna, 49 glyphica, Conepeira, 24 godibia, Ceratinopsis, 66 goleta, Rualena, 15 goodnighti, Phrurolithus, 41 goodnightorum, Theridion, 142 goodnightorum, Theridiosoma, 31 goodnightorum, Theridiotis, 147 gosiuta, Micaria, 38 gosoga, Calilena, 5 gosoga, Callilepis, 81 gracilis, Selenops, 123 grandiosa, Metepeira, 27 gratus, Metaphidippus, 118 gratus, Pirata, 107 grayi, Meioneta, 96 grizzlyi, Cybaeus, 11 guapa, Kibramoa, 113 guerrerensis, Zorocrates, 159 guttata, Agelenopsis aperta, 4

haden, Pimoa, 98 hagiellus, Walmus, 19 halli, Mallos, 59 hamiltoni, Tarentula, 108 hansii, Argennina, 45 hansii, Eusparassus, 87 hansii, Sittacus, 121 hansii. Theridion, 142 hardyi, Dictyna, 49 hardyi, Ozyptila, 151 harperi, Pardosa, 104 harrodi, Tetragnatha, 30 hatchi, Dictyna, 49 haydeni, Sittacus, 121 haynesi, Mimetus, 109 heathi, Walmus, 19 hemetha, Ceratinella, 65 hentzi, Dictyna, 49 hentzi, Tapinopa, 100 hentziana, Wixia, 28 hermosillo, Achaearanea, 127 hermosus, Walmus, 19 hesperellus, Pimus, 18 hesperus, Lathys, 58 hetchi, Pardosa, 104 hexops, Cicurina, 7 hibernus, Sisicottus, 77 hidalgo, Theridion, 142 hilltonia, Clubiona, 34

MEM. AMER. ENT. SOC., 23

gertschi, Porhomma, 100

gertschi, Psilochorus, 112

gertschi, Tarentula, 108

gertschi, Theridion, 142

gertschi, Tibellus, 154

gertschi, Xysticus, 155

hobbsae, Maevia, 117 hobbsi, Theridion, 142 holmi, Islandiana, 74 holocera, Ceratinella, 65 hoogstraali, Physocyclus, 112 hooki, Lauricius, 37 hopi, Hololena, 13 hopi, Pardosa, 104 hoya, Dictyna, 49 huachua, Frontinella, 91 huachua benevola, Frontinella, 91 huachucanus, Trachelas, 43 hubbelli, Drassyllus, 82 hubbelli, Geolycosa, 101 hubbsi, Bathyphantes, 90 hurca, Filistata, 81 hutchensoni, Mastophora, 26 hypsigaster, Parogulinus, 31 hystrix, Cybaeus, 11

idahoana, Tapinocyba, 79 iguala, Scaphiella, 110 illudens, Phrurolithus, 41 imitarius, Xysticus, 156 imitata, Meioneta, 96 imitata, Ozyptila, 151 imitatus, Psilochorus, 112 immaculata, Scotolathys maculata, 60 imperialis, Saltona, 15 imperiosa, Diguetia, 62 importunus belkini, Misumenops, 150 inanus, Drassyllus, 82 index, Achaea, 126 indianorum, Theridion, 142 ingenuata, Dictyna, 49 inglesi, Ozyptila, 152 inheritus, Zelotes, 84 innomonata, Conepeira, 24 inornata, Euryopis, 134 inornata, Hahnia, 85 inscriptum, Habrocestum, 116 insperatus, Philodromus, 153 insulanus, Bathyphantes, 90 intermedia, Maevia, 117 interventa, Ceratinopsis, 66 iowa, Tapinocyba, 79 isolata, Kibramoa, 113 istokpoga, Theridion, 142 itasca, Cicurina, 7

iviei, Aranea, 23

iviei, Chrosiothes, 129 iviei iviei, Xysticus, 156 iviei sierrensis, Xysticus, 156 ixlitla, Mysmena, 124

jacalana, Neoantistea, 86 jacinto, Tricholathys, 61 jacksonia, Micaria, 38 janae, Clubiona, 34 janus, Cybaeus, 11 jeanae, Micaria, 38 jeanae, Theridion, 142 jeffersi, Agelenopsis, 4 joaquina, Dictyna, 49 johnsoni, Clubiona, 34 jollensis, Gayenna, 37 jollensis, Lycosa, 103 jollensis, Neoantistea, 86 jonesae, Thomis, 121 jonesi, Cicurina, 8 ionesi, Neoscona, 27 josepha, Metepeira, 27 josephus, Bathyphantes, 90 josephus, Poecilochora, 84 joshua, Enoplongnatha, 132 joshua pintura, Enoplongnatha, 132 juarezi, Episinus, 133 juno, Dictyna, 49

kagani, Clubiona, 34 kaiba, Eulaira, 71 kaiba, Zanomys, 20 kamela, Pityohyphantes, 99 kamelus, Amaurobius, 17 kastoni, Agelenopsis, 4 kastoni, Agroeca, 32 kastoni, Clubiona, 34 kastoni, Phrurolithus, 41 kawea, Theridion, 142 kena, Cheraira, 67 kenaba, Ceratinella, 65 kentzi, Zelotes, 84 kesimba, Tapinocyba, 79 kiowa, Clubiona, 35 kisatchi, Aranea, 23 kisatchi, Coras, 10 klamatha, Dictyna, 50 kokoko, Troglohyphantes, 101 kraussi, Mallos, 59

kuratai, Bathyphantes, 96 kuratai, Clubiona, 35 kuratai, Pachygnatha, 30

labrea, Lycosa, 103 lactea, Pagomys, 59 laetabilis pisga, Ceraticelus, 64 laguna, Calilena stylophora, 6 laguna, Linyphantes, 94 lana, Dipoena, 131 lapanus, Orthops, 32 lasalus, Drassyllus, 82 lassena, Hololena, 13 laticeps bucephalus, Ceraticeius, 64 latigyna, Erigone, 70 lativulva, Neoscona, 27 lawrencei, Theridion, 143 lecontei, Pseudicius, 121 leechi, Theridion, 144 leechi, Xysticus, 156 leones, Theridion, 143 leonensis, Argyrodes, 128 lepidula, Frontinella, 91 lepidus, Selenops, 123 lesserti, Serigiolus, 84 leucabulba, Agastostichus, 22 leucophora, Meioneta, 97 leucus, Pimus, 18 levii, Clubiona, 35 levii, Pellenes, 120 liber, Litopyllus, 83 limitatus, Odo, 43 lina, Dictyna, 50 lina, Stemmops, 137 linda, Dictyna, 50 lindrothi, Eperigone, 69 lindrothi, Tapinocyba, 79 linsdalei, Heterodictyna, 58 litus, Chrosiothes, 129 llano, Conepeira, 24 llano, Theridion, 143 lodingi, Ero, 109 lomondensis, Pityohyphantes, 99 longidens, Trachynella, 80 longipalpus, Ctenium, 130 longipes, Anibontes, 89 longipes, Hahnistea, 86 longipes, Meioneta, 97 longitarsi, Sisicus, 77

lora, Calymmaria, 6 lorna, Argenna, 44 louisianus, Drassodes, 81 lowriei, Cicurina, 8 lowriei, Theridion, 143 luisi, Dipeona, 131 lynx, Oxyopes, 111

mabelae, Leucauge, 30 macarius, Callioplus, 18 mactans mexicanus, Latrodectus, 135 maculata immaculata, Scotolathys, 60 maculipes, Theridion, 143 madera, Clubionoides, 37 madera, Hololena, 13 maderae, Theridion, 143 maderus, Spirembolus, 77 madisonia, Scotinella, 42 madrona, Kibramoa, 114 magna, Calilena, 5 magnacava, Rualena, 15 magnificum, Chindellum, 128 magnificus, Bathyphantes, 90 magnificus, Titanebo, 154 magnus, Sittacus, 121 majesticum, Yukon, 80 malkini, Dipoena, 131 malkini, Theridion, 143 malkini, Xysticus, 156 mammatus, Amarotypus, 22 mandibulata provoana, Pusillia, 100 mandibulata punctata, Pusillia, 100 manitoba, Dictyna, 50 manitoba, Tetragnatha, 30 manitobae, Aranea, 23 manitou, Scotinella, 42 manzanillo, Achaearanea, 127 margareta, Apollophanes, 149 mariae, Emblyna, 56 marianna, Tetragnatha, 31 maricopa, Enoplognatha, 132 marilandica, Conepeira, 24 marilina, Dictyna, 50 marissa, Dictyna, 50 marmorata parvior, Enoplognatha, 132 marna, Clubiona, 35 martini, Theridion, 143 marxi matanuskae, Maso, 74 marylandicus, Loxosceles, 122 matachic, Sphyrotinus, 136

MEM. AMER. ENT. SOC., 23

longivulva, Linyphantes, 94

matanuska, Argenna, 44 matanuskae, Erigone, 70 matanuskae, Maso marxi, 74 matanuskae, Tapinocyba, 79 mathetes, Walmus, 19 mayaca, Pirata, 107 mazamae, Sittacus, 121 melania, Singa, 28 melanie, Nodocion, 84 melanopa, Micaria, 38 melanus, Amaurobius, 17 melva, Dictyna, 50 mendocina, Archerius, 123 mentasta, Erigone, 70 mephisto, Walmus, 19 mercedes, Leptyphantes, 93 merkeli, Ebo, 150 merula, Steatoda, 137 mesus, Tigellinus, 79 metallus, Liodrassus, 83 metlakatoides, Pardosa, 104 mexcala, Mysmenopsis, 124 mexicana, Eustala, 25 mexicanus, Argyrodes, 128 mexicanus, Latrodectus mactans, 135 miami, Lycosa, 103 micanopy, Geolycosa, 101 michelbacheri, Theridion, 143 michelsoni, Maevia, 117 michiganse, Philodromus, 153 michoacanus, Sosippus, 108 micro, Dictyna, 50 microps, Cicurina, 8 microps, Linyphantes, 94 mimbres, Islandiana, 74 mimetoides, Metellina, 30 miniatus, Amarotypus, 22minidoka, Pityohyphantes, 99 minima, Cicurina, 8 minnedoka, Cicurina, 8 minnesota, Cicurina, 8 minnesota, Thymoites, 148 minorata, Jalapyphantes, 92 minorata, Meioneta, 97 miranda, Dictyna varyna, 55 missionensis, Paidisca, 135 misteca, Loxosceles, 122 misteca, Maymena, 124 misteca, Plectreurys, 115

moaba, Dictyna, 50 moabana, Zanomys, 20 moctezuma, Dictyna, 51 moctezuma, Theridion, 144 modestus, Centromeroides, 91 modicus, Dismodicus, 69 mohave, Theridion, 144 mojavea, Diguetia, 62 mojavea, Plectreurys, 115 monicus, Tortembolus, 80 monoca, Emblyna, 56 monocerus, Cornicularia, 68 montana, Dictyna, 51 montana, Neosconella, 28 montanoides, Poecilochora, 84 monterea, Hololena, 13 monterea, Plectreurys, 115 monterea, Tricholathys, 61 montereyensis, Conaranea, 24 monteriensis, Drassyllus, 82 monticola, Hahnia, 85 montgomervi, Dictyna, 51 montigena arctica, Hilaira, 73 mora, Dictyna, 51 morelosiana, Arctosa, 101 mossi, Sciastes, 76 mulaiki, Diguetia canites, 61 mulaiki, Euryopis, 134 mulaiki, Neoantistea, 86 multiformis dixiana, Calilena, 5 multnoma, Cybaeus, 11 muma, Islandiana, 74 mumai, Conepeira, 24 munda, Dipoena, 131 mundella, Storena, 159 mustaciata, Pellenes, 120 mutata, Clubiona, 35 mutatus, Heterochemmis, 37 myersi, Theridion, 144 mysticus, Xysticus, 156

nahuana, Loxosceles, 122 nahuana, Plectreurys, 115 nahuana, Steatoda, 137 nakina, Coriarachne, 149 nanatus, Pirata, 107 nanda, Dictyna, 51 nanella, Metepeira, 27 nannellus, Drassyllus, 82 nannus, Zelotes, 85 nasuta, Souessa, 77 natches, Linyphantes, 94 navajo, Maso, 75 navajo, Pityohyphantes, 99 navajoa, Dictyna, 51 nayaritensis, Achaearanea, 127 nearctica, Zygiella, 28 nearcticus, Tibioplus, 79 nebraska, Dictyna, 51 nebraska, Pardosa, 105 nebraskensis, Neoscona, 28 nebulosa, Syrisca, 43 nedra, Hololena, 13 nehalem, Linyphantes, 94 nelsoni, Anelosimus, 127 nelsoni, Mimetus, 109 nelsoni, Oxyopes, 111 nelsoni, Theridiosoma, 32 neotoma, Dipoena, 131 neshamini, Theridion, 144 newina, Emblyna, 56 nicolasia, Lutica, 158 nicholsi, Clubiona, 35 nigrescens, Eulaira schediana, 71 nigrescens, Linyphantes, 94 nigriceps, Pellenes, 120 nina, Cicurina, 8 nita, Calilena, 5 nivosa, Conepeira, 25 nogales, Masoncus, 75 nordicolens, Pardosa, 105 nordlandica, Hypomma, 73 normale, Coleosoma, 129 numa, Tetragnatha, 31

oasa, Plectreurys, 115
oasa, Dictyna, 51
oatimpa, Corypheolana, 69
obesulus, Misumenops, 150
oblitus, Walmus, 20
obscura, Eulaira, 71
obscura, Orchestina, 110
obscurus, Linyphantes, 94
obtusa, Marpissa, 117
ocala, Coloncus, 68
ocala, Xysticus, 156
occidens, Oxyopes, 111
ocella, Porrhomma, 100
ocosingo, Dipoena, 131
octonarius, Uloborus, 158

octopunctata, Araneilla desplicata, 23 ocula, Conepistha, 129 odelli, Clubiona, 35 officiosus, Bathyphantes, 90 ogeechee, Sciastes, 76 olivena, Microneta, 98 olympus, Amaurobius, 18 omiltemi, Theridion, 144 oneida, Philodromus, 153 oola, Hololena, 13 opeongo, Clubiona, 35 opuntia, Theridion, 144 orarius, Philodromus, 153 orbiculata, Dictvna, 51 ordinaria, Meioneta, 97 oregona, Calilena stylophora, 6 oregona, Dictyna, 52 oregona, Usofila, 88 oregonicola, Ceratinopsis, 66 oregonus, Zygottus, 80 oreinoides, Spirembolus, 78 originata, Dipoena, 131 orilla, Sphyrotinus, 136 orites, Orodrassus, 84 orlando, Allotheridion, 127 orniceps, Euryopis, 134 ornithes, Leptyphantes, 93 orotes, Singa, 28 orthus, Spirembolus, 78 osceola, Dictyna, 52 oteroana, Clubiona, 35 oteroana, Drapetisca, 91 ozarkensis, Conepeira, 25

pacifica, Cicurina, 8 pacifica, Dictyna, 52 pacificus, Anelosimus, 127 pacificus, Linyphantes, 94 pagosa, Cicurina, 8 paisana, Plectreurys, 115 paita, Tachygyna, 78 paiuta, Kibramoa, 114 pallas, Scylaceus, 77 pallidus, Pityohyphantes, 99 pallisterorum, Theridion, 144 palmeni, Collinsia, 68 palomara, Ceratinopsis, 66 palomara, Emblyna, 57 palomara, Metepeira, 27 paludis, Litopyllus, 83

palustris, Metepeira, 27 pampa, Cicurina, 8 pampia, Minyriolus, 75 papago, Psilochorus, 113 parabolis, Ebo, 150 paradisiacum, Theridion, 144 paradoxum, Trogloneta, 125 parallelis, Coras, 10 parana, Hololena, 13 pardus, Oxyopes, 111 parma, Cicurina, 9 parvior, Enoplognatha marmorata, 132 parvus, Oecobius, 109 patellaris, Dictyna, 52 patellonigra, Geolycosa, 101 patricia, Apollophanes, 149 pavida, Anyphaenella, 20 pearcei, Hololena, 13 pearci, Mallos, 59 pearcei, Neoanagraphis, 39 pearcei, Xysticus, 156 pelaezi, Theridion, 145 pelyx, Actachaea, 128 peon, Dictyna, 52 peon, Ozyptila, 152 pepini, Euryopis, 134 peragrata, Dictyna, 52 perditus, Tigellinus, 80 perplexus, Coras, 10 petersoni, Liodrassus, 83 petrunkevitchi, Dictyna, 52 petrunkevitchi, Hypochilus, 87 petrunkevitchi, Micaria, 38 petrunkevitchinus, Thallumetus, 60 petulans, Oonops, 110 phana, Tapinocyba, 79 phoenix, Dictyna, 52 phrynosoma, Mastophora, 26 picta, Meioneta, 97 pictella, Dictyna, 52 pictillis, Arcuphantes, 90 pikei, Clubiona, 36 pikes, Enoplognatha, 132 pima, Kibramoa suprenans, 114 pina, Novalena, 14 pinalia, Dictyna, 52 pinea, Lathys, 58 pineus, Paraphidippus, 119 pinocchio, Cornicularia, 69 pintura, Enoplongnatha joshua, 132

pinyonelis, Philodromus, 153 pior, Tosyna, 60 pipensis, Phrurolithus, 41 piratica, Dictyna, 53 pisga, Ceraticelus laetabilis, 64 pistus, Ceraticelus formosus, 64 pitus, Pimus, 18 pius, Coloncus, 68 piuta, Enoplognatha, 133 pixi, Dictyna, 53 pixii, Neon, 119 placidum, Theridion, 145 planeticus, Strotarchus, 43 platta, Pardosa, 105 plesius, Minyriolus, 75 plumbi, Clubiona, 35 plutonus, Neon, 119 plutonus, Sosippus, 108 pomoa, Clubiona, 36 pomona, Anyphaena, 20 pomona, Calilena stylophora, 6 pontis, Tapinocyba, 79 portalensis, Chrosiothes, 129 potosia, Frontinella, 91 potteri, Arcuphantes, 90 proceps, Anacornia, 63 procteri, Clubiona, 36 procteri, Neoantistea, 86 prosaica, Labuella, 92 prosaica, Pardosa, 105 provalis, Dipoena, 132 provo, Cochlembolus, 67 provoana, Pusillia mandibulata, 100 pseudoceratiola, Lycosa, 103 pseudofrondeum, Theridion, 145 pseudomelaena, Aranea, 23 pualla, Linyphantes, 95 puebla, Hyptiotes, 158 puebla, Jalapyphantes, 92 puebla, Oonops, 110 puebla, Theridula, 148 punctata, Pusillia mandibulata, 100 puritana, Enoplognatha, 133 purus, Metaphidippus, 118

quaesito, Eularia, 71 quemadum, Theridion, 145 quercicola, Philodromus, 153 quercinus, Misumenops, 150 querida, Dictyna, 53 questa, Stemmops, 138

rabana, Hololena, 13 rabuni, Theridion, 145 reclusa, Piabuna, 42 reclusus, Loxosceles, 122 redemptus, Phrurolithus, 41 redemptus, Psilochorus, 113 redondo, Batroceps, 63 reducta, Erigone, 70 referns, Ariston, 158 regia, Theridula, 148 regina, Meioneta, 97 relicta, Montilaira, 75 religens, Emblyna, 57 reminiscens, Wubana, 80 rena, Emblyna, 57 reticens, Ariston, 158 reticulateum, Theridion, 145 restricta, Calilena, 5 reynosana, Laronia, 83 rhododendri, Clubiona, 36 riggsi, Micaria, 38 rileyi, Clubiona, 36 rinconense, Theridion, 145 riogrande, Cicurina, 9 riogrande, Geolycosa, 101 rita, Dictyna, 53 rita, Dipoena, 132 rita, Linyphia, 95 rita, Ritalena, 14 ritae, Theridion, 145 robinsoni, Xysticus, 157 rockefelleri, Xysticus, 157 rogersi, Geolycosa, 102 rosana, Emblyna, 57 rothi, Misumenops, 151 rothi, Theridion, 146 rothi, Tibellus, 154 rothi, Tricholathys, 61 rotunda, Dictyna, 53 rowani, Clubiona, 36 rowani, Micaria, 38 rowensis, Ceraticelus, 64 rubra, Cicurina, 9 rudimentops, Cicurina, 9 rufulus, Bathphantes, 91 ruinum, Theridion, 145 rusticana, Tetragnatha, 31

saanichum, Theridion, 146 sachimau, Aranea, 23 saepei, Dictyna, 53 sagittata emertoni, Micrathena, 29 salai, Tmarus, 154 salicicola, Grammonota, 72 salina, Micaria, 38 salmonis, Cheraira, 67 salsa, Schizocosa, 107 saltensis, Steatoda, 137 saltona, Dictyna, 53 saltona, Tricholathys, 61 sammamish, Leptyphantes, 93 sancta, Dictyna, 53 sanctus, Theridion, 146 sandersi, Gnaphosa, 82 sanfrana, Emblyna, 57 santana, Hololena, 13 santana, Neoantistea, 86 santarita, Aranea, 23 santinez, Linyphantes, 95 santinez verdugo, Linyphantes, 95 santrita, Lycosa, 103 saphes, Argenna, 44 sarasota, Conepeira, 25 sarasota, Paidisca, 135 sardis, Theridion, 146 saukea, Euryopis, 134 savanna, Dictyna, 53 savannum, Theridiosoma, 31 savannus, Ceraticelus, 64 saylori, Calilena, 5 saylori, Dictyna, 53 saylori, Theridion, 146 schediana nigrescens, Eulaira, 71 schicki, Plectreurys, 115 schizostylus, Calilena umatila, 6 schlingeri, Misumenops, 151 schrammeli, Theridion, 146 schusteri, Ozyptila, 152 schwarzi, Phrurolithus, 41 scitus, Selenops, 123 sclerotis, Paidisca, 135 scopulatus, Cybaeus, 12 scotta, Emblyna, 57 screveni, Clubiona, 36 sculleni, Phrurolithus, 41 secuta, Ceratinopsis, 66 sedata, Opopaea, 110 selma, Cornicularia, 68

selma, Enoplognatha, 133 seminola, Argiope, 29 seminola, Dictyna, 54 seminola, Micaria, 39 seminolus, Drassyllus, 82 semipallida, Meioneta, 97 separatus, Phonotimpus, 39 septata, Hololena, 14 septatus, Cybaeus, 12 sequoia, Cybaeina, 11 serax, Achaearanea, 127 serena, Dictyna, 54 serenoae, Theridion, 146 setosus, Floricomus, 71 severinus, Amaurobius, 18 sewardi, Pachygnatha, 30 sexoculata, Yorima, 16 sexsetosum, Theridion, 146 shantzi, Chasmocephalon, 124 shasta, Amaurobius, 18 shasta, Cicurina, 9 shasta, Dictyna, 54 shenandoa, Trochosa, 109 shoshonea, Dictyna, 54 sidella, Hololena, 14 sierra, Cicurina, 9 sierra, Dictyna, 54 sierrensis, Misumenops, 151 sierrensis, Xysticus iviei, 156 signata, Diguetia, 62 silus, Ceraticelus, 64 silvicola, Titanoeca, 19 sima, Scironis, 76 sima, Tachygyna, 78 similis, Ctenium, 130 simplex, Cybaeus, 12 simplicior, Psilochorus, 113 sinaloa, Dictyna, 54 sinaloa, Psilochorus, 113 sinaloa, Theridion, 146 singulus, Oonops, 110 singulus, Phrurolithus, 42 siou, Coloncus, 68 siva, Calilena, 6 siwa, Emblyna, 57 socarina, Dictyna, 54 socius, Eperigone, 69 sodonta, Willibaldia, 80 solituda, Pardosa, 105 sombrus, Mythoplastoides, 75

sonora, Dictyna, 54 sonora, Oonops, 110 spatulatus, Dolomedes, 113 speophila, Islandiana, 74 spiethi, Xysticus, 157 spiritus, Euryopis, 134 sporadicus, Drassyllus, 82 stannardi, Theridion, 146 steva, Pardosa, 105 stupkai, Castianeira, 33 stylifer, Catabrithorax, 63 stylophora, Calilena, 6 stylophora laguna, Calilena, 6 stylophora oregona, Calilena, 6 stylophora pamona, Calilena, 6 subarctica, Grammonota, 72 subarctica, Hypomma, 73 subarcticus, Pityohyphantes, 99 subflava, Yorima, 16 subniger, Ceraticelus, 64 subnomeus, Amaurobius, 18 subpinicola, Dictyna, 54 subra, Pardosa, 105 sucra, Tapinocyba, 79 sula, Hololena, 14 sula, Zelotes, 85 sulcosa, Marpissa, 117 sulfurica, Dipoena, 132 suprenans pima, Kibramoa, 114 sura, Pardosa, 105 surana, Rualena, 15 suranus, Pellenes eleganoides, 120 suwanea, Dictyna, 55 suwaneus, Pirata, 107 swanea, Ceratinopsis, 67 sylva, Leptoneta, 88 sylvania, Ceratinopsis, 67 sylvania, Dictyna, 55 sylvania, Lathys, 58 sylvanus, Pirata, 107 sylvanus, Zelotes, 85 sylvaticus, Arcuphantes, 90

tacoma, Amaurobius, 18 tacoma, Cicurina, 9 tacoma, Pityohyphantes, 99 tacypodus, Habronattus, 116 taeter, Argyrodes, 128 tallulae, Floricomus, 71 talmo, Theridion, 147 tamae, Lycosa, 103 tamara, Leptyphantes, 93 tamarus, Amaurobius, 18 tamaulipanus, Phrurolithus, 42 tampa, Xysticus, 157 tanana, Erigone, 70 tavara, Europis, 134 tecate, Plectreurys, 115 tecoja, Dipoena, 132 tehama, Hyptiotes, 158 tehuana, Loxosceles, 122 tehuacanus, Selenops, 123 tenna, Sciastes, 76 tennapex, Microneta, 98 tennesseensis, Coras, 10 tepejicanus, Phrurolithus, 42 terranea, Dictyna, 55 tetonia, Micaria, 39 texana, Conepeira, 25 texana, Dictyna, 55 texana, Mufila, 135 texanus, Sosippus, 107 thumbia, Eulaira, 71 tigana, Ceratinella, 65 tillandsiae, Mimetus, 109 timpanogos, Theridion, 147 timuqua, Lycosa, 103 tlaxcalana, Lycosa, 103 toccoa, Dictyna, 55 toltecus, Xysticus, 157 tolucana, Agelena, 4 tolucanus, Oonops, 110 tonala, Theridiotis, 147 tonaquintas, Drassyllus, 82 topanga, Psilochorus, 113 tortuba, Cicurina, 9 tosa, Emblyna, 57 tosior, Ceratinella, 65 tricolor, Lithyphantes, 135 tricolor, Metaphidippus, 118 tridens, Oxyopes, 112 tridentata, Dictyna, 55 tridentatus, Titanebo, 154 trimaculatus, Habronattus, 116 triramus, Leptyphantes, 93 tristoides, Pardosa, 106 triunfo, Phoroncida, 136 tucsona, Dictyna, 55 tuganus, Ceraticelus, 66

tulareana, Hololena, 14 tullgreni, Phidippus, 121 tumida, Pardosa, 106 tunagyna, Helophora, 92 turba, Hololena, 14 tybeensis, Ceratinopsis, 67

uinta, Pagomys, 60
uintana, Ceratinops, 66
umatila, Calilena, 6
umatila schizostylus, Calilena, 6
unca, Hamataliwa, 111
uncinatus, Horcotes, 73
undarum, Philodromus, 153
unica, Conepeira, 25
unicornis, Islandiana, 74
urica, Emblyna, 58
utesca, Emblyna, 58
utona, Emblyna, 58
utus, Haplodrassus, 83

vadosa, Pardosa, 106 valens, Pardosa, 106 vancouveranus, Pityohyphantes, 99 vaquera, Plectreurys, 115 varians, Cicurina, 9 variata, Castianeira, 33 variata, Steatoda, 137 variata china, Steatoda, 137 varis, Euryopis, 134 varus, Walmus, 20 varyna, Dictyna, 55 varyna miranda, Dictyna, 55 ventura, Metepeira, 27 vera, Pimoa, 98 veracruzae, Pirata, 107 veracruzana, Arctosa, 101 veracruzana, Hahnia, 85 veracruzana, Storena, 159 verdugo, Linyphantes santinez, 95 verae, Aculepeira, 22 verityi, Misumenops, 151 verityi, Philodromus, 153 vermontis, Tapinocyba, 79 vernalis, Philesius, 110 verus, Sphyrotinus, 136 vesta, Aranea, 23 vexatrix gertschi, Hilaira, 73 victoria, Linyphantes, 95 victoria, Stemmops, 138

video, Cheniseo, 67 vokesi, Oecobius, 109 volucripoides, Dictyna, 55 vulnera, Castianeira, 33

wagneri, Theridiotis, 148 wagneri, Xysticus, 157 wallacei, Lycosa, 103 wallacei, Marpissa, 117 wallacei, Theridion, 147 wasatchensis, Schizocosa, 108 washomus, Pellenes, 120 washona, Steatoda, 137 washougalia, Dipoena, 132 watona, Tachygyna, 78 watonus, Metaphidippus, 118 watsinga, Ceratinopsis, 67 wawona, Filistata geophila, 81 wawona, Novalena, 14 weber, Tigellinus, 80 weesei, Euryopis, 134 wilburi, Collinsia, 68 willapa, Cheraira, 67 winnipegensis, Xysticus, 157 wioma, Eulaira, 71

wrighti, Pellenes, 120 wyuta, Enoplohgnatha, 133

xera archboldi, Geolycosa, 102 xera xera, Geolycosa, 102 xerophila, Pardosa, 106 xilitla, Linyphia, 96

yakima, Argenna, 44 yosemita, Calilena, 6 yosemitica, Ozyptila, 152 yuma, Kibramoa, 114 yuma, Theridion, 147

zaba, Dictyna, 56 zacatea, Plectreurys, 116 zapatan, Scytodes, 123 zapoteca, Loxosceles, 123 zebrina, Meioneta, 97 zionis, Mallos, 59 zionis, Pardosa, 106 zygethus, Disembolus, 69 zygethus, Sostogeus, 84 zyphyra, Grammonota, 72

			·



MEMOIRS OF THE AMERICAN ENTOMOLOGICAL SOCIETY

An irregular serial of monographic papers by students of authority in their respective subjects.

- 1. The Cresson Types of Hymenoptera. Ezra T. Cresson. 1916. \$6.00.
- 2. The Blattidae of North America, North of the Mexican Boundary. Morgan Hebard. 1917. \$10,00.
- 3. A Venational Study of the Suborder Zygoptera (Odonata), with Keys for the Identification of Genera. Philip A. Munz. 1919. \$2.00.
- 4. The Blattidae of Panama. Morgan Hebard. 1920. \$3.00.
- 5. The Types of Hymenoptera in the Academy of Natural Sciences of Philadelphia other than those of Ezra T. Cresson. Ezra T. Cresson. 1928. \$2.00.
- Revision of the Rhipiphoridae of North and Central America (Coleoptera).
 Ezekiel Rivnay. 1929. \$2.00.
- A Revision of the Dipterous Family Rhagionidae (Leptidae) in the United States and Canada. Mortimer D. Leonard. 1930. \$4.50.
- The Eumastacinae of Southern Mexico and Central America. James A. G. Rehn and John W. H. Rehn. 1934. \$2.50.
- The Generic Names of the Sphecoid Wasps and their type species. V. S. L. Pate. 1937. \$2.50.
- A Revision of the North American species belonging to the genus Pegomyia.
 H. C. Huckett. 1941. \$3.00.
- Catalogue and reclassification of the Nearctic Ichneumonidae. Henry K. Townes, Jr. 1944. \$15.00.
- The Biology and Identification of Trypetid Larvae. Venia Tarris Phillips. 1946.
 \$5.00.
- Elachistidae of North America (Microlepidoptera). Annette F. Braun. 1948.
 \$4.50.
- Classification of the Blattaria as Indicated by their Wings (Orthoptera). John W. H. Rehn. 1951. \$5.00.
- The Neotropical Species of the "Subgenus Aeschna" sensu Selysii 1883 (Odo-nata). Philip P. Calvert. 1956. \$10.00.
- A Taxonomic Study of the North American Licinini with Notes on the Old World Species of the Genus Diplocheila Brullé (Coleoptera). George E. Ball. 1959. \$10.00.
- 17. A Taxonomic Study of the Milliped Family Spirobolidae (Diplopoda: Spirobolida). William T. Keeton. 1960. \$5.50.
- 18. The Genus Bucculatrix in America North of Mexico (Microlepidoptera). Annette F. Braun. 1963. \$8.50.
- The Butterflies of Liberia. Richard M. Fox, Arthur W. Lindsey, Jr., Harry K. Clench, and Lee D. Miller. 1965. \$12.50.
- A Revision of the Mexican and Central American Spider Wasps of the Subfamily Pompilinae (Hymenoptera: Pompilidae). Howard E. Evans. 1966.
 \$12.50.
- A Taxonomic and Zoogeographic Survey of the Scarabaequae of the Antifles (Coleoptera: Scarabaequae). Eric G. Matthews. 1966. \$4.00.
- 22. A Monograph of the Ithoniidae (Lepidoptera) Part III. The Tribe Mechanitini Fox. Richard M. Fox. 1967. \$9.00.
- A List of New North American Spiders, 1940-1966. Beatrice R. Vogel. 1967. \$9,00.

In making inquiries relative to publications, address:



	•		



N NOITHTITION N I R R A R I F S SMITHSONIAN SIMILOUGHIAIN

INCITED TO THE THE TAX TO THE TAX

